


STATE OF KANSAS
STATE CORPORATION COMMISSION

Form CP-4

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver to:
Conservation Division
State Corporation Commission
212 No. Market
Wichita, Kansas

NORTH



Locate well correctly on above
Section Plat

Pawnee County, Sec. 10 Twp. 23 Rge. 17 (E) (W)
Location as "NE/CNW/SW" or footage from lines SW SW NW
Lease Owner Rock Island Oil & Refining
Lease Name Anderson B Well No. 1
Office Address Wichita, Kansas
Character of Well (completed as Oil, Gas or Dry Hole)
Date well completed 19
Application for plugging filed 19
Application for plugging approved 19
Plugging commenced 1/9/67 19
Plugging completed 1/13/67 19
Reason for abandonment of well or producing formation depleted.

If a producing well is abandoned, date of last production 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes

Name of Conservation Agent who supervised plugging of this well Massey
Producing formation Depth to top Bottom Total Depth of Well 4254 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8 5/8	270	none
				5 1/2	4253	2510

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Raised mast, checked hole to 4254', ran sand to 4190'. Mixed and dumped 5 sacks cement. Dug cellar and rigged up over 5 1/2" casing. Worked tension to 20". Had hole loaded, shot pipe at 2797', 2614' and at 2496'. Worked pipe loose and pulled 18 joints of range 2 & 3 pipe. Pulled 22 joints of range 3 pipe, cleaned cellar on Anderson #3. Had head cut off and collar welded on. Pulled 26 joints of 5 1/2" casing. Loaded junk rack, lowered mast and racked unit. Globe mixed and pumped 25 sacks gel and 100 sacks of cement.

PLUGGING COMPLETE.

RECEIVED
STATE CORPORATION COMMISSION
JAN 23 1967
1-23-1967
CONSERVATION DIVISION
WICHITA, KANSAS

(If additional description is necessary, use BACK of this sheet)
Name of Plugging Contractor KNIGHT CASING PULLING COMPANY
Address CHASE, KANSAS

STATE OF KANSAS COUNTY OF RICE, ss.
NOEL J. KNIGHT

(employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Noel J. Knight
CHASE, KANSAS (Address)

SUBSCRIBED AND SWORN TO before me this 17 day of Jan, 1967

My commission expires Oct 22 1970 Notary Public.

15-145-60 296-0560

THE CARL TODD DRILLING COMPANY
404 KFH Building
Wichita, Kansas

RECEIVED
STATE CONSERVATION COMMISSION
DEC 27 1966
CONSERVATION DIVISION
WICHITA, KANSAS

Wood River Oil & Refining Co., Inc.
Anderson B1
SW SW NW Sec. 10-23-17W
Pawnee County, Kansas

COMMENCED: May 3, 1955
COMPLETED: May 17, 1955

ELEVATION: 2098 Derrick Floor

0 - 205	Shale and shells
205 - 207	Iron
207 - 210	Iron and Sand Rock
210 - 269	Shale and shells
269 - 275	Lime and shells
275 - 585	Shale
585 - 675	Sand
675 - 975	Shale & stks of iron
975 - 1125	Shale and shells
1125 - 1155	Anhydrite
1155 - 1435	Shale, shells & Red Bed
1435 - 1625	Shale and salt
1625 - 1900	Shale
1900 - 2090	Shale and lime
2090 - 2395	Lime and shale
2395 - 2510	Lime
2510 - 2815	Lime and shale
2815 - 2965	Shale and lime
2965 - 3085	Shale
3085 - 3245	Lime and shale
3245 - 3535	Shale and lime
3535 - 3560	Shale and lime
3560 - 3655	Lime
3655 - 3760	Shale
3760 - 3845	Shale and lime
3845 - 4035	Lime
4035 - 4155	Lime
4155 - 4215	Lime and shale
4215 - 4245	Chert & Cong.
4245 - 4270	Chert, Cong., Sand
4270 - 4295	Shale and chert
4295 - 4300	Shale and sand
4300	Rotary Total Depth

CASING RECORD

8-5/8" OD 24# surface casing
set at 270' with 190 sacks
cement, 3 sacks CC

5-1/2" OD 17# casing set at
4253' with 150 sacks cement

I hereby certify that the above is a true and correct log, to the best of
my knowledge and belief.

THE CARL TODD DRILLING COMPANY

By:

Carl Todd