


Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
211 No. Broadway
Wichita, Kansas

WELL PLUGGING RECORD

Barton County, Sec 22 Twp. 20 Rge. 11 (E) W(W)

Location as "NE/CNWxSWx" or footage from lines NE-SE-SE
Lease Owner Glenn & Smith Pipe Pulling Co.
Lease Name Dannebohm Well No. 2
Office Address Box 156 Ellinwood, Ks.
Character of Well (completed as Oil, Gas or Dry Hole) Oil
Date well completed _____ 19____
Application for plugging filed Jan. 13 19 69
Application for plugging approved Jan. 16 19 69
Plugging commenced Jan. 17 19 69
Plugging completed Jan. 21 19 69
Reason for abandonment of well or producing formation _____



Locate well correctly on above
Section Plat

If a producing well is abandoned, date of last production _____ 19____
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Donald Truan
Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 3292 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				10 3/4"	188'	0
				7"	3039'	1985'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Filled with sand from 3292' to 3030'. Run 6 sacks of cement from 3030' to 3000'.

Pumped 15 sacks of mud, 40 sacks of cement, 10 sacks of mud & 15 sacks of cement to plug 10 3/4" pipe.

RECEIVED
STATE CORPORATION COMMISSION
JAN 24 1969
CONSERVATION DIVISION
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)
Name of Plugging Contractor Glenn & Smith Pipe Pulling Co.
Address Box 156 Ellinwood, Ks.

STATE OF Kansas, COUNTY OF Barton, ss.
_____, (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Ralph Glenn

(Address)

SUBSCRIBED AND SWORN to before me this 23rd day of January, 1969

My commission expires 12-1-69



WELL LOG BUREAU -- KANSAS GEOLOGICAL SOCIETY
412 Union National Bk. Bldg., Wichita, Kansas

15.009.19022.0000


COPY

Company - W. L. HARTMAN
Farm - Dannebohm No. 2

SEC. 22 T. 20 R. 11W
NE SE SE

Total Depth. 3292
Comm. 3-10-49 Comp. 4-8-49
Shot or Treated.
Contractor. H & H Drlg. Co.
Issued. 5-7-49

County. Barton
KANSAS



CASING:
8 5/8" 170' cem w/150 sx.
5 1/2" 3090' cem w/175 sx.

Elevation. _____

Production. Est. 35 bbls.

Figures Indicate Bottom of Formations.

sand, shale	170
red bed	195
red bed, sand	495
anhydrite	514
shale, shell	1405
shale	1620
lime, shale	1824
lime	1833
lime, shale	1895
lime	2100
shale	2249
lime, shale	2623
lime	2928
shale, lime	3044
lime	3114
lime brkn	3166
lime?	3292
Total depth	
Tops:	

Topeka	2630
Heebner	2891
Base Oread	2926
Douglas Sand	2953
Brown Lime	3015
Laansing	3033

2623- Circ. 1 hr, fair odor.
2975- Cir. 1 hr. good odor and rainbow.
3067- Circ. 1 hr, good odor.
3112- Lost Circ.


CABLE TOOL WORK

Cleaned up hole and rigged up for Lane Wells. Shot 12 shots 3048-50, dry.
12 shots 3053¹/₂-57¹/₂, dry. 12 shots 3063-67 dry. 3054-58- 12 shots, dry. 12 shots 3063¹/₂-66¹/₂. Acid w/150 gals. 4-1-49.
Used 150 gals 4-2-49 (no oil show). Used 50 gal. mud acid 4-3-49 (no oil show).
Acid w/100. gals. 4-5-49. Swbd a lot of mud, water and some oil. Est. 35 bbls. well.
Put on pump.

RECEIVED
STATE CORPORATION COMMISSION
JAN 16 1969
CONSERVATION DIVISION
Wichita, Kansas

WELL LOG BUREAU -- KANSAS GEOLOGICAL SOCIETY
412 Union National Bk. Bldg., Wichita, Kansas

COPY

Company - W. L. HARTMAN
Farm - Dannebohm No. 2SEC. 22 T. 20 R. 11W
NE SE SETotal Depth. 3292
Comm. 3-10-49 Comp. 4-8-49
Shot or Treated.
Contractor. H & H Drlg. Co.
Issued. 5-7-49County. Barton
KANSAS

Elevation. _____

Production. Est. 35 bbls.

Figures indicate bottom of formations.

sand, shale	170
red bed	195
red bed, sand	495
anhydrite	514
shale, shell	1405
shale	1620
lime, shale	1824
lime	1833
lime, shale	1895
lime	2100
shale	2249
lime, shale	2623
lime	2928
shale, lime	3044
lime	3114
lime brkn	3166
lime?	3292
Total depth	
Tops:	

Topeka	2630
Heebner	2891
Base Oread	2926
Douglas Sand	2953
Brown Lime	3015
Lansing	3033

2623- Circ. 1 hr, fair odor.
2975- Cir. 1 hr. good odor and
rainbow.
3067- Circ. 1 hr, good odor.
3112- Lost Circ.

CABLE TOOL WORK

Cleaned up hole and rigged up for Lane
Wells. Shot 12 shots 3048-50, dry.
12 shots 3053 $\frac{1}{2}$ -57 $\frac{1}{2}$, dry. 12 shots 3063-67
dry. 3054-58- 12 shots, dry. 12 shots
3063 $\frac{1}{2}$ -66 $\frac{1}{2}$. Acid w/150 gals. 4-1-49.
Used 150 gals 4-2-49 (no oil show). Used
50 gal. mud acid 4-3-49 (no oil show).
Acid w/100. gals. 4-5-49. Swbd a lot of mud,
water and some oil. Est. 35 bbls. well.
Put on pump.

RECEIVED
STATE CORPORATION COMMISSION
JAN 13 1969
CONSERVATION DIVISION
Wichita, Kansas