# STATE OF KANSAS STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Editing Building

#### WELL PLUGGING RECORD

800 Bitting Building Wichita, Kansas	Bat	rton	Count	v. Sec11	Twp., 20S, Rge.,	.11 (#)(W)
NORTH	Location as "NE	CNW4SW4"	or footage fro	m lines NE/	4 SE/4 NE/	/4
NORTH						***************************************
1 i   i						ell No7
i   î						***************************************
<u>   </u>	Character of Wel	l (completed as	Oil, Gas or I	Ory Hole)	Oil	
	Date well complet	ted	•		12-6	10 37
i	Application for p	lugging filed			10-19	19. 50
1 1	Application for p	lugging approved	 		10-20	19 50
1 1 1	Plugging commen	reed	••••••••••	144 ha a 147 ii dhean 1174 44 44 47 17 644 ii a bee	11-7	19 50
l i l i	Plugging commics	ad		**************************************	11-10	19 50
<u>  </u>						eted
1 ! !				_	_	
						19.50
1 ; l i			•	-		
Locate well correctly on above						plugging was com-
Section Plat	menced?	C D	Charab	******		
Name of Conservation Agent who s	upervised plugging of this	well ya	· Prongu			
Producing formation Arbuck1			Bottom	3288 T	otal Depth of We	ll3288Fee
Show depth and thickness of all wa	ter, oil and gas formations	<b>.</b>				
OIL, GAS OR WATER RECO	DUG				CA	SING RECORD
OID, GAS ON WATER RECO		<u> </u>				DING RECORD
Formation	Content	From	То	Size	Put In	Pulled Out
Arbuckle	Oil	3276	3288	6	3296	2608
				10 3/4	228	None
~~,			,	-, -		AXWAM
		J	ľ			
		· ·	1			,
***************************************						······
Describe in detail the manner	in which the well was plus	gged, indicating	where the mu	d fluid was place	ed and the method	or methods used in
ntroducing it into the hole. If cer	nent or other plugs were u	sed, state the ch	naracter of sa	me and depth p	laced, fromAs	Relowfeet to
As Below feet for each p		•			•	
	iag bov.					
T.D 32881		**************************************				
32881 - 32701 Cr	ushed Rock				······································	***************************************
3270 <b>' -</b> 3234 <b>'</b> Ce	mont		,,,			***************************************
	avy Mud	······				
	ushed Rock	***************************************		*************************		
	avy Mud					····
81 <u>01</u> Ce	llar					
				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
~~~ ~~~ ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	.~				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
		· · · · · · · · · · · · · · · · · · ·			y)- = yywn âsavu paa men na aan naan aa <sub>yy y</sub> , ,	
	***************************************					
	***************************************			/2-	· / - 50	
				•		
<del></del>	**************************************				1 (m) 1 (m)	· }
				STATE CORP	07.47	***************************************
***************************************	) H					
		*******************	· , 4 b : 17 40 17 7 • 70 17 10 17 40 1 14	DE	C 1 - 1950	
	(If additional de	scription is necessary	- MACTE of	his shoot		
Correspondence regarding this	well should be addressed in	· · · · · · · · · · · · · · · · · · ·	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		MANGA CHAIS.	
Address Box 7, Ellin	wood. Kansas			10110	iks, Nancas	
STATE OF Kansas	, COUNT	Y OF	Barton	£	ss.	
G. A. Younie		(emp	loyee of own	er) <mark>or (owner or</mark>	operator) of the a	bove-described well
eing first duly sworn on oath, says	s: That I have knowledge	of the facts, st	atements, and	d matters herein	contained and th	e log of the above-
escribed well as filed and that the				. 4		•
			1011	ann	Field Supe	and and and
	•	رسا(Signature)	4WH		Lierd Sabe	rincendent
		(	Box 1.	Ellinwood,	Kongog	
		{/	/		qqtesa)	
Subscribed and Sworn to befo	ore me this 24th	day of	Novembe	r	19.50	
CODOCILIDA MAN CITOMA TO DELO				201)		
				114)	VICACI	W
dy commission expires Novemb	er 1/th, 1953			(/ -		Notary Public.
- Von ge na blev ad repenserently fo 30% all equilibries della fil.	······	23-5091-s 8-	-50—10M	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
			i	EDI IYA	CINIF	ŝ
		_	1	TLUC	GING	₽.
				TILE SEC	T 20 R 14	<i>Y</i>
•			· [_		36 INE 31	<u> </u>
			Į S	PAGE.	معبد الأي الأكسنيات	<b>-</b> ,

10

10

### STANOLIND OIL AND GAS COMPANY

## WELL RECORD

				i	7	0		COMPAN	Y OPERA	TING St	enoli	sd Oil	and	Gas Coz	pany	KGE.	
			11				F	OFFICE	ADDRESS	Box 59	1, Tu	Lea, O	klabo	1950 B			
•							20	FARM NA	ME Pat	line Ko	ael ak	7					
							3	DRILLING	G STARTE	ED 11-9	19	37 DR		G, FINÍSH			
	160				160					NE		SE 1/4		NE 1/4	990	_ft. No	rth of South
								Line and_					4	ast of West			
	Le	ocate We	ell Cor	rectl	<u>                                     </u>								FLR	1765	.GROU	JND_	1762
										VELL (Oil,		ry hole)_					
		N	anie					From	OR GAS SA	ANDS OR ZO	ONES	Name			Fr	om	То
, .	illic	eo ita	Line	9				3276	3288	4							
2										5							
3			-							6							
									WATE	R SANDS	,						
		Nau	ne			Fro	m	То	Water Level			Name		From	r	٥ -	Water Level
1	_}									1					<u> </u>		
2										.5		,,			ļ		
3										6 PECORD							
								Amount	Set		Pulled				Record		
Size 5/470		vt.	Thd	is 8		ake		7/9 <b>225</b>	In.	Ft.	In.		lize	at 225		h Set	Make
6" (E)	20		10			11.		270	6					at 3276			
• w	20				13 (2)	-10	•	210	-	(101.00	76 OI		77.047	at Jero			
															-		
															ļ		
															<b></b>		
Size	Amo	ount Set		Saci Cem	ent		al.		Me	MUDDING thed tenting		ount		Mudding Method			leaults ac Note)
OD	329			10	3		10	ne Star	Hallib	urton							
		_											-				
												· · · · · · · · · · · · · · · · · · ·			i_		
NOTE:	What	method	was	used	to pr	otect s	ands	when outer	strings wer	re pulled?							
												_					<u> </u>
NOTE	Were b	ottom I	ole p	lugs	used?	·		If so, :	state kind,	depth set as	nd results	s obtained					
																	*
13	1				0		c	3	TOOL <b>285</b>	S USED	irous.			fect to			
Rotary   Cable to					3288	5		et to	288					feet to			
Cable to		94	St	rel													
		5 Nb1	B	OOT	bar	r 10	100	off bo	PRODUC	TION DA	ra ngina					-	
													-per c	6- Casi	Ba		per cen
														ent., Water.			per cen
								_Rock Press									
I, t	he und	ersigned	l, bein	ւց նա	st dul	y swor	n up	on oath, stat				correct a	nd com	plete accord	ling to	the re	cords of thi
office a	nd tö t	ne best	ol my	kno	wledg	e and	belie	t.				15	Ne	This			
								1.		**************************************	• • • · · · · · · · · · · · · · · · · ·		Name	and Title		7	
Subscril	bed and	l sworn	to be	fore	ine t	his the	·	18 61	day o	of	Luc	cush	. Im	lui	_, 193		
Му соп	missio	n expire	s	m	ry	ُون	15	41				lau	-2∀	Wil	Co	Notary	Public.
									34	2							



#### FORMATION RECORD

FORMATION	TOP	BOTTOM	AND WHETHER DRY, OR OIL, GAS, OR WAT	TOP	воттом
FORMATION	100	BOTTOM	FORMATION	- 101	BO110#
Soil, sand and shale Shale and shells Red rock Anhydrite Shale and shells Salt Shale and shells Lime	0 225 468 485 510 995 1185 1345	225 468 485 510 995 1185 1345 1382			-
Shale and shells Broken lime Shale Lime Broken lime Lime	1382 1565 1640 1695 1930	1565 1665 1695 1930 2014			
Shale and shells Shale Lime Broken lime Lime Broken lime	2014 2114 2360 2462 2605	2114 2360 2462 2605 3005			
Lime  Date of first work  Date drilling commenced  Date drilling completed  Date well completed  Date potential effective	3005 11-3-37 11-9-37 12-4-37 12-6-37 12-6-37	3270			
•					
	OI	>\$\frac{1}{2}			,
			•		
;			•		
			- The Mich		
			DEC 1 1950 DEC 1 1950 DEC 1 1950 DEC 1 1950 DEC 1 1950	in	

PLUGGING
FILE SECT TO RITE

POOK PAGE 26 LINE 3 L

#### STANOLIND OIL AND GAS COMPANY

	<del></del>	<del></del>	· <del></del>	<del>-,</del> .	WELL	RECORD	-	☐ SI	UPPLEMENTAL ER "X" WHEN A	PPLICABLE	:)
		1		L	EASE				•	WELL N	10
				], .,	OCATION OF W	/ELL:	☐ NOR FT. ☐ SOU	TH [ TH OF THE [	NORTH SOUTH LINE	AND	<i>.</i> F
		<del>                                      </del>		_  -	EAST WEST OF THE	WEST					
	<del>     </del>	' <del> </del>		- 0	F SECTION	Tow	изнір	Поятн □ soutн.	RANGE		EST.
		+ -	-	_		COUNTY			STA	ATÉ	
	+ +			E:	LEVATION:				+€		
			<del>      -</del>		OMPLETED AS:	OIL WE	LL □GA	S WELL		LL [	DRY HOLI
I	OCATE WE	LL CORRECT	rLY		RILLING: COM	MENCED		_19 CO	MPLETED		19
ERATING	COMPANY		<u>-</u>	OIL	OR GAS SA		ADDRESS	· · ·			
	•	NAME		FROM	1 то		N/	ME	-	FROM	то
					<u> </u>	4	<del></del>				
						5					
			<del> </del>		\\\\\	6 SANDS				-	
	NAME		FROM	To	WATER LEVEL	. — —	NAME		FROM	Υo	WATER LEVE
						3					
	CASIN	2 PECODI	OVERALL N	ISAGUREUS I		4		VED SCRE	N RECORD		<u> </u>
		DESCRIPTION	ON _		QUANTITY	SIZE	QUANTITY	SE	T AT	MAKE	AND TYPE
G, SIZE	WEIGHT	THREADS	MAKE	- GRADE	FEET		FEET	TOP	воттом		
			-								· 
		<u> </u>									
						ŞIZE	LENGTH	PACKER R		E AND T	/PE
				-				_	-		
·	<u> </u>					<u> </u>					
-	WHERE SET		CEMENT	TING RECO	1		1 .	-	MUDDING R		) <del></del>
SIZE	FEET	SACKS	BRAND	TYPE	МЕТНО		FINAL PRESS	MET			ULTS
											-
	_										
IAT METH	HOD WAS US	SED TO PRO	TECT SANDS	WHEN OUT	ER STRINGS W	ERE PULLE	D1				
	-	<del></del>			•	·-		WERE BO	OTTOM HOLE F	LUGS US	SED1
SO. STAT	E KIND, DE	PTH SET, AN	ID RESULTS	OBTAINED_	<del></del>			<del></del>		<u> </u>	
TARY TO	OLS WERE	USED FROM		FEET	то	FEE	T. AND FROM_	_	FEET TO		FEE'
BLE TOO	LS WERE U	SED FROM_		FEE1	то	FEET	T, AND FROM_	. ,	FEET TO		FEE
HOUR P	RODUCTION	OR POTEN	ITIAL TEST			· · · -	<del></del> ,	<u></u>		•	
GAS WIT		DEV DES						•	WATER		<del>-</del>
I, THE	UNDERSIGNE	D, BEING FIR	ST DULY SWOP	N UPON OATI	H, STATE THAT T		N PRESSURE_				SQUARE IN
CE AND	O THE BEST	DF MY KNOWL	EDGE AND BEI	LIEF.				NAME AND			
	SION EXPIR		<u></u>	OA			· ·	NOTARY P	UBLic		
- 1 * ∑ ==-	e en e	• . •								·	_