


STATE OF KANSAS
STATE CORPORATION COMMISSION

3-22-38

WELL PLUGGING RECORD
OR
FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging off formations.

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission,
800 Bittling Building,
Wichita, Kansas



Rice County. Sec. 21 Twp. 20 Rge. 10 (E) (W)
Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines SE, SW, NW.

Lease Owner The Texas Company

Lease Name E. West Well No. 1

Office Address 614 Bittling Bldg.

Character of Well (Completed as Oil, Gas or Dry Hole) Siliceous Line

Date, well completed Aug. 28, 1938

Application for plugging filed Jan. 20, 1938

Application for plugging approved Jan. 20, 1938


Plugging Commenced Jan. 20, 1938

Plugging Completed Feb. 2, 1938

Reason for abandonment of well or producing formation Produced very little oil and to much water.

If a producing well is abandoned, date of last production Jan. 31, 1938

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes



Locate well correctly on above
Section Plat

Name of Conservation Agent who supervised plugging of this well C. T. Alexander, Great Bend, Kansas.

Producing formation Siliceous Line Depth to top 3337' Bottom 3351' Total Depth of Well 3351' Feet

Show depth and thickness of all water, oil and gas formations.


OIL, GAS OR WATER RECORDS

CASING RECORD

| Formation | Content | From | To | Size | Put In | Pulled Out |
|-------------------------|------------|--------------|--------------|------------------|------------------|------------------|
| <u>Kansas City Lime</u> | <u>Dry</u> | <u>3267'</u> | <u>3337'</u> | <u>5 1/2"</u> | <u>70' Liner</u> | <u>70' Liner</u> |
| <u>Siliceous Lime</u> | <u>Oil</u> | <u>3337'</u> | <u>3351'</u> | <u>7" od</u> | <u>3277'</u> | <u>3080'</u> |
| | | | | <u>8-5/8" OD</u> | <u>2605'</u> | <u>1533'</u> |

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

This well was plugged with 10 sks. of cement from 3351' back to 3300'.
Mud to 3100'.
Tested out Kansas City Lime, No Oil or Gas, then mudded hole up to
2000'.
Cement Plug From 60' Back to 45'.
Mud to Bottom of Celler with 10 Sks. Cement.
Cap Put in Celler Over Hole.



(If additional description is necessary use BACK of this sheet)

Correspondence regarding this well should be addressed to The Texas Company, Producing Dept.
Address 614 Bittling Bldg., Wichita, Kansas.

STATE OF Kansas, COUNTY OF Sedawick, ss.

_____ (employee of owner) or (owner or operator) of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) M. C. Harrell
614 Bittling Bldg. - Wichita, Kansas (Address)

SUBSCRIBED AND SWORN to before me this 15th day of March, 1938.

My commission expires Aug. 26, 1941
Bertha W. Butts Notary Public.

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD


OR

FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging off formations.

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Biting Building
Wichita, Kansas

NORTH



Locate well correctly on above
Section Plat

Rice County. Sec. 21 Twp. 20 Rge. 10 (E) (W)
Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines SE, SW, SW.

Lease Owner The Texas Company

Lease Name E. West Well No. I

Office Address 614 Biting Bldg.

Character of Well (Completed as Oil, Gas or Dry Hole) Siliceous Lime

Date, well completed Aug. 28, 1930

Application for plugging filed Jan. 20, 1930

Application for plugging approved Jan. 20, 1930

Plugging Commenced Jan. 20, 1930

Plugging Completed Feb. 2, 1930

Reason for abandonment of well or producing formation Produced very little oil
and to much water.

If a producing well is abandoned, date of last production Jan. 31, 1930

Was permission obtained from the Conservation Division or its agents before plugging was commenced?
Yes

Name of Conservation Agent who supervised plugging of this well G. T. Alexander, Great Bend, Kansas.

Producing formation Siliceous Lime Depth to top 3337' Bottom 3351' Total Depth of Well 3351' Feet.

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

| Formation | Content | From | To | Size | Put In | Pulled Out |
|------------------|---------|-------|-------|-----------|-----------|------------|
| Kansas City Lime | Dry | 3267' | 3337' | 5 1/2" | 70' Liner | 70' Liner |
| Siliceous Lime | Oil | 3337' | 3351' | 7" od | 3277' | 3080' |
| | | | | 8-5/8" OD | 2605' | 1533' |

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

This well was plugged with 10 sks. of cement from 3351' back to 3300'.



Mud to 3100'

Tested out Kansas City Lime, No Oil or Gas, then mudded hole up to 2000'.

Cement Plug From 60' Back to 45'

Mud to Bottom of Celler with 10 Sks. Cement.

Cap Put in Celler Over Hole.



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to The Texas Company, Producing Dept.
Address 614 Biting Bldg., Wichita, Kansas.

STATE OF Kansas, COUNTY OF Sedgwick, ss.

_____ (employee of owner) or (owner or operator) of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature)

McHannell
614 Biting Bldg Wichita Kans
(Address)

SUBSCRIBED AND SWORN to before me this 15th day of March, 1938

My commission expires Aug. 26, 1941

Burda W Butts
Notary Public.

WELL LOG BUREAU - KANSAS GEOLOGICAL SOCIETY

UNION NATIONAL BANK BLDG, WICHITA KANSAS

15.159.04505.0000


Location SE SW NW.

Sec. 21 T. 20 R. 10W

Casing Record

County- Rice.

10" 2200 Farm- E. West No. 1
 20" 45 8 1/4" 2605 Company- The Texas Co.
 15 3/4" 405 65/8" 3277 Contr.- Rosenthal & Beardmore Drlg. Co.
 12 1/2" 880 53/16" 60 Comm.- 7/9/1930. Comp.- 8/28/30
 Total Depth 3351' Shot Quarts Between
 Correspondence Regarding This Well Should Be Referred to



Figures Indicate Bottom of Formations.
 Date Issued. 9/13/1930.

Elevation
 Initial Production
 Est. 400 bbls.

| Formation | Depth | Formation | Depth | Formation | Depth |
|----------------|-------|----------------|-------|--|-------|
| soil | 50 | lime white | 2235 | WATER RECORD HFV 60 to 70 1/2 BW 1480 6 BW 1670-1680 2 BW at 1910 5 BW 2015 HFV 2585-2605 Show of gas 1465 Show of Gas 2155 show of oil 2325 show of oil 2460 show of oil 2570-2585 show of oil 3080 oil 3337-3351 | |
| sand | 60 | shale blue | 2320 | | |
| shale blue | 180 | shale sdy | 2360 | | |
| shale red | 455 | lime hrd | 2375 | | |
| shale blue | 465 | shale lgt | 2380 | | |
| shale brown | 635 | lime hrd | 2385 | | |
| shale red | 760 | shale | 2415 | | |
| shale blue | 825 | lime | 2445 | | |
| shale brown | 860 | shale | 2460 | | |
| shale blue | 880 | sand brown | 2475 | | |
| shale lgt | 900 | shale sdy | 2500 | | |
| shale blue | 975 | shale blue | 2545 | | |
| lime white | 980 | lime | 2555 | | |
| shale blue | 985 | shale | 2570 | | |
| salt white | 1240 | sand brown | 2585 | | |
| shale blue | 1245 | water sand | 2605 | | |
| lime white | 1255 | lime | 2620 | | |
| shale lgt | 1260 | shale | 2625 | | |
| lime | 1270 | lime | 2660 | | |
| shale | 1330 | shale | 2670 | | |
| lime white | 1340 | lime | 2700 | | |
| shale lgt | 1345 | shale drk | 2705 | | |
| lime white | 1350 | lime white | 2720 | | |
| shale | 1385 | lime | 2875 | | |
| lime | 1395 | shells & shale | 2890 | | |
| shale | 1465 | shale red | 2895 | | |
| showing of gas | | lime brkn | 2920 | | |
| lime | 1505 | shale lgt | 2985 | | |
| shale lgt | 1510 | lime | 3015 | | |
| shale brown | 1535 | lime | 3020 | | |
| lime | 1680 | shale green | 3030 | | |
| shale | 1700 | lime | 3125 | | |
| rock | 1725 | lime brown | 3145 | | |
| lime white | 1745 | lime white | 3160 | | |
| shale drk | 1755 | lime gray | 3205 | | |
| lime white | 1760 | lime | 3215 | | |
| shale red | 1770 | shale blue | 3220 | | |
| lime white | 1785 | lime | 3240 | | |
| shale drk | 1790 | shale lgt | 3245 | | |
| shale | 1810 | lime & shale | 3260 | | |
| lime | 1820 | lime brkn | 3275 | | |
| rock | 1845 | lime | 3298 | | |
| lime white | 1880 | shale blue | 3305 | | |
| shale lgt | 1885 | sdv lime | 3321 | | |
| lime white | 1895 | shale | 3337 | | |
| shale brown | 1910 | sand | 3351 | | |
| lime | 1955 | | | | |
| shale drk | 1970 | T.D. | 3351' | | |
| shale lgt | 1980 | | | | |
| shale brown | 1995 | | | | |
| lime | 2045 | | | | |
| shale lgt | 2060 | | | | |
| shale blue | 2100 | | | | |
| shale lgt | 2120 | | | | |
| shale blue | 2140 | | | | |
| lime | 2145 | | | | |
| shale blue | 2155 | | | | |
| shale sdy | 2160 | | | | |
| shale lgt | 2180 | | | | |
| shale red | 2215 | | | | |
| shale blue | 2230 | | | | |

PLUGGING
 FILE SEC 21 T 20 R 10W
 BOOK PAGE 5 LINE 2