

DEC 1 6 2003

"Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM KCC WICHITAWELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Angelon Communication of the C	URIGINA
Operator: / License #32756	- API No. 15 - 037-21570-80-68
Name: Double 7 Oil & Gas	County: Crawford
Address: 21003 Wallace Rd.	Ap n/2-s/2S/sec. 19 Twp. 30 S. R. 22 M East West
City/State/Zip: Parsons Ks. 67357	2145 feet from S / W (circle one) Line of Section
Purchaser:	
Operator Contact Person: Bruce Schulz	
Phone: (626) 316-423-0951	Nearest Outside Section Corner:
Contractor: Name: Company Tools	(circle one) NE SE (NW) SW
License:	Lease Name: Amershek Well #: 2
Wellsite Geologist:	PICCUILE
'	
Designate Type of Completion:	Elevation: Ground: N/A Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 180 Plug Back Total Depth:
OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 20! Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
f Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	•
Veil Name:	feet depth tosx cmt.
Original Comp. Date:Original Total Depth:	Drilling Fluid Management Plan Paker 5.19.
	(Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride contentppm Fluid volumebbls
Plug BackPlug Back Total Depth	Dewatering method used Empty & Fill
Commingled Docket No.	,
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
1/20/02	Lease Name: License No.:
1/30/03 2/01/03 10=17-03 pud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
ecompletion Date Recompletion Date	County: Docket No.:
•	DOCKEL NO.,
	51,
Information of side two of this form will be held confidential for a period of	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, over or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. If 12 months if requested in writing and submitted with the form (see rule 82-3-25 and geologist well report shall be attached with this form. ALL CEMENTING Is. Submit CP-111 form with all temporarily abandoned wells.
Il requirements of the statutes, rules and regulations promulgated to regularein are complete and correct to the best of my knowledge.	rlate the oil and gas industry have been fully complied with and the statements
gnature: Kenneck Molly	KCC Office Use ONLY
tle: <u>Owner</u> Date: 12-11-03	letter of Confidential Land
1-H	Letter of Confidentiality Attached If Denied, Yes Date:
A day of Energy Public State of Kansas	
Notary Public - State of Kansas My Appt. Expres Feb. 2, 2004	
plary Public: Margaret a. Patterian	Geologist Report Received
ate Commission Expres: 2/2/2004	UIC Distribution

Operator Name: DBul						Amersh	ok ,	- Well #: <u>-2</u> -	- (2)	
	s. R. 22					awford			2.7	
STRUCTIONS: Sho sted/lime/top/open a mperature, fluid recov ectric Wireline Logs s	ery, and flow rate	s if gas to su	rface test.	wnether st along with f	iut-in pre	ssure reached	static level, hydro-	static process	ree hottom	hala
Drill Stem Tests Taken Yes No (Attach Additional Sheets)			T No		, Dr	og Formati	ion (Top), Depth a	nd Datum	Sample	
Samples Sent to Geological Survey			ØNo	Name				Тор	Da	tum
res Taken	, set	Yes								
ectric Log Run (Submit Copy)		Yes	No			•				
t All E. Logs Run:						•			•	
									:-	
					i.				1	. 1
•										14
į.		The state of the s		RECORD	☐ Ne		***************************************			•
13	Size Hole	Report al Size C		onductor, su Weig		rmediate, produc	T	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
Purpose of String	Drilled	Set (In		Lbs. /		Setting Depth	Type of Cement	# Sacjs Used	Type and Addi	
Drill Well	5800°//"	20'	61/4''		r		Portland	5		11
nggasal o et.										· ii
										· 131.
		А	DDITIONAL	CEMENTIN	1G / SQU	EEZE RECORD)		'.z	1 1 3 N
'urposez ' Perforate	Depth Top Bottom	Type of Cement		#Sacks Used		Type and Percent Additives				
Protect Casing Plug Back TD Plug Off Zone										
			**************************************							11
Shots Per Foot	r Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
					i					
t										
有领情够行。 酒	,				:					, li
10.484 10.00 C				,				;	pi, an	1. 119.
THE STREET HERE		ς*							1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	. 11
IBING RECORD	Size	Set At		Packer A		Liner Run	And the second s	. 1	<u> </u>	- 10
· · · · · · · · · · · · · · · · · · ·	1-	. •	***************************************				Yes No		T.	. 4 113
te of First, Resumerd Pr	oduction, SWD or E	nhr. Pi	roducing Met		Flowing	Pumpli	ng Gas Lift	□ Oth	or (Explain)	
timated Production Per 24 Hours	Oil	3bls.	Gas	Mcf	Water	В		s-Oli Ratio		Gravity
sposition of Gas	METHOD OF C	OMPLETION				Production Inter	val	··		
 Vented	Used on Lease		Open Hole	Perf.	[] v·	rally Comp.	·		and the second	111, 144
(If vented, Sumit	ACO-18.)		Other (Speci	-		may comp.	Commingled			1.

ORIGINAL



Flyer Feed & Tire

P. O. Box 216 501 N. Galveston Thayer, KS 66776-0216 (620) 839-5400



NAME	MER'S NO.	1/2-			DATE //	201-	23	Top distinct by the second sec	
SOLD BY	CASH	COD	CHARCE	ON ACCT.	AADOF	The court			
	OAO!!				MDSE. RET'D.	PAID OUT			
-QUUANI	1.0	, "∗cID	ESCRIPTI	ΘIN		PRICE	AMOXU	NIE	
450	For	Hano	· · · · · ·				249/		
		,						1	
			D COMMISSION						
	DEC 3 1 2004								
a male Magazine and American State of the Control o	The state of the s	Marie	1910N	~~~					
		MI 1		-					
	And the second s								
******					·				

					K.E.T.				
				S	ales Tax		181	55	
					TOTAL				