RECEIVED DEC 1 6 2003 KCC WICHITA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1 September 1999 Form Must Be Typed

ORIGINAL

Operator: License #32756	API No. 15 - 037 - 21528					
Name:Double 7 Oil & Gas	County: Crawford					
Address: 21003 Wallace Rd.	Approx Su Sec. 19Twp. 30 S. R. 22 X East West					
City/State/Zip: Parsons Ks. 67357						
Purchașer:	feet from E / (circle one) Line of Section					
Operator Contact Person: Bruce Schulz	Footages Calculated from Nearest Outside Section Corner:					
Phone: 620, 316-423-0951	(circle one) NE SE NW (SW)					
Contractor: Name: CompANY Tools	Lease Name: Mechling Well #: 2					
License:	Field Name: McCune West					
Wellsite Geologist:	Producing Formation: Bartlesville					
Designate Type of Completion:	Elevation: Ground: N/A Kelly Bushing:					
New Well Re-Entry Workover	Total Depth: 1901 Plug Back Total Depth:					
OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 20 Feet					
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?					
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet					
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from					
Operator:	feet depth tosx cmt.					
Well Name:						
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)					
Deepening Re-perf Conv. to Enhr./SWD	1					
Plug Back Plug Back Total Depth	Chloride contentppm Fluid volumebbls					
Commingled Docket No.	Dewatering method used Empty & Fill					
Dual Completion Docket No	Location of fluid disposal if hauled offsite:					
Other (SWD or Enhr.?) Docket No	Operator Name:					
	Lease Name: License No.:					
6/23/01 6/25/01 10-14-03 Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R					
Spud Date or Date Reactied TD Completion Date or Recompletion Date	County: Docket No.:					
•	DOOKOC HO.					
Kansas 67202, within 120 days of the spud date, recompletion, workow Information of side two of this form will be held confidential for a period of 1	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. It is months if requested in writing and submitted with the form (see rule 82-3-104 and geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.					
All requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements					
Signature: Kennech Maffe:	KCC Office Use ONLY					
Title: Owner Date: 12-11-03	Letter of Confidentiality Attached					
Subscribed and sworn to before me this 15th day of December	If Denied, Yes Date:					
MARGARET A. PATTERSON Notary Public - State of Kansas	Wireline Log Received					
Notary Public: My Apolitices Feb. 2, 2904	Geologist Report Received UIC Distribution					
Date Commission Expires: 2/2/2004						

NSTRUCTIONS: Sho ested in too good emperature, wild rece Electric Wireline Logs s	and closed, flowing very, and flow rate:	and shul if gas to	l-in pressures, surface test, a	whether s	hut-in pre	ssure reached	static level, hydro-	static procesur	es hottom hala	
Cores Taken		Y	Yes YNo			Log Formation (Top), Depth a		nd Datum	Sample	
		□ Y	es 🛮 No	:	: Name	9		Тор	Datum	
		Yes No							- · · · · · · · · · · · · · · · · · · ·	
ist All E. Logs Run:						•				
									· (
	N		CASING	RECORD	Ne	w 🗓 Used			<u> </u>	
	Size Hole		rt all strings set-c	onductor, s	urface, inte	mediate, produ				
. Purpose of String	Drilled		t (In O.D.)	Lbs.		Setting Depth	Type of Cement	# Sacjs Used	Type and Percent Additives	
Drill Well	5889' ''	20 '	61/4 ' '				Portland	5		
* /					·				,	
			ADDITIONAL	CEMENTI	NG / SQU	EEZE RECOR	D			
Purpose: —— Perforate —— Protect Casing —— Plug Back TD	Depth Top Bottom	Type of Cement		#Sacks Used		Type and Percent Additives				
Plug Off Zone			· · · · · · · · · · · · · · · · · · ·	,						
Shots Per Foot	D - Bridge Plugs Sel/Type ach Interval Perforated			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Dept						
			Walter bearing a second particular					1		
	· · · · · · · · · · · · · · · · · · ·	witneski falla te nomene per pisso j		*	,	Print the Commission of the Co				
TUBING RECORD Size Set At				Packer At		Liner Run				
Date of First, Resumerd P	roduction, SWD or E	nhr.	Producing Meti	_	Flowing	Pump		Othe	or (Explain)	
Estimated Production Per 24 Hours	Oil E	Bbls.	Gas	Mcf	Water	E	Bbls. Ga	s-Oil Ratio	Gravity	
Per 24 Hours						_	, cis,	S-OII NAIIO	Gravity	

ORIGINAL



Flyer Feed & Tire

P. O. Box 216 501 N. Galveston Thayer, KS 66776-0216 (620) 839-5400



CUSTON NAME	MER'S NO.	14_	7	and the state of t	DATE _//	22/-	3.3	
ADDRES	s							-
SOLD BY	CASH	C.O.D.	CHARGE	ON ACCT.	MDSE. RET'D.	PAID OUT		
(OJUANI)	100	er Per D	ESICIBILETINI	ON)		EPRIOE :	ZANMOU	Nir
450	Ler.	Hano	<u> </u>				2431	50
			······································	REC	ZIVED	FOPE/au		
		~~~~	· · · · · · · · · · · · · · · · · · ·			NOICCE	and the second second second second	
				UEL 3	1 2004			
		and defining the second party. We assume a second	t 440 li Barla (lia li providente principale de la constante e qui providente de la constante e qui providente	CONSERVATI WICHI				
		The state of the s						
			-				-	
		Manager and the second		-				
			······································					
			**************************************				4	
					K.E.T.			
				S	ales Tax		181	£5.
					TOTAL		2673	JP.