RECEIVED DEC 1 6 2003

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1 September 1999 Form Must Be Typed

ORIGINAL

Operator: License #32756	API No. 15 - 037 21547 -00-00
Name:Double 7 Oil & Gas	County: CXXXX Crawford 3.1
Address: 21003 Wallace Rd.	SW SW -SW- NE Sec. 35 Twp. 30s. R. 22 XEast West
City/State/Zip: Parsons Ks. 67357	
Purchaşer:	2475 feet from (E) / W (circle one) Line of Section
Operator Contact Person: Bruce Schulz	Footages Calculated from Nearest Outside Section Corner:
Phone: 620, 316-423-0951	(circle one) NE SE NW SW
Contractor: Name: Company Tools	Lease Name: Mechling South Well #: 1
Licensė:	Field Name: McCune West
Wellsite Geologist:	Producing Formation: Bartlesville
Designate Type of Completion:	Elevation: Ground: N/A Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 1801 Plug Back Total Depth:
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 201
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tosx cmt.
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	
Plug Back Plug Back Total Depth	Chloride contentppm Fluid volumebbls Dewatering method used Empty & Fill
Commingled Docket No.	Dewatering method used
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No.	Operator Name:
9.8.01 89.25.01	Lease Name: License No.:
9-08-01 9-10-01 Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date Recompletion Date	County: Docket No.:
	DOCKET NO.
Kansas 67202, within 120 days of the spud date, recompletion, workov Information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, ver or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-s and geologist well report shall be attached with this form. ALL CEMENTING s. Submit CP-111 form with all temporarily abandoned wells.
്രാളുണ്ടു. All requirements of the statutes, rules and regulations promulgated to regul	late the oil and gas industry have been fully complied with and the statements
herein are complete and correct to the best of my knowledge.	in the second se
Signature: Kenneth Moffi	KCC Office Use ONLY
Title: Owner Date: 12-11-03	Letter of Confidentiality Attached
OWINCE	If Denled, Yes Date:
Subscribed and sworn to before me this MARGARET A PATTERSON LA	Wireline Log Received
Notary Public - State of Kansas My Apt. Expires Feb. 2, 2004	Geologist Report Received
Notary Public: Blasquet & Patterior	UIC Distribution
Date Commission Expres: 2/2/2004	, , ,

emperature, fluid rec	and seed, flowing overy, and flow rate	and base of formations g and shut-in pressure s if gas to surface tes final geological well si	s penetrated. Detail a ss, whether shut-in pa t, along with final cha	ressure reached	static level, hydros	static preser	tree hotton	a hala	
Orill Stem Tests Taker (Attach Additional S		Yes Mo		Log Formati	ion (Top), Depth ar	nd Datum	s	ample	
Samples Sent to Geological Survey		☐ Yes ☑ No	Nar	ne		Тор		Datum	
Cores Taken Electric Log Run (Submit Copy)		Yes No							
ist All E. Logs Run:	•		,				, ,		
							· · · · · · · · · · · · · · · · · · ·	t 1	
škia V	,	•	IG RECORD N		tion, etc.				
Purpose of String	Size Hole Drilled	Size Casing Set (in O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacjs Used		nd Percent ditives	
Surface Drill Wel	1 5800 //"	20' 64''	,		Portland	5	्र १० स्ट्र - अवेत्प्रक		
1 1 1			i.				ત્યું કરે હતું કા		
						AND COMPANY AND CO		1 1	
Purpose:		ADDITION.	AL CEMENTING / SQ	UEEZE RECORD)		. 2	····	
Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	#Sacks Used		Type and Pe	rcent Additive	s ·		
				<u> </u>)		
Shots Per Foot	PERFORATION Specify I	ON RECORD - Bridge P Footage of Each Interval F	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth						
2.51455			á					: 13	
. असूत्र मा ११ १९ हे । १४	The second secon					,	1	en de la la	
(1454)(36 31 1							A. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	[pr. ;	
UBING RECORD	Size	Set At	Packer At	Liner Run	Yes No		16,1	· · · · · · · · · · · · · · · · · · ·	
ate of First, Resumerd		nhr. Producing M	ethod	L			er (Explain)		
stimated Production Per 24 Hours	Oil I	Bbls. Gas	Mcf Wate			s-Oil Ratio	y-opiany	Gravity	
isposition of Gas	METHOD OF C							i'	

ORIGINAL



Flyer Feed & Tire

P. O. Box 216 501 N. Galveston Thayer, KS 66776-0216 (620) 839-5400



CUSTO	MER'S NO.				DATE 2	-2-0	<i>j</i>	
NAME_	Don't	1-7	* · · · · · · · · · · · · · · · · · · ·					
ADDRES	SS		*****					
SOLD BY	CASH	C.O.D.	CHARGE	ON ACCT.	MDSE. RET'D.	PAID OUT		-
QUAN.		. D	CONTRACTOR SERVICES	ИС	1	PRICE	AMOL	JN
180	Par	t-Cano	<u>/</u>				900	17
		The state of the s	KAN	RECE SAS CORPORA	EIVED	ISSION		†
	,		**************************************		1 2004			+
				CONSERVATI WICHI				+
*******************************				***************************************				\dagger
								T
		,						T
								T
							**************************************	r
					K.E.T.			
				Sa	ales Tax		65	0.53
					TOTAL		918	i