

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 4707
Name: Carl Boxberger Oil, Inc.
Address: P.O. Box 1604
City/State/Zip: Great Bend, Kansas 67530
Purchaser: LINK
Operator Contact Person: Keith Lumpkins
Phone: (620) 793-6032
Contractor: Name: Vonfeldt Drilling, Inc.
License: 9431
Wellsite Geologist: Jim Musgrove

RECEIVED
APR 27 2004
KCC WICHITA

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date
<u>12-8-03</u>	<u>12-19-03</u>	<u>12-19-03</u>

API No. 15 - 009-24774-00-00
County: Barton
200' SE NW NW Sec. 7 Twp. 18 S. R. 13 East West
4090 feet from S / N (circle one) Line of Section
4290 feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Smith Well #: 4
Field Name: Boyd
Producing Formation: Arbuckle
Elevation: Ground: 1836' Kelly Bushing: 1841'
Total Depth: 3333' Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at 769 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan ALL UP 6-4-04
(Data must be collected from the Reserve Pit)
Chloride content 3400 ppm Fluid volume 400 bbls
Dewatering method used all water pulled off of work-
pit and reserve pit and hauled to SWD
Location of fluid disposal if hauled offsite:
Operator Name: Brackeen Line Cleaning, Inc.
Lease Name: Smith A SWD License No.: 09952
Quarter SE Sec. 1 Twp. 18 S. R. 11 East West
County: Barton Docket No. D 21214


INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Irene V. Boxberger
Title: President Date: April 2, 2004

Subscribed and sworn to before me this 2nd day of April

20 04
Notary Public: Dianne M. Willesden
Date Commission Expires: June 28, 2005



KCC Office Use ONLY
NO Letter of Confidentiality Attached
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

X

ORIGINAL

Side Two

Operator Name: Carl Boxberger Oil, Inc. Lease Name: Smith Well #: 4
Sec. 7 Twp. 18 S. R. 13 East West County: Barton

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No (Submit Copy)

List All E. Logs Run: Cased Hole Gamma Ray/Neutron Log Sonic Cement Bond Log

Log Formation (Top), Depth and Datum Sample

Table with 3 columns: Name, Top, Datum. Rows include Anhydrite, Heebner, Toronto, Douglas, Brown Lime, Lansing, Base Kansas City, Arbuckle.

CASING RECORD table with columns: Purpose of String, Size Hole Drilled, Size Casing Set (In O.D.), Weight Lbs. / Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives. Includes Surface and Production rows.

ADDITIONAL CEMENTING / SQUEEZE RECORD table with columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives.

PERFORATION RECORD table with columns: Shots Per Foot, PERFORATION RECORD - Bridge Plugs Set/Type, Acid, Fracture, Shot, Cement Squeeze Record, Depth.

TUBING RECORD table with columns: Size, Set At, Packer At, Liner Run, Date of First, Resumerd Production, SWD or Enhr., Producing Method, Estimated Production Per 24 Hours, Oil Bbls., Gas Mcf, Water Bbls., Gas-Oil Ratio, Gravity.

Disposition of Gas METHOD OF COMPLETION Production Interval Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled Other (Specify)

ALLIED CEMENTING CO., INC. 12975

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

Met Bond

DATE <u>12-9-03</u>	SEC. <u>7</u>	TWP. <u>18</u>	RANGE <u>13</u>	CALLED OUT <u>7:30AM</u>	ON LOCATION <u>9:30AM</u>	JOB START <u>11:30AM</u>	JOB FINISH <u>12:45 PM</u>
LEASE <u>Smith</u>	WELL # <u>4</u>	LOCATION <u>Hawington & Keystone Rd 2 W,</u>			COUNTY <u>Barton</u>	STATE <u>K</u>	
OLD OR NEW (Circle one)				<u>45, E into</u>			

CONTRACTOR Worfeldt Hely

TYPE OF JOB Surface

HOLE SIZE 12 1/4" T.D. 725'

CASING SIZE 8 5/8" 220 24" DEPTH 769'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. 20'

PERFS. _____

DISPLACEMENT 48 1/2 bbl

OWNER Some

CEMENT

AMOUNT ORDERED 420 lbs Common

370 cc 220 sil

COMMON	@	_____
POZMIX	@	_____
GEL	@	_____
CHLORIDE	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
HANDLING	@	_____
MILEAGE	@	_____
TOTAL		_____

EQUIPMENT

PUMP TRUCK CEMENTER Tom D

181 HELPER Bob B

BULK TRUCK DRIVER Don Dugan

344

BULK TRUCK DRIVER _____

REMARKS:

Ran 769' of 8 5/8" cas. Single circulation.

Mixed 420 lbs common 370 cc 220 sil.

Released plug. Displaced with fresh H₂O.

Cement did circulate, ✓

Mixed cement with city water

SERVICE

DEPTH OF JOB 769'

PUMP TRUCK CHARGE _____

EXTRA FOOTAGE @ _____

MILEAGE @ _____

PLUG 1-8 5/8" hatcher @ _____

_____ @ _____

_____ @ _____

TOTAL _____

CHARGE TO: Carl Rodheger Oil, Inc.

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
TOTAL		_____

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

Jim Pfaff

PRINTED NAME

RECEIVED
APR 27 2004
KCC WICHITA

ALLIED CEMENTING CO., INC. ORIGINAL

14333

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Crest Bend

DATE <u>12-18-03</u>	SEC. <u>7</u>	TWP. <u>18</u>	RANGE <u>12W</u>	CALLED OUT <u>12:45 am</u>	ON LOCATION <u>1:30 AM</u>	JOB START <u>6:30 am</u>	JOB FINISH <u>7:00 am</u>
LEASE <u>Smith</u>	WELL# <u>#41</u>	LOCATION <u>Haystack - B-4281-3</u>			COUNTY <u>Carton</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)				<u>Went 1/2 mile - 1/2 mile into</u>			

CONTRACTOR Donfelt Only

TYPE OF JOB Fracturing well - 5 1/2"

HOLE SIZE 7 1/2" T.D. 3333

CASING SIZE 5 1/2" DEPTH 3327

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX 1000' MINIMUM 300'

MEAS. LINE _____ SHOE JOINT 16'

CEMENT LEFT IN CSG. approx 16'

PERFS. _____

DISPLACEMENT _____

OWNER Carl Barberger Oil Inc

CEMENT AMOUNT ORDERED 150 cu yds
4500 gal mud flush

COMMON	@	_____
POZMIX	@	_____
GEL	@	_____
CHLORIDE	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
HANDLING MILEAGE	@	_____

EQUIPMENT

PUMP TRUCK # 150 CEMENTER Jack

HELPER T.D.

BULK TRUCK # _____ DRIVER Steve

BULK TRUCK # _____ DRIVER _____

TOTAL _____

REMARKS:

Run 79 lbs of 50 bag - Circ 1hr - 4Miv
500 gal mud flush - cement Rath hole
1548 - mouse hole 1000 cement csg.
with 125.5x @ quantity D, place plug
with 75 4 BBIS - insert
at hole

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____

EXTRA FOOTAGE @ _____

MILEAGE @ _____

PLUG 1.5 1/2 Rubber @ _____

_____ @ _____

_____ @ _____

TOTAL _____

CHARGE TO: Carl Barberger Oil Inc

STREET 3111 W. 10th St P.O. Box 1604

CITY Crest Bend STATE KS ZIP 67530

FLOAT EQUIPMENT

1.5 3 insert @ _____

1.5 3 guide shoe @ _____

5.5 3 neutralizers @ _____

_____ @ _____

_____ @ _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TOTAL _____

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Keith Rumpkin

PRINTED NAME _____

RECEIVED
APR 27 2004
KCC WICHITA

ALLIED CEMENTING CO., INC. 14352

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: St Bend

DATE <u>12-15-03</u>	SEC. <u>7</u>	TWP. <u>18</u>	RANGE <u>13</u>	CALLED OUT <u>4:00 PM</u>	ON LOCATION <u>9:00 PM</u>	JOB START <u>10:15 PM</u>	JOB FINISH <u>11:00 PM</u>
LEASE <u>Smith</u>		WELL # <u>4</u>		LOCATION <u>Harrington 2W, 14S, E/S</u>		COUNTY <u>Barton</u>	STATE <u>Kr</u>
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR Vonfeldt Nely

TYPE OF JOB Plug Back

HOLE SIZE 7 1/2" T.D. 3333'

CASING SIZE _____ DEPTH _____

TUBING SIZE _____ DEPTH _____

DRILL PIPE 4 1/2" DEPTH 2800'

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

OWNER ~~Carl~~ Carl Boxberger Oil

CEMENT AMOUNT ORDERED 100 lbs Common

2% cc, 10% sand

COMMON _____	@ _____
POZMIX _____	@ _____
GEL _____	@ _____
CHLORIDE _____	@ _____
_____	@ _____
_____	@ _____
_____	@ _____
_____	@ _____
_____	@ _____
HANDLING _____	@ _____
MILEAGE _____	_____

EQUIPMENT

PUMP TRUCK CEMENTER Tim D

181 HELPER Bob D

BULK TRUCK _____

342 DRIVER Don Dugan

BULK TRUCK _____

_____ DRIVER _____

TOTAL _____

REMARKS:

Drill Pipe at 2800', Mixed 100 lbs Common, 2% cc, 10% Sand. Displaced with Mud to Balance. Pulled Drill Pipe to 2500' & circulated Hole. ✓

Straight Hole 2550 = 2°, 2600 = 2 1/4°, 2800 = 3 3/4°, 3150 = 7°

T. Vonfeldt

SERVICE

DEPTH OF JOB 2800'

PUMP TRUCK CHARGE _____

EXTRA FOOTAGE _____ @ _____

MILEAGE _____ @ _____

PLUG _____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

CHARGE TO: Vonfeldt Nely

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TOTAL _____

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Todd E. Mersch

Todd E. Mersch
PRINTED NAME

RECEIVED
APR 27 2004
KCC WICHITA