DEC 1 6 2003 KCC WICHITA

"KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form	September 1999 Must Be Typed						
	100						

Operator: License #32756	URIGINA
	API No. 15 - 099-23204-00-00
Name: Double 7 Oil & Gas Address: 21003 Wallace Rd.	County: Labette
Parcone Ke 67357	W/2 SE SE Sec. 21 Twp. 31 S. R. 21 X East West
City/State/Zip:	
Purchaser:	990 feet from (E) W (circle one) Line of Section
Operator Contact Person: <u>Bruce Schulz</u> Phone: (620) 316-423-0951	Footages Calculated from Nearest Outside Section Corner: (circle one) NE (SE) NW SW
Contractor: Name:—Company Toola	Lease Name: Davis Well #: 5
License:	Field Name: McCune West
Wellsite Geologist:	Producing Formation: Bartlesville
Designate Type of Completion:	Elevation: Ground: N/A Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 190 Plug Back Total Depth:
Oil SWD SIOW Temp. Abd.	
Gas ENHR SIGW	Amount of Surface Pipe Set and Cemented at 20! Feet
Dry Other (Core, WSW, Expl., Cathodic, etc)	Multiple Stage Cementing Collar Used?
of Workover/Re-entry: Old Well Info as follows:	If yes, show depth setFeet
	If Alternate II completion, cement circulated from
Operator;	feet depth tosx cmt.
Well Name:	Drilling Fluid Management Plan
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug BackPlug Back Total Depth	Dewatering method used Empty & Fill
Commingled Docket No.	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
9-28 9-30-02	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East West
Recompletion Date Recompletion Date	· · · · · · · · · · · · · · · · · · ·
Mark Control of the C	County: Docket No.:
	·
Information of side two of this form will be held confidential for a period of	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, ver or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-s and geologist well report shall be attached with this form. ALL CEMENTING s. Submit CP-111 form with all temporarily abandoned wells.
Il requirements of the statutes, rules and regulations promulgated to reguleria are complete and correct to the best of my knowledge.	late the oil and gas industry have been fully complied with and the statements
Kan am Pl	
ignature: / Cometh laffi	KCC Office Use ONLY
itle: Owner Date: 12-11-03	Letter of Confidentiality Attached
Subscribed and sworn to before me, this Asia day of Kontilled	If Denied, Yes Date;
Av3 My Appt. Expires Feb. 2, 2004	Wireline Log Received
A The same of the	Geologist Report Received
otary Public: Mayaret & Pattern	UIC Distribution
//	,

Operator Name: _DDu	ble 7 Oil	& Ga	s	Leas	se Name:_	Davis		. Well #: _5			
Sec21 Twp.31_	s. R <u>21</u>	X Eas			ıty: <u>La</u>				1		
NSTRUCTIONS: Showers of the state of the sta	ind closed, flowing	and shu if gas to	t-in pressures, surface test, a	whether long with	shut-in pre	ssure reached	static level, hydros	static pressur	es bottom hol	le	
Drill Stem Tests Taken			es 🗹 No			og Format	ion (Top), Depth ar	pp), Depth and Datum		Sample	
Samples Sent to Geological Survey		Пv	Yes No		Nam	9		Тор		Datum	
ores Taken		□·			*						
lectric Log Run (Submit Copy)		Y							,		
st All E. Logs Run:						,			•		
•									•		
	**				1	No. 10. of the control of the contro	•				
· · · · · · · · · · · · · · · · · · ·		Repo	CASING ort all strings set-c				tion, etc.		* 1 . * *	·	
Purpose of String	Size Hole Drilled	Siz	ze Casing It (in O.D.)	w	eight s./Ft.	Setting Depth	Type of Cement	# Sacjs Used	Type and Pe		
Surface Drill Well	880° "	20'	64''				Portland	5;	The State of the second	.,9	
	``							,	र इंग्डिस्ट -		
									<u> </u>		
Purpose:	Darth		ADDITIONAL	CEMENT	ING / SQU	EEZE RECORI)		·		
Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Туре	of Cement	#Sacl	ks Used		Type and Pe	rcent Additives			
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth					
				,					1.1 kg	·	
TUBING RECORD	Size	Set At		Packer	'At 'i	Liner Run	Yes No		10 lear	. '	
Date of First, Resumerd P	roduction, SWD or Er	nhr.	Producing Met	hod	Flowing	Pumpi	ng Gas Lift	Othe	or (Explain)		
Estimated Production Per 24 Hours	Oil E	Bbls.	Gas	Mcf	Wate			s-Oil Ratio	***************************************	vity	
Disposition of Gas	METHOD OF CO	OMPLETIC	I DN			Production Inter	rval .		***************************************		
Vented Sold Sold (If vented, Sumi	Used on Lease 1 ACO-18.)		Open Hole	[] Pe	rf. D	ually Comp.	Commingled		,		

ORIGINAL



Flyer Feed & Tire

P. Ö. Box 216 501 N. Galveston Thayer, KS 66776-0216 (620) 839-5400



NAME Sender 7 ADDRESS	
ADDRESS	
SOLD BY CASH C.O.D. CHARGE ON ACCT. MDSE. PAID OUT RET'D.	
QUAN. DESCRIPTION PRICE AMOU	۷T
210 Portland 1195.	3/
RECEIVED	
KANSAS CORPORATION COMMISSION	-
DEC 3 2004	
CONSERVATION DIVISION WICHITA KS	
	_
	\dashv
K.E.T.	
Sales Tax P7	36
TOTAL 1282	57