

FOR KCC USE:

FORM MUST BE TYPED  
FORM MUST BE SIGNED  
ALL BLANKS MUST BE FILLED

EFFECTIVE DATE: 12-23-93

State of Kansas  
NOTICE OF INTENTION TO DRILL

DISTRICT # 6

Must be approved by the K.C.C. five (5) days prior to commencing well

SCA? ... Yes  No

Expected Spud Date

12/22/93

month day year

AP SW - NE - SE - NW. Sec 33 Twp 3 S. Rg 42 East West

OPERATOR: License # 31219  
Name: Prime Operating Company  
Address: 731 W. Wadley, L-220  
City/State/Zip: Midland, TX 79705  
Contact Person: H.G. Livingston/Irene C. Rosa  
Phone: 915/682-5600

1861 feet from South / North line of Section  
1990 feet from East / West line of Section

IS SECTION  REGULAR  IRREGULAR?

(NOTE: Locate well on the Section Plat on Reverse Side)

CONTRACTOR: License # 08273  
Name: Excell Drilling Company

County: Cheyenne

Sease Name: Schlepp Well #: 33-6-4

Field Name: Wildcat

Is this a Prorated/Spaced Field? ... yes  no

Target Formation(s): Niobrara

Nearrest lease or unit boundary: 1861'

Ground Surface Elevation: 3719 feet MSL

Water well within one-quarter mile: ... yes  no

Public water supply well within one mile: ... yes  no

Depth to bottom of fresh water: 220'

Depth to bottom of usable water: 260' 280'

Surface Pipe by Alternate:  1  2

Length of Surface Pipe Planned to be set: 310' \*

Length of Conductor pipe required: None

Projected Total Depth: 1800'

Formation at Total Depth: Niobrara

Water Source for Drilling Operations:

... well ... farm pond  other

DWR Permit #: .....

Will Cores Be Taken?: ... yes  no

If yes, proposed zone: .....

\*or to a depth sufficient to

penetrate 50' into the Blue Shale

zone, whichever is received.

If O.W.O.: old well information as follows:

Operator: .....

Well Name: .....

Comp. Date: ..... Old Total Depth .....

Directional, Deviated or Horizontal wellbore? ... yes  no

If yes, true vertical depth: .....

Bottom Hole Location: .....

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101, et. seq.

It is agreed that the following minimum requirements will be met:

KANSAS CORPORATION COMMISSION

12-16-93  
DEC 16 1993

CONSERVATION DIVISION  
WICHITA, KS

1. Notify the appropriate district office prior to spudding of well;
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation;
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
6. IF AN ALTERNATE II COMPLETION, PRODUCTION PIPE SHALL BE CEMENTED FROM BELOW ANY USABLE WATER TO SURFACE WITHIN 120 DAYS OF SPUD DATE. IN ALL CASES, NOTIFY DISTRICT OFFICE PRIOR TO ANY CEMENTING.

I hereby certify that the statements made herein are true and to the best of my knowledge and belief.

Date: 12/15/93 Signature of Operator or Agent: [Signature] Title: Production Clerk

FOR KCC USE:  
 API # 15- 023-20342-00-00  
 Conductor pipe required NONE feet  
 Minimum surface pipe required 300 feet per Alt. (1) X  
 Approved by: DPW 12-17-93  
 This authorization expires: 6-17-94  
 (This authorization void if drilling not started within 6 months of effective date.)  
 Spud date: \_\_\_\_\_ Agent: \_\_\_\_\_

REMEMBER TO:

- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed;
- Obtain written approval before disposing or injecting salt water.

Mail to: Conservation Division, 200 Colorado Derby Building, 202 W. First St., Wichita, Kansas 67202-1286.

33  
3  
426