

S

ORIGINAL

SIDE ONE

STATE CORPORATION COMMISSION OF KANSAS  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
ACO-1 WELL HISTORY  
DESCRIPTION OF WELL AND LEASE

API NO. 15- 007-22,278 - 00-00

County Barber

NE NE NE Sec. 34 Twp. 32 Rge. 12W X East West

4950 Ft. North from Southeast Corner of Section

330 Ft. West from Southeast Corner of Section  
(NOTE: Locate well in section plat below.)


Lease Name Randels Well # 1-A

Field Name Toni-Mike

Producing Formation

Elevation: Ground 1501 KB 1506

Total Depth 3700' PBTD



11/2 D+A

JAN 16 1990

Operator: License # 5058

Name: Griggs Oil, Inc.

Address 107 N. Market

Suite 800

City/State/Zip Wichita, KS 67202

Purchaser:

Operator Contact Person: Rick Griggs

Phone (316) 267-7779

Contractor: Name: Red Tiger Drilling

License: 5302

Wellsite Geologist:

Designate Type of Completion

X New Well Re-Entry Workover

Oil SWD Temp. Abd.

Gas Inj Delayed Comp.

X Dry Other (Core, Water Supply, etc.)

If OWD: old well info as follows:

Operator:

Well Name:

Comp. Date Old Total Depth

Drilling Method:

X Mud Rotary Air Rotary Cable

12-12-89 12-18-89 12-19-89

Spud Date Date Reached TD Completion Date

Amount of Surface Pipe Set and Cemented at 221 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set Feet

If Alternate II completion, cement circulated from

feet depth to w/ SX cmt.

INSTRUCTIONS: This form shall be completed in triplicate and filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 120 days of the spud date of any well. Rule 82-3-130, 82-3-107 and 82-3-106 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form. See rule 82-3-107 for confidentiality in excess of 12 months. One copy of all wireline logs and drillers time log shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells. Any recompletion, workover or conversion of a well requires filing of ACO-2 within 120 days from commencement date of such work.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature Rick Griggs

Title President Date 1-15-90

Subscribed and sworn to before me this 15th day of January, 1990.

Notary Public Virginia Lee Smith

Date Commission Expires August 25, 1992

K.C.C. OFFICE USE ONLY  
Letter of Confidentiality Attached  
Wireline Log Received  
Drillers Timelog Received  
Distribution  
KCC SWD/Rep NGPA  
KGS Plug Other (Specify)

VIRGINIA LEE SMITH  
NOTARY PUBLIC  
STATE OF KANSAS  
My Appl. Exp. 8/25/92

X 91

ORIGINAL

SIDE TWO

Operator Name Griggs Oil, Inc. Lease Name Randels Well # 1-A
County Barber
Sec. 34 Twp. 32 Rge. 12W
East West

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken Yes No
Samples Sent to Geological Survey Yes No
Cores Taken Yes No
Electric Log Run Yes No
DST #1 (Elgin) 3468-3520, 30-30-30-30
Rec. 65' mud, 1105-1014#, 101-101/111-111#
Hyd: 1741-1721# temp 98
DST #2 (Snyderville) 3577-3650.30-60-45-90
Rec. 270' oil + gas cut mud.(10% oil,
10% gas, 80% mud) 1297-1297#,
142-152/203-213# Hyd: 1862-1842# temp 100

Formation Description
Log Sample
Name Top Bottom
Indian Cave 2640
Wabaunsee 2689
Stotler 2845
Tarkio 2894
Elgin 3466
Heebner 3589
Snyderville 3611

CASING RECORD
Report all strings set-conductor, surface, intermediate, production, etc.
PERFORATION RECORD
Acid, Fracture, Shot, Cement Squeeze Record
TUBING RECORD
Date of First Production Producing Method
Estimated Production Per 24 Hours Oil Bbls. Gas Mcf Water Bbls. Gas-Oil Ratio Gravity

Disposition of Gas: Vented Sold Used on Lease
METHOD OF COMPLETION: Open Hole Perforation Dually Completed Conningled
Production Interval

ORIGINAL

INVOICE

HALLIBURTON SERVICES

A Halliburton Company

REMIT TO: P.O. BOX 951046 DALLAS, TX 75395-1046

552 ORIGINAL

INVOICE NO.	DATE
851562	12/13/1989

WELL LEASE NO./PLANT NAME		WELL/PLANT LOCATION		STATE	WELL/PLANT OWNER
MODELS 1-A		BARBER		KS	SAME
SERVICE LOCATION	CONTRACTOR	JOB/PURPOSE		TICKET DATE	
TT	RED TIGER #1	CEMENT SURFACE CASING		12/13/1989	
CT. NO.	CUSTOMER AGENT	VENDOR NO.	CUSTOMER P.O. NUMBER	SHIPPED VIA	FILE NO.
4572	EVERETT HIGDON			COMPANY TRUCK	87461

GRIGGS OIL INC  
 105 NORTH MARKET  
 SUITE 800  
 WICHITA, KS 67211

DIRECT CORRESPONDENCE TO:  
 SUITE 600  
 COLORADO DERBY BUILDING  
 WICHITA, KS 67202-0000

PRICE REF. NO.	DESCRIPTION	QUANTITY	U/M	UNIT PRICE	AMOUNT
00-117	CING AREA - MID CONTINENT MILEAGE	6	MI-UNT	2.20	13.20
01-016	CEMENTING CASING	223	FT	395.00	395.00
30-503	CMTG PLUG LA-11,CP-1,CP-3, TOP	8 5/8	IN	58.00	58.00
04-308	STANDARD CEMENT	84	SK	5.35	449.40
06-105	POZMIX A	56	SK	2.79	156.24
06-121	HALLIBURTON-GEL 2%	3	SK	.00	N/C
09-406	ANHYDROUS CALCIUM CHLORIDE	3	SK	25.75	77.25
00-207	BULK SERVICE CHARGE	146	CFT	.95	138.70
00-322	MINIMUM MILEAGE	37.71	TMI	45.00	45.00
INVOICE SUBTOTAL					1,332.79
DISCOUNT-(BID)					239.88-
INVOICE BID AMOUNT					1,092.91
*-KANSAS STATE SALES TAX					28.63
*-PRATT COUNTY SALES TAX					6.74
INVOICE TOTAL - PLEASE PAY THIS AMOUNT					\$1,128.28

RECEIVED  
 STATE OF KANSAS COMMISSION  
 JAN 16 1990

CONSERVATION DIVISION  
 Wichita, Kansas

108.00.7784

DEC 21 1989

TERMS INVOICES PAYABLE NET BY THE 20TH OF THE FOLLOWING MONTH AFTER DATE OF INVOICE. UPON CUSTOMER'S DEFAULT IN PAYMENT OF CUSTOMER'S ACCOUNT BY THE LAST DAY OF THE MONTH FOLLOWING THE MONTH IN WHICH THE INVOICE IS DATED, CUSTOMER AGREES TO PAY INTEREST THEREON AFTER DEFAULT AT THE HIGHEST LAWFUL CONTRACT RATE APPLICABLE BUT NEVER TO EXCEED 18% PER ANNUM. IN THE EVENT IT BECOMES NECESSARY TO EMPLOY AN ATTORNEY TO ENFORCE COLLECTION OF SAID ACCOUNT, CUSTOMER AGREES TO PAY ALL COLLECTION COSTS AND ATTORNEY FEES IN THE AMOUNT OF 20% OF THE AMOUNT OF THE UNPAID ACCOUNT.

TELEPHONE:  
AREA CODE 913 483-2827

ALLIED CEMENTING COMPANY, INC.

P. O. BOX 31

RUSSELL, KANSAS 67665

ORIGINAL

TO: Griggs Oil Company  
107 N. Market #800  
Wichita, Kansas 67202

INVOICE NO. 55538  
PURCHASE ORDER NO. \_\_\_\_\_  
LEASE NAME Randels 1-A  
DATE Dec. 19, 1989

SERVICE AND MATERIALS AS FOLLOWS:

Common 69 sks @\$5.00	\$ 345.00	
Pozmix 46 sks @\$2.25	104.50	
Gel 7 sks @\$6.75	<u>47.25</u>	\$ 495.75
Handling 115 sks @\$0.90	103.50	
Mileage (minimum)	40.00	
Plugging	360.00	
Mi @\$1.00 pmp. trk. (4)	4.00	
1 plug	<u>20.00</u>	<u>527.50</u>
	Total	\$ 1,023.25

*108-00-7724*

If present COMMENT 15% discount will be allowed ONLY if paid within 30 days from date of invoice.

DEC 28 1989

*pay \$869.76*

THANK YOU

ALL PRICES ARE NET. PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 1% PERCENT CHARGED THEREAFTER

FILED  
STATE COMMISSION

JAN 16 1990

CONSERVATION DIVISION  
Wichita, Kansas

2627, Russell, Kansas  
793-5861, Great Bend, Kansas

Phone Plainville 913-434-2812  
Phone Ness City 913-798-3843

# ORIGINAL ALLIED CEMENTING CO., INC. No. 10363

Home Office P. O. Box 31 Russell, Kansas 67665

New

Date	12-19-89	Sec.	34	Twp.	32	Range	12	Called Out	6:45 AM	On Location	10:30 AM	Job Start	1:00 PM	Finish	2:15 PM	
Case	Landels	Well No.	1-A			Location			Med. Lodge	4 1/2 S 12 W 1/2 E Barber			County	Barber	State	Ks
Contractor	Red Tiger Drilling #1			Owner Briggs Oil Inc.												
Type Job	Plug to Abandon (Retory Plug)															
Cole Size	7 7/8	T.D.	3700													
Csg.	Depth															
Tbg. Size	Depth															
Drill Pipe	4 1/2	Depth	600													
Tool	Depth															
Cement Left in Csg.	Shoe Joint															
Press Max.	Minimum															
Leas Line	Displace															
Ref.																

## EQUIPMENT

Trk No.	195	Cement	Phil
Trk No.		Helper	Jack
Trk No.		Cement	
Trk No.		Helper	
Trk No.	116	Driver	Curtis
Trk No.		Driver	

DEPTH of Job	Reference:		
	Pump Trk Chg	360.00	
	Pump Trk Mfg	4.00	
	1 8 5/8 Plug	20.00	
	Sub Total		
	Tax		
	Total	384.00	

Remarks:  
50SKS - 600'  
40SKS - 240'  
10SKS Plug - 40'  
15SKS - Rathole

Purchase Order No.	1155KS-60/40 6% gel			
Consisting of	Common	69	5.00	345.00
	Poz. Mix	46	2.25	103.50
	Gel	7	6.75	47.25
	Chloride			
	Quickset			
	Handling	115	90	103.50
	Mileage	4	Mon	40.00
	Sub Total			
	Total			639.25
	Floating Equipment			
	Total			1023.25
	Disc			153.49
	Total			869.76

W.P. Thank You!

# ORIGINAL

COMPANY \_\_\_\_\_ FARM \_\_\_\_\_ WELL NO. \_\_\_\_\_  
 SEC. TWP. RGE. LOC. \_\_\_\_\_ COUNTY \_\_\_\_\_ STATE \_\_\_\_\_  
 CONTRACTOR \_\_\_\_\_ SIZE HOLE \_\_\_\_\_ DRILL PIPE \_\_\_\_\_  
 REMARKS: \_\_\_\_\_ SIZE PUMP LINERS \_\_\_\_\_ LENGTH STROKE \_\_\_\_\_

DATE

DEPTH	TIME O'CLOCK	MIN.	REMARKS
100	10:44	1	
	47	2	
	48	1	
	51	3	
05	54	3	CONN
11	14/17	3	
	17	2	
	20	1	
	21	4	
10	25	1	
	27	2	
	29	2	
	32	3	
	35	3	
15	37	2	
	40	3	
	42	2	
	45	3	
	47	2	
20	50	3	
	52	2	
	54	2	
	57	3	
	59	2	
25	12:02	3	
	5	3	
	9	4	
	12	3	
	15	3	
30	17	2	STATE CO
	21	4	
	23	2	JAN 10 1990
	25	2	CONSERVATION DIVISION
	27	2	Wichita, Kansas
35	31	4	
	35	4	
	40	5	Conn 1837
40	48/50	2	
	52	2	
45	53	1	
	54	1	
	55	1	
	56	1	
	57	1	
45	58	1	
	59	1	
	3:00	1	
	01	1	
	02	1	
50	03	1	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
1450	03:05	2	
	07	2	
	08	4	
	10	2	
55	11	1	
	12	1	
	13	1	
	14	1	
	15	1	
60	17	2	
	18	1	
	19	1	
	20	1	
	21	1	
65	22	1	
	23	1	
	24	1	
	26	2	
	28	1	R.G.
	29	1	CONN 1868
70	41	2	
	42	1	
	43	1	
	44	1	
	45	1	
75	46	1	
	47	1	
	48	1	
	49	1	
	50	1	
80	51	1	
	52	1	
	53	1	
	54	1	
	55	1	
85	57	2	
	59	2	
	4:01	2	
	02	1	
	03	1	
90	05	2	
	07	2	
	09	2	
	11	2	
	12	1	
95	15	3	
	17	2	
	19	2	CONN 1897
	20	2	
	21	2	
	22	1	
100	27	1	

ORIGINAL

Griggs Oil INC FARM Randels WELL NO. 1-12  
 TWP. 72 RGE. 12 LOC. E 1/2 NE 1/4 COUNTY Barber STATE KS  
 FACTOR Red Tiger Rig #4 SIZE HOLE 7 7/8" DRILL PIPE 4 1/2"  
 MARKS: SIZE PUMP LINERS 2" LENGTH STROKE 14"

DATE 12-14-89

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>900</del>	<del>87</del>	<del>1</del>	
	<del>28</del>	<del>1</del>	
	29	1	
	31	1	
	32	1	
05	32	1	
	1/2	1/2	
	33	1/2	
	34	1	
	35	1	
1910	36	1	
	37	1	
	1/2	1/2	
	38	1/2	
	39	1	
15	40	1	
	41	1	
	42	1	
	44	2	
	46	2	
1920	48	2	
	51	3	
	53	2	
	56	3	
	58	2	
85	5:00	2	
	02	2	
	04	2	
	06	2	
	02	2	Conn 1929
1930	11/12	1	
	13	1	
	15	2	STATE OFFICE
	16	1	CONSERVATION
	17	1	JAN 16 1990
35	18	1	
	20	2	CONSERVATION DIVISION
	22	2	MISSOURI, KANSAS
	24	2	
	26	2	
1940	27	1	
	29	2	
	32	3	
	37	2	
	36	2	
45	38	2	
	40	2	
	42	2	
	45	3	
	47	2	
1950	49	2	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>1950</del>	<del>49</del>	<del>2</del>	
	51	2	
	53	2	
	54	1	
	55	1	
55	56	1	
	57	1	
	59	2	
	6:00	1	
	01	1	
1960	03	2	
	05	2	Conn 1961
	<del>08</del>	<del>09</del>	
	10	1	
	12	2	
65	13	1	
	15	2	
	16	1	
	18	2	
	19	1	
1970	21	2	
	23	2	
	24	1	
	26	2	
	27	1	
75	29	2	
	30	1	
	31	1	
	32	1	
	33	1	
1980	34	1	
	35	2	
	38	2	
	39	1	
	40	1	
85	42	2	
	43	1	
	44	1	
	46	2	
	47	1	
1990	48	1	
	50	2	
	53	3	Conn
	<del>51</del>	<del>39</del>	
	7:01	2	
95	02	1	
	03	1	
	05	2	
	07	2	
	09	2	
2000	11	2	

ORIGINAL

Goggs Oil INC

FARM

Randels

WELL NO. 4-1

TWP. 32 RGE. 12 LOC. E 1/4 NE NE

COUNTY Barber

STATE KS

CONTRACTOR Red Tiger #1

SIZE HOLE 2 3/8"

DRILL PIPE 4 1/2"

REMARKS:

SIZE PUMP LINERS 6" LENGTH STROKE 14"

DATE 12-14-89

DEPTH	TIME O'CLOCK	MIN.	REMARKS
2000	7:11	12	
	13	1	
	14	1	
	15	1	
05	16	1	
	17	1	
	18	1	
	19	1	
	20	1	
2010	21	1/2	
	22	1	
	23	1	
	24	1	
15	26	2	
	29	3	
	32	3	
	34	2	
	36	2	
2020	38	2	
	40	2	
	42	2	
	45	3	Conn 2022
	49	1	
85	51	1	
	53	2	
	55	2	
	56	1	
	58	2	
2030	59	1	
	8:00	1	
	01	1	
	02	1	
	04	2	
25	07	3	
	09	2	
	12	3	
	14	2	
	15	1	
2040	16	1	
	18	2	
	19	1	
	20	1	
	21	1	
45	22	1	
	24	2	
	26	2	
	27	1	
	28	1	
2050	29	1	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
2050	11:30	1/2	
	12	1/2	
	31	1/2	
	32	1	
55	33	1	2055 conn
	37	1	
	39	1	
	40	1	
	41	1	
2060	42	1	
	43	1	
	44	1	
	45	1	
	1/2	1/2	
65	46	1/2	
	47	1	
	48	1	
	51	3	
	52	1	
2070	55	3	
	57	2	
	58	1	
	59	1	
	9:00	1	
75	01	1	
	02	1	
	03	1/2	
	1/2	1/2	
	04	1/2	
2080	05	1	
	1/2	1/2	
	06	1/2	
	07	1/2	
	1/2	1/2	
85	08	1/2	Conn 2085
	11	1/2	
	12	1/2	
	14	2	
	16	2	
2090	18	2	
	20	2	
	22	2	
	24	2	
	26	2	
95	28	2	
	30	2	
	33	3	
	35	2	
	37	2	
2100	39	2	

STATE OF KANSAS  
JAN 16 1990  
CONSERVATION DIVISION  
Wichita, Kansas



ORIGINAL

Greys Oil Inc

FARM Randels

WELL NO. A-1

ALTWP. 32 RGE. 12 LOC. E/2 NE NE

COUNTY Garber

STATE KS

CONTRACTOR Red Tiger #1

SIZE HOLE 7 7/8" DRILL PIPE 4 1/2"

SIZE PUMP LINERS 6" LENGTH STROKE 14"

REMARKS:

DATE 12-14-89

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>2100</del>	<del>9:39</del>		
	41	2	
	42	1	
	44	2	
	45	1	
05	46	1	
	48	2	
	50	2	
	51	1	
	53	2	
2110	54	1	
	56	2	
	58	2	
	59	1	
	10:01	2	
15	02	1	
	04	2	
	06	2	Conn 2117
	<del>10:17</del>	1	
	20	2	
2120	22	2	
	25	3	
	27	2	
	29	2	
	31	2	
25	33	2	
	34	1	
	36	2	
	37	1	
	38	1	
2125	40	2	
	41	1	
	43	2	STATE COMMISSION
	44	1	
	46	2	JAN 16 1990
35	48	2	
	50	2	CONSERVATION DIVISION
	53	3	
	55	2	
	57	2	
2140	59	2	
	11:01	2	
	03	2	
	05	2	
	07	2	
45	10	3	
	13	3	
	15	2	
	17	2	Conn 2142
	<del>22</del>	1	
2150	25	2	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>2150</del>	<del>05</del>		
	27	2	
	28	1	
	30	2	
	32	2	
55	37	2	
	36	2	
	38	2	
	40	2	
	42	2	
2160	43	1	
	45	2	
	46	1	
	47	1	
	50	3	
65	52	2	
	55	3	
	59	4	
	12:02	3	
	03	1	
2170	04	1	
	05	1	
	06	1	
	07	1	
	08	1	
75	1/2	1/2	
	11	2 1/2	
	15	4	
	17	2	
	22	5	
2180	25	3	Conn 2180
	<del>30</del>	12	
	35	3	
	38	3	
	40	2	
85	42	2	
	44	2	
	46	2	
	48	2	
	50	2	
2190	52	2	
	53	1	
	55	2	
	57	2	
	59	2	
95	1:01	2	
	03	2	
	04	1	
	06	2	
	08	2	
2200	10	2	

KUSSEL 8000

ORIGINAL

Griggs

FARM *Randels*

WELL NO. *R-1*

TWP. *32* RGE. *12* LOC. *E/2 NE NE*

COUNTY *Barber*

STATE *Ks*

TRACTOR *Red Tiger #1*

SIZE HOLE *7 7/8"* DRILL PIPE *4 1/2"*

SIZE PUMP LINERS *6"* LENGTH STROKE *14"*

REMARKS:

TE-12-15-29

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>100</del>	<del>11:10</del>		
	11	1	
	13	2	
	15	2	
	17	2	
05	18	1	
	19	1	
	21 1/2	2 1/2	
	24	2 1/2	
	26 1/2	2 1/2	
210	29	2 1/2	
	31	2	CON
	33	2	CONV 2212
	<del>46</del> 47	1	
	48	1	
15	49	1	
	51	2	
	52	1	
	54	2	
	55	1	
2220	57	2	
	59	2	
	2:00	1	
	02	2	
	04	2	
25	06	2	
	08	2	
	9	1	
	11	2	
	12	1	
2230	14	2	
	16	2	
	18	2	STATE COMMISSION
	20	2	Jan 16 1900
	22	2	
35	24	2	CONSERVATION DIVISION W. ch. la. Kansas
	26	2	
	27	1	
	28	1	
	30	2	
2240	31	1	
	32	1	
	34	2	
	35	1	CONV 2243
	<del>41</del> 42	1	
45	44	2	
	46	2	
	48	2	
	50	2	
	51	1	
2250	52	1	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>2250</del>	<del>52</del>		
	53	1	
	55	2	
	57	2	
	59	2	
55	3:01	2	
	03	2	
	04	1	
	06	2	
	08	2	
2260	10	2	
	12	2	
	14	2	
	16	2	
	18	2	
65	20	2	
	22	2	
	24	2	
	26	2	
	28	2	
2270	30	2	
	32	2	
	34	2	
	36	2	
	38	2	Good
75	43/45	2	
	47	2	
	49	2	
	50	1	
	52	2	
2280	54	2	
	56	2	
	58	2	
	4:00	2	
	02	2	
85	04	2	
	06	2	
	8	2	
	10	2	
	12	2	
2290	15	3	
	17	2	
	19	2	
	21	2	
	24	3	
95	26	2	
	29	3	
	31	2	
	34	3	
	36	2	
2300	38	2	

ORIGINAL

GRIGGS OIL

FARM RANDOLFS

WELL NO. 1-19

TWP. RGE. LOC.

COUNTY BARBER

STATE KS.

CONTRACTOR

SIZE HOLE

DRILL PIPE

REMARKS:

SIZE PUMP LINERS

LENGTH STROKE

DATE

DEPTH	TIME O'CLOCK	MIN.	REMARKS
2300	4:58		
	40	2	
	42	2	
	44	2	
	46	2	
05	48	2	Conn
	53/55	2	
	57	2	
	59	2	
	5:01	2	
10	3	2	
	5	2	
	6	1	
	8	2	
	9	1	
15	10	1	
	11	1	
	12	1	
	14	2	
	16	2	
20	18	2	
	20	2	
	21	1	
	22	1	
	23	1	
25	25	2	
	26	1	
	28	2	
	31	3	
	33	2	
30	35	2	
	36	1	
	37	1	
		1/2	
	38	1/2	
35		1/2	
	39	1/2	
	46/47	1	
	48	1	
		1/2	
40	44	1/2	
		1/2	
	50	1/2	
	52	2	
	55	3	
45	57	2	
	59	2	
	6:01	2	
	04	3	
	06	2	
50	09	2	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
2350	6:08		
	10	2	
	12	2	
	16	4	
	20	4	
55	23	3	
	26	3	
	29	3	
	32	3	
	37	5	
60	41	4	
	45	4	
	48	3	
	50	2	
	51	1	
65	53	2	
	54	1	
	55	1	
	56	1	Conn-2368
	7:00/01	1	
70	2	1	
	4	2	
	9	5	
	11	2	
	14	3	
75	16	2	
	19	3	
	21	2	
	23	2	
	25	2	
80	27	2	
	7:30	3	
	33	3	
	35	2	
	37	2	
85	40	3	
	43	3	
	45	2	
	47	2	
	49	2	
90	52	3	
	55	3	
	56	1	
	58	2	
	8:00	2	
95	2	2	
	3	1	
	5	2	
	6	1	
	9	3	Conn-2399
2400	15/16	1	

STATE RECEIVED

JAN 16 1950

DEPARTMENT OF REVENUE

WARRANT OFFICES

SION

Russell Record Print, Russell, Kan.

ORIGINAL

GRIGGS OIL

FARM RANDELS

WELL NO. 1-A

TWP. RGE. LOC.

COUNTY BARBER STATE KS.

CONTRACTOR

SIZE HOLE

DRILL PIPE

REMARKS:

SIZE PUMP LINERS

LENGTH STROKE

DATE

DEPTH	TIME O'CLOCK	MIN.	REMARKS
2400	8:16		
	18	2	
	20	2	
	22	2	
	24	2	
5	26	2	
	28	2	
	30	2	
	31	1	
	32	1	
10	33	1	
	34	1	
	36	2	
	37	1	
	38	1	
15	40	2	
	41	1	
	43	2	
	45	2	
	47	2	
20	48	1	
	49	1	
	50	1	
	51	1	
	52	1	
25	53	1	
	54	1	
	55	1	
	56	1	
	57	1	
30	58	1	Conn - 2430
	9:04/15	1	
	16	1	
	17	1	
	18	1	STATE COMMISSION
35	19	1	
	20	1	JAN 16 1990
	21	1	CONSERVATION DIVISION
	22	1	Wichita, Kansas
	23	1	
40	24	1	
	25	1	
	26	1	
	27	1	
	28	1	
45	30	2	
	32	2	
	33	1	
	34	1	
	35	1	
2450	36	1	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
2450	36		
	38	2	
	40	2	
	41	1	
	43	2	
55	45	2	
	47	2	
	49	2	
	51	2	
	53	2	
60	55	2	
	58	3	Conn - 2461
	10:00/3	1	
	4	1	
	5	1	
65	6	1	
	7	1	
	8	1	
	9	1	
	11	2	
70	12	1	
	14	2	
	16	2	
	17	1	
	19	2	
75	21	2	
	22	1	
	24	2	
	26	2	
	28	2	
80	30	2	
	32	2	
	34	2	
	36	2	
	38	2	
85	40	2	
	41	1	
	43	2	
	45	2	
	46	1	
90	48	2	
	50	2	
	52	2	
	54	2	Conn - 2493
	11:09/10	1	
95	11	1	
	13	2	
	14	1	
	16	2	
	17	1	
2500	18	1	

ORIGINAL

GRIGGS OIL

FARM RANDELS  
COUNTY BARBER

WELL NO. 1-A

TWP. RGE. LOC.

STATE Ks.

CONTRACTOR

SIZE HOLE

DRILL PIPE

REMARKS:

SIZE PUMP LINERS

LENGTH STROKE

E

DEPTH	TIME O'CLOCK	MIN.	REMARKS
00	11:18		
	19	1	
	20	1	
	21	1	
	23	2	
5	24	1	
	25	1	
	26	1	
	27	1	
	28	1	
10	29	1	
	30	1	
	31	1	
	33	2	
	34	1	
15	35	1	
	37	2	
	39	2	
	41	2	
	43	2	
20	44	1	
	45	1	
	46	1	
	47	1	
	48	1	CONN-2524
25	54/55	1	
	56	1	
	58	2	
	59	1	
	12:00	1	
30	2	2	
	4	2	
	5	1	
	7	2	
	8	1	
35	9	1	
	10	1	
	11	1	
	12	1	
	13	1	
40	14	1	
	15	1	
	16	1	
	17	1	
	18	1	
45	19	1	
	20	1	
	21	1	
	22	1	
	23	1	
2550	24	1	

STATE DEPARTMENT OF REVENUE  
 JAN 16 1990  
 CONSERVATION DIVISION  
 WICHITA, KANSAS

DEPTH	TIME O'CLOCK	MIN.	REMARKS
2550	12:25		
	26	1	
	27	1	
	28	1	
	30	2	
55	31	1	
	32	1	CONN-2556
	50/51	1	
	52	1	
	55	3	
60	56	1	
	58	2	
	1:00	2	
	2	2	
	4	2	
65	6	2	
	8	2	
	10	2	
	12	2	
	13	1	
70	14	3	
	18	2	
	20	2	
	22	2	
	23	1	
75	26	3	
	28	2	
	29	1	
	30	1	
	32	1	
80	33	1	
	35	2	
	36	1	
	38	2	
	40	2	
85	42	2	
	44	2	
	45	1	CONN-2557
	46	1	CONN-2588
	51/52	1	
90	53	1	
	55	2	
	56	1	
	57	1	
	59	2	
95	2:00	1	
	2	2	
	3	1	
	4	1	
	6	2	
2600	7	1	

ADDRESS ONLY

ORIGINAL

GRIFFS OIL

FARM RANDALS

TWP. RGE. LOC.

COUNTY BARBER

STATE KS.

CONTRACTOR

SIZE HOLE

DRILL PIPE

REMARKS:

SIZE PUMP LINERS

LENGTH STROKE

DATE

DEPTH	TIME O'CLOCK	MIN.	REMARKS
2600	2:07		
	8	1	10' SAMPLES
	9	1	
	11	2	
	12	1	
5	13	1	
	15	2	
	16	4	
	17	1	
	18	1	
10	20	2	
	21	1	
	23	2	
	24	1	
	25	1	
15	26	1	
	28	2	
	29	1	
	31	2	
	33	1	Conn-2619
20	38/39	1	
	40	1	
	41	1	
	43	2	
	44	1	
25	46	2	
	48	2	
	49	1	
	50	1	
	52	2	
30	53	1	
	55	2	
	57	2	
	58	1	
	59	1	
35	3:01	2	
	02	1	
	04	2	
	06	2	
	08	2	
40	10	2	
	11	1	
	13	2	
	14	1	
	15	1	
45	16	1	
	17	1	
	18	1	
	19	1	
	20	1	
2650	21	1	Conn 2650

DEPTH	TIME O'CLOCK	MIN.	REMARKS
2650	32	2	
	34	2	
	36	2	
	37	1	
	39	2	
55	40	1	
	42	2	
	44	2	
	46	2	
	48	2	
60	49	1	Pump
	4:04	05	1
	06	1/2	
	06	1/2	
	07	1	
65	08	1	
	10	2	
	13	3	
	15	2	
	17	2	
70	19	2	
	20	1	
	21	1	
	22	1	
	23	1	
75	24	1	
	25	1	
	26	1	
	27	1	
	28	1	
80	29	1	
	30	1	Conn 2681
	34	35	1
	34	1	
	37	1/2	
85	39	2	
	42	3	
	45	3	
	48	3	
	51	3	
90	54	3	
	57	3	
	58	1	
	5:00	2	
	02	2	
95	04	2	
	06	2	
	08	2	
	10	2	
	12	2	
2700	14	2	

NUSSLI RECORDS & LOGS

STATE OF KANSAS  
 RECEIVED  
 JAN 16 1990  
 CONSERVATION DIVISION  
 Wichita, Kansas

# ORIGINAL

	TWP.	RGE.	LOC.	FARM	COUNTY	STATE
CONTRACTOR				SIZE HOLE	DRILL PIPE	
REMARKS:				SIZE PUMP LINERS	LENGTH STROKE	

DATE

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>2700</del>	<del>5:14</del>	2	
	16	2	
	18	2	
	21	3	
	22	1	
05	24	2	
	27	3	
	28	1	
	30	2	
	32	2	
2710	35	3	
	37	2	
	39	2	
	42	3	Conn 2713
	<del>46</del>	1	
15	49	2	
	51	2	
	53	2	
	55	2	
	57	2	
2720	59	2	
	6:02	3	
	04	2	
	06	2	
	08	2	
25	10	2	
	12	2	
	14	2	
	17	3	
	19	2	
2730	21	2	
	23	2	
	24	1	
	26	2	
	28	2	
35	29	1	
	31	2	
	33	2	
	35	2	
	37	2	
2740	38	1	
	40	2	
	42	2	
	44	2	
	45	1	Conn 2744
45	<del>51</del>	1	
	53	1	
	54	2	
	55	1	
	57	2	
2750	59	2	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>2750</del>	<del>59</del>	1	
	<del>1:00</del>	2	
	02	2	
	04	2	
	05	1	
55	07	2	
	09	2	
	10	1	
	12	2	
	14	2	
2760	16	2	
	18	2	
	19	1	
	21	2	
	23	2	
65	24	1	
	26	2	
	28	2	
	29	1	
	31	2	
2770	33	2	
	34	1	
	36	2	
	38	2	
	39	1	
75	40	1	
	41	1	Conn 2776
	<del>43</del>	1	
	50	2	
	53	3	
2780	54	1	
	57	3	
	59	2	
	8:00	1	
	01	1	
85	02	1	
	03	1	
	05	2	
	07	2	
	11	4	
2790	13	2	
	15	2	
	17	2	
	20	3	
	22	2	
95	26	4	
	27	1	
	30	3	
	32	2	
	35	3	
2800	37	2	

Russell Record Print, Russell, Kan.

STATE OF KANSAS  
 JUL 16 1900  
 CONSERVATION DIVISION  
 Topeka, Kansas

# ORIGINAL

FARM

TWP. . RGE. . LOC.

COUNTY

STATE

CONTRACTOR

SIZE HOLE

DRILL PIPE

REMARKS:

SIZE PUMP LINERS

LENGTH STROKE

DATE

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>2800</del>	<del>8:30</del>	<del>3</del>	
	40	3	
	42	3	
	45	3	
	47	2	
05	50	3	
	52	2	
	55	3	Conn 2807
	<del>59</del>	<del>1</del>	
	03	4	
2810	06	3	
	10	4	
	12	2	
	15	3	
	19	4	
15	22	3	
	24	2	
	27	3	
	30	3	
	33	3	
0220	36	3	
	39	3	
	42	3	
	45	3	
	47	2	
05	50	3	
	53	3	
	55	2	
	58	3	
	10:01	3	
2830	04	3	
	07	3	
	09	2	
	12	3	
	15	3	
35	17	2	
	20	3	
	22	2	
	25	3	
	27	2	Conn 2839
2840	<del>30</del>	<del>1</del>	
	36	2	
	39	2 1/2	
	41	2	
	45	3 1/2	
45	46 1/2	1 1/2	
	48 1/2	2	
	51	2 1/2	
	54	3	
	58	4	
2250	11:00	2	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>2850</del>	<del>11:00</del>	<del>4</del>	
	04	4	
	07	3	
	09	2	
	11	2	
55	12	1	
	13	1	
	14	1	
	16 1/2	2 1/2	
	18	1 1/2	
2860	27	3	
	23	2	
	26	3	
	29	2	
	29	1	
65	32	3	
	34	2	
	36	2	
	39	3	
	41 1/2	2 1/2	
2870	44	2 1/2	Conn 2870 rig
	<del>12:00</del>	<del>04</del>	
	05	1	
	07	2	
	8 1/2	1 1/2	
75	10	1 1/2	
	12	2	
	14	2	
	16	2	
	18	2	
2880	20	2	
	22	2	
	23	1	
	25	2	
	27	2	
85	28	1	
	30	2	
	32	2	
	33	1	
	34 1/2	1 1/2	
2890	37	2 1/2	
	38	1	
	40	2	
	42	2	
	43 1/2	1 1/2	
95	45	1 1/2	
	47 1/2	2 1/2	
	49	1 1/2	
	51	2	
	52 1/2	1 1/2	
2900	54	1 1/2	

ROYALTY RECORD PRINT, RUSSELL, KAN.

STATE OF KANSAS  
 JAN 16 1990  
 CONSERVATION DIVISION  
 WICHITA, KANSAS



Griggs Oil Inc.

ORIGINAL

FARM *Randels*

WELL

TWP. RGE. LOC.

COUNTY *Barber*

STATE *Kansas*

CONTRACTOR *Red Tiger #1*

SIZE HOLE *7 7/8*

DRILL PIPE *4 1/2*

REMARKS:

SIZE PUMP LINERS *6*

LENGTH STROKE *14*

DATE *12-16-89*

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>100</del>	<del>12:54</del>		
01	56	2	Conn 2901
	<del>103</del> 05	2	
	06 1/2	1 1/2	
	08	1 1/2	
05	09	1	
	10 1/2	1 1/2	
	11 1/2	1	
	12	1/2	
	13	1	
10	14	1	
	16	2	
	17	1	
	18	1	
	20	2	
15	21 1/2	1 1/2	
	23	1 1/2	
	24	1	
	26 1/2	2 1/2	
	28 1/2	2	
20	30	2	
	32	2	
	34	2	
	36	2	
	38	2	
25	39	1	
	41	2	
	43 1/2	2 1/2	
	46	2 1/2	
	48	2	
30	49	1	
	52	3	Conn 2931
	<del>59</del> 20	2	
	02	1	
	04	2	
35	06	2	
	08	2	
	10	2	
	12	2	
	14	2	
40	15 1/2	1 1/2	
	17	1 1/2	
	19	2	
	21	2	
	22	1	
45	24	2	
	26	2	
	27 1/2	1 1/2	
	29	1 1/2	
	31	1	
2980	32 1/2	1 1/2	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>2950</del>	<del>32 1/2</del>		
51	34	1 1/2	
	35 1/2	1 1/2	
	37	1 1/2	
	39	2	
55	40 1/2	1 1/2	
	42	1 1/2	
	43	1	
	45	2	
	47	2	
60	48	1	
	50	2	
	51	1	Conn 2962
	<del>58</del> 3:00	2	
	01 1/2	1 1/2	
65	03	1 1/2	
	05	2	
	07 1/2	1 1/2	
	09	1 1/2	
	11 1/2	2 1/2	
70	14	2 1/2	
	16	2	
	17 1/2	1 1/2	
	19	1 1/2	
	21	2	
75	23	2	
	25	2	
	27	2	
	29	2	
	32	3	
80	33 1/2	1 1/2	
	36	2 1/2	
	38	2	
	39	1	
	40	1	
85	40 1/2	1/2	
	41 1/2	1	
	42	1/2	
	43	1	
	44	1	
90	45	1	
	46	1	
	47 1/2	1 1/2	
	49	1 1/2	Conn 2993
	<del>57</del> 59	1	
95	59 1/2	1 1/2	
	4:01	2	
	03	2	
	06	3	
	08	2	
3000	69	1	

STATE OF KANSAS  
 JAN 16 1990  
 CONSERVATION DIVISION  
 Winona, Kansas

ORIGINAL

FARM

WELL

TWP.

RGE.

LOC.

COUNTY

STATE

CONTRACTOR

SIZE HOLE

DRILL PIPE

REMARKS:

SIZE PUMP LINERS

LENGTH STROKE

DATE 12-16-89

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3000	7:11		
01	12	1	
	13	1	
	14	1	
	16	2	
05	18	2	
	20	2	
	22	2	
	24	2	
	26	2	
10	28	2	
	30	2	
	32	2	
	33	1	
	34	1	
15	35	1	
	36	1	
	38	2	
	40	2	
	41	1	
20	42	1	
	43	1	
	44	1	
	45	1	
	47	2	Conn 3024
25	57	1	
	58	1	
	59	1	
	5:00	1	
	01	1	
30	03	2	
	05	2	
	07	2	
	09	2	
	10	1	
35	12	2	
	13	1	
	14	1	
	15	1	
	16	1	
40	18	2	
	19	1	
	20	1	
	21	1	
	22	1	
45	23	1	
	24	1	
	25	1	
	26	1	
	27	1	
3050	28	1	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3050	28		
51	29	1	
	30	1	
	31	1	
	32	1	
55	33	1	Conn 3055
	40	1	
	41	1	
	43	2	
	44	1	
	45	1	
60	46	1	
	48	2	
	49	1	
	50	1	
	53	3	
65	55	2	
	56	1	
	57	1	
	58	1	
	59	1	
70	01	2	
	02	1	
	03	1	
	04	1	
	05	1	
75	06	1	
	09	3	
	11	2	
	13	2	
	14	1	
80	16	2	
	18	2	
	20	2	
	24	4	
	26	2	
85	29	3	
	33	4	
	36	3	Conn 3087
	43	1	
	44	1	
	47	3	
90	49	2	
	51	2	
	54	3	
	57	3	
	7:00	3	
95	2	2	
	5	3	
	7	2	
	9	2	
	12	3	
3100	14	2	

STATE OF KANSAS

JAN 16 1990

CONSERVATION DIVISION  
Wichita, Kansas

Kussell ReCo. Inc., Tulsa, Okla.

# ORIGINAL

FARM

WELL NO.

TWP. RGE. LOC.

COUNTY

STATE

TRACTOR

SIZE HOLE

DRILL PIPE

REMARKS:

SIZE PUMP LINERS

LENGTH STROKE

DATE 12-16-89

DEPTH	TIME O'CLOCK	MIN.	REMARKS
00	14		
01	16	2	
	19	3	
	21	2	
	24	3	
05	26	2	
	28	2	
	30	2	
	33	3	
	35	2	
10	38	3	
	40	2	
	42	2	
	45	3	
	47	2	
15	51	3	
	52	1	
	54	2	
	55	1	Cover 3118 Rigt
	18/19	1	
20	20	1	
	21	1	
	23	2	
	26	3	
	28	2	
25	30	2	
	32	2	
	35	3	
	37	2	
	40	3	
30	2	2	
	5	3	
	7	2	
	50	3	
	1	1	
35	3	2	
	5	2	
	7	2	
	58	1	
	9/00	2	
40	01	1	
	03	2	
	06	3	
	8	2	
	10	2	
45	11	1	
	13	2	
	14	1	
	16	2	
	19	3	Cover-3149
3150	24/16	2	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3150	26		
51	27	1	
	27	2	
	30	1	
	32	2	
55	33	1	
	36	3	
	38	2	
	40	2	
	41	1	
60	43	2	
	45	2	
	47	2	
	50	3	
	52	2	
65	54	2	
	57	3	
	59	2	
	10:02	3	
	5	3	
70	7	2	
	10	3	
	12	2	
	14	2	
	16	2	
75	18	2	
	21	3	
	24	3	
	28	4	
	32	4	
80	36	4	Cover 3180
	42/43	1	
	44	1	
	46	2	
	48	2	
85	50	2	
	52	2	
	53	1	
	55	2	
	57	2	
90	58	1	
	11:00	2	
	02	2	
	03	1	
	5	2	
95	6	1	
	8	2	
	9	1	
	10	1	
	12	2	
3200	13	1	

KANSAS CONSERVATION DIVISION

STATE OF KANSAS  
 JAN 16 1990  
 CONSERVATION DIVISION  
 Topeka, Kansas

# ORIGINAL

FARM \_\_\_\_\_

WELL NO. \_\_\_\_\_

TWP. \_\_\_\_\_ RGE. \_\_\_\_\_ LOC. \_\_\_\_\_

COUNTY \_\_\_\_\_

STATE \_\_\_\_\_

TRACTOR \_\_\_\_\_

SIZE HOLE \_\_\_\_\_

DRILL PIPE \_\_\_\_\_

MARKS: \_\_\_\_\_

SIZE PUMP LINERS \_\_\_\_\_

LENGTH STROKE \_\_\_\_\_

DATE

DEPTH	TIME O'CLOCK	MIN.	REMARKS
20	11:13		
	14	1	
	15	1	
	16	1	
	17	1	
05	19	2	
	20	1	
	22	2	
	23	1	
	24	1	
10	26	2	
	27	1	
	29	2	Conn. 3212 Jct Pits
12:00/10		2	f/displacement (1/2)
	12	2	
15	13	1	
	16	3	
	17	1	
	19	2	
	22	3	
20	23	1	
	25	2	
	26	1	
	27	1	
	30	3	
25	31	1	
	33	2	
	36	3	Jct 142 (1/2)
	52/54	2	
	56	2	
30	58	2	
	1:00	2	
	01	1	
	2	1	
	4	2	
35	6	2	
	9	3	
	12	3	
	13	1	
	16	3	
40	19	2	
	20	2	Jct 2 1/4
	20/31	1	
	32	1	
	34	2	Conn. 3244
45	55/56	1	Jct pits (1/2)
	59	3	
	1:01	2	
	03	2	
	5	2	
50	7	2	

RECORDED  
 STATE OF KANSAS  
 DIVISION  
 MAY 16 1990  
 CONSERVATION DIVISION  
 Wichita, Kansas

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3250	07	9	2
	10	1	
	12	2	
	13	1	
55	15	2	
	16	1	
	18	2	
	20	2	
	21	1	
60	23	2	
	25	2	
	27	2	
	29	2	
	31	2	
65	32	1	
	34	2	
	36	2	
	37	1	
	39	2	
70	40	1	
	42	2	
	44	2	
	45	1	
	47	2	
75	48	1	CONN 3275
	54/55	1	
	57	2	
	3:00	3	
	02	2	
80	04	2	
	06	2	
	08	2	
	10	2	
	12	2	
85	15	3	
	17	2	
	19	2	
	21	2	
	24	3	
90	26	2	
	28	2	
	30	2	
	32	2	
	35	3	
95	37	2	
	39	2	
	41	2	
	43	2	
	45	2	
3300	46 1/2	12	

ORIGINAL

BRIGGS OIL

FARM RANDELS A-1

WELL NO.

TWP 32 SRGE 12 W LOC. NENE

COUNTY BARBER

STATE KANSAS

TRACTOR Red 71602

SIZE HOLE

DRILL PIPE

MARKS:

SIZE PUMP LINERS

LENGTH STROKE

DEC 16, 1989 SAT

PTH	TIME O'CLOCK	MIN.	REMARKS
0	8:46 1/2		
	48 1/2	2	
	50	1 1/2	
	52	2	
	54	2	
05	56	2	
	58	2	
	4:00	2	Conn 3307
	09:10	1	
	12	2	
3310	15	3	
	17	2	
	19	2	
	21	2	
	23	2	
15	25	2	
	27	2	
	29	2	
	31	2	
	32 1/2	1 1/2	
3320	34	1 1/2	
	36	2	
	37	1 1/2	
	39	1 1/2	
	41	2	
25	43	2	
	44	1	
	46	2	
	48	2	
	50	2	
3330	52	2	
	53	1	
	55	2	
	57	2	
	59	2	
35	5:01	2	
	03	2	
	05	2	
	6	1 1/2	3338 conn
	5:18 1/2	2	
3340	19	1	
	21	2	
	23	2	
	25	2	
	27	2	
45	28	1	
	30	2	
	32	2	
	34	2	
	36	2	
3350	38	2	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3350	5:38		
	39	1	
	41	2	
	43	2	
	45	2	
55	47	2	
	48	1	
	50	2	
	52	2	
	54	2	
3360	56	2	
	58	2	
	6:00	2	
	01	1	
	03	2	
65	05	2	
	06	1	
	8	2	
	9	1 1/2	
	11	2	Conn 3369
3370	6:11 1/2	1	
	19	1	
	20	1	
	21	1	
	22	1	
25	23	1	
	24	1	
	26	2	
	28	2	
	29	1	
3380	31	2	
	33	2	
	34	1	
	36	2	
	38	2	
85	39	1	
	41	2	
	42	1	
	43	1	
	45	2	
3390	47	2	
	49	2	
	50	1	
	52	1	
	53	1	
95	54	1	
	56	2	
	58	2	
	59	1	
	7:01	2	
3400	03	2	

Russell Record print, Russell...

STATE OF KANSAS RECEIVED JAN 15 1990 CONSERVATION DIVISION Wichita, Kansas

ORIGINAL

Griggs Oil

FARM Randels A-1 WELL NO.

TWP. 37 SRGE. 124 LOC. n.e.n.e.n.e.

COUNTY Barber

STATE KS

TRACTOR Red Tiger

SIZE HOLE

DRILL PIPE

SIZE PUMP LINERS

LENGTH STROKE

REMARKS:

DATE 7:03 PM SAT DEC 16, 1909

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3400	7:03	1	Conn 3401
	04	1	
	7:13	1	
	15	2	
	17	2	
05	18	1	
	20	2	
	22	2	
	24	2	
	26	2	
10	28	2	
	30	2	
	31	1	
	33	2	
	34	1	
15	36	2	
	37	1	
	38	1	
	40	2	
	41	1	
20	42	1	
	44	2	
	45	1	
	47	2	
	48	1 1/2	
25	50	1 1/2	
	52	2	
	53	1	
	55	2	
	57	2	
30	58	1	
	59	1	
	8:00	1	Conn 3432
	03	1	
35	5	2	
	7	2 1/2	
	10	2 1/2	STATE OF KANSAS
	12	2	
	14	2	JAN 16 1910
	17	3	CONSERVATION DIVISION
40	19	2 1/2	WATER RESOURCES
	22	2 1/2	
	24	2 1/2	
	27	2 1/2	
	29	2	
45	32	3	
	34	2	
	37	3	
	39	2	
	42	2	
50	45	3	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3450	45		
	47	2-	
	50	2-	
	53	3	
	56	3	
55	58	2	
	9:02	4	
	04 1/2	2 1/2	
	07	2 1/2	
	09 1/2	2 1/2	
60	13	2 1/2	
	16	3	
	18	2	
	21	3	
	23	2	Conn 3464
65	27	3	
	32	2	
	34	2	
	36	2	
	37 1/2	1 1/2	
70	39	1 1/2	
	42	3	
	44	2	
	46	2	
	48	2	
75	50	2	
	51	1	
	53	2	
	55	2	
	57	2	
80	59	2	
	10:00 1/2	1 1/2	
	10:02	1 1/2	
	04	2	
	5 1/2	1 1/2	
85	7	1 1/2	
	8 1/2	1 1/2	
	10 1/2	2	
	12	1 1/2	
	13	1	
90	15	2	
	17	2	
	18	1	
	20	2	
	22	2	CI
95	24	2	Conn 3495
	10:46 1/2	1	CFS
	47	1	
	48	1	
	48 1/2	1	
	49 1/2	1	
500	51	1 1/2	

ORIGINAL

BRIGG OIL INC

FARM RANDEL A-1

WELL NO.

TWP 32S RGE. 12W LOC. NE NE NE COUNTY BARBER

STATE KS

TRACTOR Red TIGER #2

SIZE HOLE

DRILL PIPE

MARKS:

SIZE PUMP LINERS

LENGTH STROKE

Dec 16, 1989

~~3556.9~~ 3556.9  
1.01

SATURDAY PM 10:51 PM

TH	TIME O'CLOCK	MIN.	REMARKS
0	51		
	52	1	
	53	1	
	54	1 1/2	
	55 1/2	1 1/2	
5	57	1 3/4	
	8	1	
	12 00	2	
	1 00	2	Rough
	05	3	
0	05	1 1/2	
	08	1 1/2	
	11	3	
	13	2	
	15	2	
15	17	2	
	22	5	
	26	4	
	31	5	
	31 1/2	1/2	
20	32 1/2	1 1/2	CFS 60" catch 30'
Just	<del>6 55</del>	2	60" wet log
	7:00	2	DST 1 3468-3520
	03	3	SHORT TRIP 15stds
	04	1	COND HOLE 1HR
25	05	1	OUT DST RUN SHT
	11 1/2	1/2	STRAP ON WAY OUT
	13 1/2	1 1/2	52' ANCHOR
	16	2 1/2	30-60 45-90
	18	3	
30	19 1/2	1 1/2	
	22	2 1/2	
	23 1/2	1 1/2	
	26	2 1/2	
	28	2	
35	29 1/2	1 1/2	
	32	2 1/2	STATE
	33	1 1/2	
	36	2	JAN 1
	38	2	CONG
40	40	2	WICHITA
	42	2	
	43	1 1/2	
	45	1 1/2	
	47	2	
45	48	1 3/4	
	50	1 3/4	
	52	2	
	53	1 1/2	
	55	1 1/2	
50	57	2	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>3550</del>	57	58	1
	80	1	
	80 5	3	
	7	2	
55	9	2	
	11	2	
			Kelly Adly CONN
	20 1/2	1 1/2	
3560	22	1	
	24	2	
	26	2	
	28	2	
	30	2	
65	32	2	
	35	3	
	37	2	
	39	2	
	41	2	
3570	43	2	
	45	2	
	46	1	
	48	2	
	50	2	
75	52	2	
	55	3	
	57	2	
	9:00	3	
	01 1/2	1 1/2	
3580	03	1 1/2	
	5	1	
	6 1/2	1 1/2	
	8 1/2	2	
	9 1/2	1	
85	10 1/2	1	
	12	1 1/2	
	14	2	
	16	2	
	17 1/4	1 1/2	
3590	25	26	1
	28	2	
	31 1/2	3 1/2	
	34	2 1/2	
	36 1/2	2 1/2	
95	38	1 1/2	
	40	2 0	
	41	1	
	43	2	
	44	1	
3600	46	2	

ORIGINAL

BRIGGS OIL INC

FARM RANDEL A-1

WELL NO.

31 TWP 32S RGE. 124 LOC. NENE NE

COUNTY BARBER

STATE KANSAS

CONTRACTOR RED TIGER RIG

SIZE HOLE

DRILL PIPE

REMARKS:

SIZE PUMP LINERS

LENGTH STROKE

DST #2 3577-3650 73' ANC  
30-60-45-90

DUQ / HRS

DATE 9:36 PM SUNDAY DEC 17, 1989

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>3650</del>	<del>9:46</del>	<del>2</del>	
	50	2	
	52	2	
	54	2	
05	56	2	
	57 1/2	1 1/2	
	10:00	2 1/2	SR
	02	2	"
	04	2	
3660	06	2	
	08	2	
	09	1	
	11	2	
15	12	1	
	13	1 1/2	
	14	1	
	15	1	
	17	1 1/2	
	18	1 1/2	
2000	19	1	
	20	1	Conn 3621
	<del>26 1/2</del>	1	
	28	1	
	30	2	
25	31 1/2	1 1/2	
	33	1 1/2	
	34	2	
	35 1/2	1 1/2	
	36 1/2	1	
3000	37 1/2	1	
	39 1/2	1	
	40	1/2	
	41	1	
	42	1	
35	43 1/2	1 1/2	
	45	1 1/2	
	46	1	
	48	2	
	49	1	
3000	51	2	
	52	1	
	54	2	
	56	2	
	58	2	
45	1:00	2	
	02	2	
	04	2	
	06	2	
	08	2	
3650	10	2	CF-S 60" 30" (45.60")

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>3650</del>			
			3652 Conn
55			
3660			
65			
3670			
75			
3680			
85			
3690			
95			
3700			

STATE OF KANSAS  
 JAN 16 1990  
 COMMISSION  
 WICHITA, KANSAS

net's DRU





EFFECTIVE DATE: 12-03-89

FORM MUST BE TYPED  
FORM C-1 12/88

State of Kansas <sup>15-</sup>007-22,278-00-00

FORM MUST BE SIGNED  
ALL BLANKS MUST BE FILLED

NOTICE OF INTENTION TO DRILL

Must be approved by the K.C.C. five (5) days prior to commencing well

Expected Spud Date 12 - 09 - 89  
month day year

E/2. NE. NE Sec 34. Twp 32. S, Rg 12. X East West

OPERATOR: License # 5058  
Name: Griggs Oil, Inc.  
Address: 107 N. Market - Ste. 800  
City/State/Zip: Wichita, KS 67202  
Contact Person: Rick Griggs  
Phone: 316-267-7779

4620 feet from South line of Section  
330 feet from East line of Section  
(Note: Locate well on Section Plat Below)

CONTRACTOR: License #: 5302  
Name: Red Tiger Drilling Co.

County: Barber  
Lease Name: Randels Well #: 1-A  
Field Name: Toni-Mike

Well Drilled For: Well Class: Type Equipment:  
... Oil ... Inj ... Infield X Mud Rotary  
X Gas ... Storage X Pool Ext. ... Air Rotary  
... OWD ... Disposal ... Wildcat ... Cable  
... Seismic; ... # of Holes

Is this a Prorated Field? ... yes X.. no  
Target Formation(s): Elgin, Snyderville  
Nearest lease or unit boundary: 330  
Ground Surface Elevation: 1508 feet MSL  
Domestic well within 330 feet: ... yes X.. no  
Municipal well within one mile: ... yes X.. no  
Depth to bottom of fresh water: 180  
Depth to bottom of usable water: 180  
Surface Pipe by Alternate: X. 1 ... 2  
Length of Surface Pipe Planned to be set: 200  
Length of Conductor pipe required:  
Projected Total Depth: 3700'  
Formation at Total Depth: Snyderville  
Water Source for Drilling Operations:

If OWD: old well information as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Comp. Date: \_\_\_\_\_ Old Total Depth \_\_\_\_\_

X. well ... farm pond ... other  
DWR Permit #: ... NA APPLY FOR PERMIT  
Will Cores Be Taken?: ... yes X.. no  
If yes, proposed zone: \_\_\_\_\_  
200' Alt. I Req.

Directional, Deviated or Horizontal wellbore? ... yes X.. no  
If yes, total depth location: \_\_\_\_\_

Exp. 5/28/90

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and

PUSHER Everett Hadden

D-19, 6 Hours 3650  
TD 3700 FORMATION any

SURFACE PIPE 8 3/8 @ 2 1/4"

ANEHYDRITE 440 ELEVATION 1508

STARTING TIME & DATE 11:30 AM 12-19-89

COMPLETION TIME & DATE 2:15 PM 12-19-89

1st PLUG @ 600 FT. W/ 50 SX

2nd PLUG @ 240 FT. W/ 40 SX

3rd PLUG @ 40 FT. W/ 10 SX

4th PLUG @ \_\_\_\_\_ FT. W/ \_\_\_\_\_ SX

RAT HOLE CIRCULATED W/ 15 SX

MOUSE HOLE CIRCULATED W/ \_\_\_\_\_ SX

WATER WELL PLUGGED W/ \_\_\_\_\_ SX

CEMENT COMPANY Red Tiger

TECHNICIAN S.P.

TYPE OF CEMENT 60/40/6 70

Spud 12-12-89

no w.w.

CONSERVATION DIVISION  
Wichita, Kansas

Agent: \_\_\_\_\_

5280	1320
4950	990
4620	660
4290	330
3960	
3630	
3300	
2970	
2640	
2310	
1980	
1650	
1320	
990	
660	
330	

REMEMBER TO:

- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed;
- Obtain written approval before disposing or injecting salt water.