STATE OF KANSAS

STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission

WELL PLUGGING RECORD

211 No. Broadway Wichita, Kansas	Barber		Coun	tv. Sec. 351	Wp. 32S Rge.	(B) 12(W)	
NORTH			or footage fro	om linesC_	NW_NE		
	Lease Owner_		soline C	ompany			
		Lease Name Long Well No. 1 Office Address 1107 Union National Bldg., Wichita, Kansas					
<u> </u>							
	Date well comp					e	
	Application for						
1	Application for						
1 i i i						19	
		Plugging completed 10-22-58 19					
<u> </u>	Reason for aban	donment of we	ll or producin	g formation	dry hol	e	
1 i i							
1 ! 1 ;						19	
Locate well correctly on above				ation Division	or its agents befo	ore plugging was com-	
Section Plat Name of Conservation Agent who su	menced?				·····		
Name of Conservation Agent who su Producing formation					Total Double of	w.n.h711 = 5	
Show depth and thickness of all wat			Bottor	n	Total Depth or	Well 4711 Foot	
_							
OIL, GAS OR WATER RECO	RDS					CASING RECORD	
FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT	
				8-5/8"	215*	none	
			<u> </u>				
	<u> </u>		<u> </u>	_	<u></u>		
			<u> </u>	 			
		-					
Describe in detail the manner						<u> </u>	
cement	: 0 to 40 feet.						
							
	470-1104-1						
Name of Plugging Contractor	(If additional Beardmore D	description is neces		s of this sheet)			
Address	827 Beacon			Kansas			
Vangag			-1 - L- L				
STATE OF <u>Kansas</u> Everest E. Wible		NTY OF	_		•		
						of the above-described	
well, being first duly sworn on oat above-described well as filed and t			help me God	A	1 _	•	
		(Signature)	عع	veresi	E W.	ibli	
			L107 Unic	n National	Bldg., Wi	chita, Kansas	
SUBSCRIBED AND SWORN TO be	efore me this 29th	day of	Octob	er	:V	ED	
87	2060	_	Heler	Suellentr	Sulled	Notary Public.	
My commission expires NOVEMI	per 14, 1960				-	11-6-58	
			5			– v	

PAGE 143 LINE M

BEARDMORE-AURORA

#1 Long

NW NE Section 35-32-12W Barber County, Kansas

Drilled By: Beardmore Drilling Company

Drilling Commenced: 9-30-58 Drilling Completed: 10-21-58

Casing Record:

8-5/8" set at 215' with 150 sacks. Cement circulated. 9-30-58.

Elevations:

1439 KB 1436 DF

1434 Gr

FORMATIONS	DEPTH
Cellar and Soil	10
Red Bed	215
Red Bed	900
Shale and Shells	1460
Shale and Lime	1640
Lime	1785
Lime and Shale	1915
Lime	2050
Lime and Shale	3611
Sand and Shale	3716
Lime	3740
Lime and Shale	3810
Lime	4195
Lime and Shale	4250
Lime	4309
Chert and Lime	4584
Lime	4420
Lime and Chert	4455
Lime	4520
Lime and Shale	4577
Lime	4600
Lime and Shale	4670
Shale	4677
Sand	4685
Sand and Shale (?)	4690
Sand	4711
Rotary Total Depth	4711
LOG TOPS	
Elgin	3350
Heebner	3538
Lansing	3714
Mississippi	4304
Kinderhook	4481
Chattanooga	4558
Viola	4594
Simpson	4676
Total Depth	4710

DST #1 3566-3591 Straddle Test-Shut in 30 min., open 1 hr., shut in 30 min. Recovered 45' very slightly gas cut salt water. IBHP 1200, FBHP 1080, FP 25, Hydrostatic 2060, Temperature 105°.

PLUGGING

FILE SEC 35 T 32 R 12W

BOOK PAGE 143 LINE 19



DST #2 4309-4339 Shut in 30 min., open 1 hr., shut in 30 min., weak blow. Recovered 30' mud. IBHP 55, IF 28, FF 40, FBHP 55, Hydrostatic 2458, Temp. 1070.

DST #3 4675-4685 Shut in 30 min., open 30 min., shut in 30 min. Recovered 7' mud. IBHP 30, FP 10, FBHP 30, Hydrostatic 2620, No blow.

DST #4 4680-4690 Shut in 30 min., open 2 hrs., shut in 30 min. Recovered 330' salt water. IBHP 1800, FP 25, FBHP 1675, Hydrostatic 2635, Temp. 132°.

STATE OF KANSAS

) 88

COUNTY OF SEDGWICK)

I, the undersigned, being duly sworn on oath state that the above and within statement is a true and correct record and log of the well drilled on the location above described, to the best of my knowledge and belief.

Well Breakons

Subscribed and sworn to before me this 31st day of October, 1958.

Leonard P. Tolle-Notary Public

My Commission Expires: January 28, 1960

PLUGGING

FILE SEC. 35 T. 32 R 12 W

PCOK PAGE 143 LIME 19