

TYPE

AFFIDAVIT OF COMPLETION FORM

ACO-1 WELL HISTORY

Compt. \_\_\_\_\_

SIDE ONE

Two (2) copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within thirty (30) days after the completion of a well, regardless of how the well was completed.

Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on Side One will be of public record and Side Two will then be held confidential.

Applications must be made on dual completion, commingling, salt water disposal, injection and temporarily abandoned wells.

Attach one copy only wireline logs (i.e. electrical log, sonic log, gamma ray neutron log, etc.). (Rules 82-2-105 & 82-2-125) KCC# (316) 263-3238.

LICENSE # 6438 EXPIRATION DATE 6-30-83

OPERATOR Lamoreaux Homes, Inc. API NO. 15103-20,176-0000

ADDRESS Box 8 Waterville, Kansas 66548 COUNTY Leavenworth FIELD Wildcat EASTON

\*\* CONTACT PERSON Jon Stuart Lamoreaux PHONE 913-785-2206 PROD. FORMATION McLouth Sand

PURCHASER Eureka Crude Purchasing LEASE Harding

ADDRESS Eureka, Kansas 67045 WELL NO. 1

DRILLING Michael Drilling Co. WELL LOCATION 330 Ft. from S. Line and

CONTRACTOR ADDRESS Box 278 Chanute, Kansas 66720 2310 Ft. from W. Line of the SW (Qtr.) SEC 25 TWP 8 RGE 20E

PLUGGING N/A WELL PLAT (Office Use Only)

CONTRACTOR ADDRESS

TOTAL DEPTH 1430 PBSD

SPUD DATE 6-28-82 DATE COMPLETED 6-29-83

ELEV: GR 968.57 DF KB

DRILLED WITH (CABLE) (ROTARY) (AIR) TOOLS.

DOCKET NO. OF DISPOSAL OR REPRESSURING WELL BEING USED TO DISPOSE OF WATER FROM THIS LEASE

Amount of surface pipe set and cemented. 171' DV Tool Used? No

THIS AFFIDAVIT APPLIES TO: (Circle ONE) - Oil, Gas, Shut-in Gas, Dry, Disposal, Injection, Temporarily Abandoned, OWWO. Other

ALL REQUIREMENTS OF THE STATUTES, RULES AND REGULATIONS PROMULGATED TO REGULATE THE OIL AND GAS INDUSTRY HAVE BEEN FULLY COMPLIED WITH.


KCC  KGS  SWD/REP PLG.

AFFIDAVIT

Jon S. Lamoreaux, being of lawful age, hereby certifies that:

I am the Affiant, and I am familiar with the contents of the foregoing Affidavit. The statements and allegations contained therein are true and correct.

Jon S. Lamoreaux (Name)



SUBSCRIBED AND SWORN TO BEFORE ME this 21st day of March, 1983.

Lois K. Andersen (NOTARY PUBLIC)

MY COMMISSION EXPIRES: 12-10-83

RECEIVED STATE CORPORATION COMMISSION

\*\* The person who can be reached by phone regarding any questions concerning this information.

MAR 22 1983

CONSERVATION DIVISION Wichita, Kansas

FILL IN WELL INFORMATION AS REQUIRED:

WELL NO.

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
<input checked="" type="checkbox"/> Check if no Drill Stem Tests Run.				
Limestone & shale	0	30		
Shale	30	35		
Limestone	35	37		
Sandy Shale	37	48		
Limestone	48	57		
Limy Shale & Sandy Shale	57	188		
Limestone-Shaly	188	192		
Shaley Lime	192	196		
Shaley Sandstone	196	198		
Shale	198	201		
Sandstone	201	205		
Shale Sandy	205	309		
Sandstone	309	312		
Limestone	312	317		
Shale-limy	317	321		
Limestone	321	325		
Sandstone-sandy sh.	325	335		
Black shale	335	342		
Limestone	342	345		
Sandy Shale-sandstone shaly	345	366		
Limestone-v shaley	366	378		
Shale	378	399		
Limestone	399	406		
Sandy Shale	406	412		
Shly Sandstone	412	416		
Shale-Sandy	416	456		
Limestone	456	472		
Shale	472	477		
Limestone	477	483		
Black Shale	483	488		
Shaly Sandstone	488	494		
Limestone	494	503		
Shale gry to black	503	508		
Shale slightly sandy	508	519		
Limestone-shaley	519	524		

If additional space is needed use Page 2, Side 2

Report of all strings set — surface, intermediate, production, etc. CASING RECORD (New) or (Used)

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Socks	Type and percent additives
Surface	9 3/4"	7"	25#	171	Class A	75	2% calcium chloride
Long String	6 1/2"	4.5"	10.5#	1430	Pozmix Class A	27 128	4% calcium Chl.

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Socks cement	Shots per ft.	Size & type	Depth interval
			4	30 gr hollow steel carriers	1352.5-1353.5

TUBING RECORD

Size	Setting depth	Packer set at

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated
250 gal Acid HCl 15% 15% 15%	1352 1/2 - 1353 1/2

Date of first production 2-20-83	Producing method (flowing, pumping, gas lift, etc.) Pumping	Gravity EST 24
Estimated Production -I.P. 5 bbls	Gas none	Water 5% 5% bbls
Disposition of gas (vented, used on lease or sold)	Perforations 1352 1/2 - 1353 1/2	Gas-oil ratio CFPB



FILL IN WELL LOG AS REQUIRED:

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Shaly Sandstone	524	528		
Sandy Shale	528	538		
Limestone	538	546		
Shaly Lime. & Limy Shale	546	568		
Limestone-slty shaly	568	577		
Shale	577	579		
Limestone-shaly	579	587		
Shale	587	591		
Black Shale	591	597		
Shale	597	600		
Limestone-slty shaly	600	612		
Shale	612	615		
Shaly sandstone	615	617		
Black Shale	617	623		
Shaly Sandstone	623	627		
Shaly Limestone	627	641		
Black Shale	641	643		
Shaly limy sandstone	643	660		
Sandy shale	660	735		
Shaly sandstone	735	746		
Sandy shale	746	756		
Shaly sand	756	760		
Sandy shale	760	775		
Limestone	775	783		
Black shale	783	788		
Shale	788	791		
Sandstone	791	794		
Limestone	794	806		
Sandy shale	806	824		
Sandstone	824	826		
Black shale	826	829		
Limestone	829	838		
Shaly sand	838	845		
Black shale	845	849		
Sandy lime	849	865		
Black shale	865	869		
Sandy Limestone	869	878		
Sandy shale	878	900		
Limestone	900	902		
Sandy lime & shaly sand	902	1003		
Sandy lime	1003	1013		
Shaly sandstone	1013	1032		
Shaly lime	1032	1038		
Shale-sandy	1038	1045		
Shaly sandstone	1045	1048		
Shale	1048	1054		
Black Shale	1054	1057		
Sandstone-shaly	1057	1066		
Shale	1066	1078		
Limestone	1078	1090		
Sandy shale	1090	1111		
Limy sand	1111	1122		
Sandstone	1122	1125		
Sandy limestone	1125	1142		
Shaly-limy sandstone	1142	1162		
Sandy shale	1162	1184		
Shaly sandstone	1184	1257		
Sandy lime	1257	1285		
Sandstone	1285	1289		
Shale	1289	1299		
Sandstone	1299	1303		
Shale	1303	1306		
Sandstone	1306	1311		
Shale-sandy	1311	1346		
Clean sandstone, show free oil	1346	1364		
Shaly sandstone	1364	1378		
Limestone	1378	TD		
Cored interval	1389	1409		

Base Marmaton GP 123'

Top Miss. Limestone-410