

Plugged 6/4/94

STATE CORPORATION COMMISSION OF KANSAS  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
ACO-1 WELL HISTORY  
DESCRIPTION OF WELL AND LEASE

API NO. 15- 187-20,741-0000  
County Stanton  
C - SW - SW - SW Sec. 15 Twp. 29S Rge. 42 X E W

**CONFIDENTIAL**

**ORIGINAL**

Operator: License # 5238

Name: Petroleum, Inc.

Address 301 N. Main - Suite 1300

City/State/Zip Wichita, KS 67202

Purchaser: N/A

Operator Contact Person: Robert Heaton

Phone ( 316 ) 291-8262

Contractor: Name: Murfin Drilling

License: 6033

Wellsite Geologist: Robert Stolzle

Designate Type of Completion

New Well  Re-Entry  Workover

Oil  SWD  SLOW  Temp. Abd.

Gas  ENHR  SIGW

Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-Entry: old well info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Comp. Date \_\_\_\_\_ Old Total Depth \_\_\_\_\_

Deepening  Re-perf.  Conv. to Inj./SWD

Plug Back  PBDT

Commingled  Docket No. \_\_\_\_\_

Dual Completion  Docket No. \_\_\_\_\_

Other (SWD or Inj?)  Docket No. \_\_\_\_\_

5-23-94 6-3-94 6-4-94

Spud Date Date Reached TD Completion Date

330 Feet from S (circle one) Line of Section

330 Feet from E (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
NE, SE, NW or S (circle one)

Lease Name Hoopingarner "D" Well # 1-15

Field Name Wildcat

Producing Formation D&A

Elevation: Ground 3507 KB 3516

Total Depth 5767 PBDT \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at 1715 Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from \_\_\_\_\_

feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan D&A JH 12-1-94  
(Data must be collected from the Reserve Pit)

Chloride content 600 ppm Fluid volume 3000 bbls

Dewatering method used Evaporation

Location of fluid disposal if hauled offsite:

**RELEASED**

Operator Name \_\_\_\_\_

Lease Name NOV 1 1996 License No. nil

Quarter 5 Sec. \_\_\_\_\_ Twp. 29S Rge. 42 X E W

County \_\_\_\_\_ Docket CONFIDENTIAL

**CONFIDENTIAL**

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature Paul Kreutzer

Paul Kreutzer

Title Clerical Supervisor-Prod Date 7-5-94

Subscribed and sworn to before me this 5 day of July 19 94.

Notary Public Sherry Fraser

Date Commission Expires 5-11-98

SHERRY FRASER  
NOTARY PUBLIC  
STATE OF KANSAS  
My Appt. Exp. 5-11-98

K.C.C. OFFICE USE ONLY		
F	<input checked="" type="checkbox"/>	Letter of Confidentiality Attached
C	<input checked="" type="checkbox"/>	Wireline Log Received
C	<input checked="" type="checkbox"/>	Geologist Report Received
Distribution		
<input checked="" type="checkbox"/>	KCC	<input type="checkbox"/> SWD/Rep
<input type="checkbox"/>	KGS	<input type="checkbox"/> Plug
		<input type="checkbox"/> NGPA
		<input type="checkbox"/> Other
		(Specify)

Operator Name: Petroleum, Inc. Lease Name: Hoopingarner "D" Well # 1-15  
 County: Stanton  
 Sec. 15 Twp. 29S Rge. 42  
 East  West

ORIGINAL

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken  Yes  No (Attach Additional Sheets.)  
 Samples Sent to Geological Survey  Yes  No  
 Cores Taken  Yes  No  
 Electric Log Run  Yes  No (Submit Copy.)  
 Log Formation (Top), Depth and Datum  Sample Name Top Datum

Copy of geological report enclosed

List All E.Logs Run: DUAL INDUCTION  
BOREHOLE COMPENSATED ACOUSTIC  
MINI  
 Copy of all logs enclosed  
COMPENSATED NEUTRON

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	24#	1715'	Common	150	2% cc., 2% gel.
					Lite	550	2% cc., 1/4# flo seal

ADDITIONAL CEMENTING/SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or Inj.	Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)				
Estimated Production per 24 Hours	Oil <u>N/A</u> Bbls.	Gas <u>N/A</u> Mcf	Water <u>N/A</u> Bbls.	Gas-Oil Ratio	

Disposition of Gas:  Vented  Sold  Used on Lease (If vented, submit ACO-18.)  
 METHOD OF COMPLETION:  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_  
 Production Interval \_\_\_\_\_

RECEIVED  
 STATE CORPORATION COMMISSION  
 JUL 06 1994  
 CONSERVATION DIVISION  
 WICHITA, KANSAS

# ALLIED CEMENTING CO., INC.

Home Office P. O. Box 31

Russell, Kansas 67665

7638  
**CONFIDENTIAL**

Date	5-26-94	Sec.	15	Twp.	29 <sup>s</sup>	Range	42 <sup>w</sup>	Called Out		On Location	1:00 AM	Job Start	4:45 AM	Finish	6:00 AM																																																																																																																																																																																																																																					
Lease	Hoopinsaret	Well No.	1-15	Location	Maunter 34w-15s	County	Stanton	State	Kan																																																																																																																																																																																																																																											
Contractor	MURFIN Drilling Co #24							Owner	Same																																																																																																																																																																																																																																											
Type Job	Surface							To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.																																																																																																																																																																																																																																												
Hole Size	12 1/4	T.D.	1716'																																																																																																																																																																																																																																																	
Csg.	8 5/8	Depth	1715'																																																																																																																																																																																																																																																	
Tbg. Size		Depth																																																																																																																																																																																																																																																		
Drill Pipe		Depth																																																																																																																																																																																																																																																		
Tool		Depth																																																																																																																																																																																																																																																		
Cement Left in Csg.	44'	Shoe Joint	44.54'																																																																																																																																																																																																																																																	
Press Max.		Minimum																																																																																																																																																																																																																																																		
Meas Line		Displace	<input checked="" type="checkbox"/>																																																																																																																																																																																																																																																	
Perf.																																																																																																																																																																																																																																																				
<b>EQUIPMENT</b>																																																																																																																																																																																																																																																				
Pumptrk No.	300	Cementor	Walt																																																																																																																																																																																																																																																	
Pumptrk No.		Helper	Terry																																																																																																																																																																																																																																																	
Bulktrk No.	309	Driver	Wayne																																																																																																																																																																																																																																																	
Bulktrk No.	303	Driver	R. B.																																																																																																																																																																																																																																																	
<table border="1"> <tr> <td>Amount Ordered</td> <td colspan="15">150 sks cement, 2% cc, 2% lcl</td> </tr> <tr> <td>Consisting of</td> <td colspan="15">550 sks Lita, 2% cc, 141 lbs Flo</td> </tr> <tr> <td>Common</td> <td>150</td> <td>sks @</td> <td>6.85</td> <td colspan="12"></td> <td>1,027.50</td> </tr> <tr> <td>Poz. Mix</td> <td colspan="15"></td> </tr> <tr> <td>Gel.</td> <td>3</td> <td>sks @</td> <td>9.00</td> <td colspan="12"></td> <td>27.00</td> </tr> <tr> <td>Chloride</td> <td>13</td> <td>sks @</td> <td>25.00</td> <td colspan="12"></td> <td>325.00</td> </tr> <tr> <td>Quick-Lite</td> <td>550</td> <td>sks @</td> <td>6.20</td> <td colspan="12"></td> <td>3,410.00</td> </tr> <tr> <td>Flo-Seal</td> <td>138#</td> <td>@</td> <td>1.10</td> <td colspan="12"></td> <td>151.80</td> </tr> <tr> <td colspan="16" style="text-align: right;">Sales Tax</td> </tr> <tr> <td>Handling</td> <td>1.00</td> <td>per sk</td> <td colspan="12"></td> <td>700.00</td> </tr> <tr> <td>Mileage</td> <td>4¢</td> <td>per sk 1 mil.</td> <td colspan="12"></td> <td>896.00</td> </tr> <tr> <td></td> <td>32 miles</td> <td colspan="13"></td> <td></td> </tr> <tr> <td colspan="14"></td> <td>Sub Total</td> <td>6,537.30</td> </tr> <tr> <td colspan="14"></td> <td>Total</td> <td></td> </tr> </table>																Amount Ordered	150 sks cement, 2% cc, 2% lcl															Consisting of	550 sks Lita, 2% cc, 141 lbs Flo															Common	150	sks @	6.85													1,027.50	Poz. Mix																Gel.	3	sks @	9.00													27.00	Chloride	13	sks @	25.00													325.00	Quick-Lite	550	sks @	6.20													3,410.00	Flo-Seal	138#	@	1.10													151.80	Sales Tax																Handling	1.00	per sk													700.00	Mileage	4¢	per sk 1 mil.													896.00		32 miles																													Sub Total	6,537.30															Total	
Amount Ordered	150 sks cement, 2% cc, 2% lcl																																																																																																																																																																																																																																																			
Consisting of	550 sks Lita, 2% cc, 141 lbs Flo																																																																																																																																																																																																																																																			
Common	150	sks @	6.85													1,027.50																																																																																																																																																																																																																																				
Poz. Mix																																																																																																																																																																																																																																																				
Gel.	3	sks @	9.00													27.00																																																																																																																																																																																																																																				
Chloride	13	sks @	25.00													325.00																																																																																																																																																																																																																																				
Quick-Lite	550	sks @	6.20													3,410.00																																																																																																																																																																																																																																				
Flo-Seal	138#	@	1.10													151.80																																																																																																																																																																																																																																				
Sales Tax																																																																																																																																																																																																																																																				
Handling	1.00	per sk													700.00																																																																																																																																																																																																																																					
Mileage	4¢	per sk 1 mil.													896.00																																																																																																																																																																																																																																					
	32 miles																																																																																																																																																																																																																																																			
														Sub Total	6,537.30																																																																																																																																																																																																																																					
														Total																																																																																																																																																																																																																																						
<table border="1"> <tr> <td colspan="16">DEPTH of Job</td> </tr> <tr> <td>Reference:</td> <td>Pumptruck</td> <td>980.00</td> <td colspan="13"></td> </tr> <tr> <td></td> <td>8 5/8 Rubber Plus</td> <td>83.00</td> <td colspan="13"></td> </tr> <tr> <td></td> <td>2.25 per mile</td> <td>72.00</td> <td colspan="13"></td> </tr> <tr> <td colspan="2"></td> <td>Sub Total</td> <td colspan="13"></td> </tr> <tr> <td colspan="2"></td> <td>Tax</td> <td colspan="13"></td> </tr> <tr> <td colspan="2"></td> <td>Total</td> <td colspan="13">1,135.00</td> </tr> </table>																DEPTH of Job																Reference:	Pumptruck	980.00															8 5/8 Rubber Plus	83.00															2.25 per mile	72.00																Sub Total																Tax																Total	1,135.00																																																																																																																																	
DEPTH of Job																																																																																																																																																																																																																																																				
Reference:	Pumptruck	980.00																																																																																																																																																																																																																																																		
	8 5/8 Rubber Plus	83.00																																																																																																																																																																																																																																																		
	2.25 per mile	72.00																																																																																																																																																																																																																																																		
		Sub Total																																																																																																																																																																																																																																																		
		Tax																																																																																																																																																																																																																																																		
		Total	1,135.00																																																																																																																																																																																																																																																	
Remarks:	Cement Drill Circ RELEASED																																																																																																																																																																																																																																																			
	Flat Held NOV 1 1996																																																																																																																																																																																																																																																			
<table border="1"> <tr> <td>Floating Equipment</td> <td colspan="15">8 5/8</td> </tr> <tr> <td></td> <td colspan="15">1 - T.P. Guide Shoe - 240.00</td> </tr> <tr> <td></td> <td colspan="15">1 - AFU insert - 258.00</td> </tr> <tr> <td></td> <td colspan="15">6 - Centralizers - 366.00</td> </tr> <tr> <td colspan="16" style="text-align: right;">Total</td> </tr> <tr> <td colspan="16" style="text-align: right;">864.00</td> </tr> </table>																Floating Equipment	8 5/8																1 - T.P. Guide Shoe - 240.00																1 - AFU insert - 258.00																6 - Centralizers - 366.00															Total																864.00																																																																																																																																																				
Floating Equipment	8 5/8																																																																																																																																																																																																																																																			
	1 - T.P. Guide Shoe - 240.00																																																																																																																																																																																																																																																			
	1 - AFU insert - 258.00																																																																																																																																																																																																																																																			
	6 - Centralizers - 366.00																																																																																																																																																																																																																																																			
Total																																																																																																																																																																																																																																																				
864.00																																																																																																																																																																																																																																																				

FROM CONFIDENTIAL

ORIGINAL

NOV  
JUL 5  
CONFIDENTIAL

CONFIDENTIAL

ORIGINAL

Phone 913-483-2627, Russell, KS  
Phone 316-793-5861, Great Bend, KS

Phone 913-625-5516, Hays, KS  
Phone 913-672-3471, Oakley, KS

Phone 316-886-5926, Medicine Lodge, KS  
Phone 913-798-3843, Ness City, KS

# ALLIED CEMENTING CO., INC.

7620

Home Office P. O. Box 31

Russell, Kansas 67665

*New*

Date	6-4-94	Sec.	15	Twp.	29S	Range	42W	Called Out	11:15 PM	On Location	3:45 AM	Job Start	6:00 AM	Finish	8:15 AM
Lease	HOOPINGARNE Well No. 1-15			Location MANTER 1W				County	STANTON			State	KS		
Contractor	MURFIN REG #24														
Type Job	PTA														
Hole Size	7 7/8		T.D. 5250'												
Csg.	Depth														
Tbg. Size	Depth														
Drill Pipe	4 1/2		Depth 1740'												
Tool	Depth														
Cement Left in Csg.	Shoe Joint														
Press. Max.	Minimum														
Meas Line	Displace <input checked="" type="checkbox"/>														
Perf.															

Owner SAME

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Charge To PETROLEUM INC.  
Street PO Box 1447  
City Great Bend State Kan 67530

The above was done to satisfaction and supervision of owner agent or contractor.

Purchase Order No. X Bill McYann

**CEMENT**

Amount Ordered	110 SKS 60/40 6% GEL		
Consisting of			
Common	66	SKS @ 6.85	452.10
Poz. Mix	44	SKS @ 3.00	132.00
Gel.	6	SKS @ 9.00	54.00
Chloride			
Quickset			

### EQUIPMENT

Pumptrk	No.	Cementer	TERRY
	191	Helper	
Pumptrk	No.	Cementer	
		Helper	
Bulktrk	202	Driver	R. G.
		Driver	

Handling	1.00 per SK	110.00
Mileage	4¢ per SK/mile 32 miles	140.80
Sub Total		888.90
Total		

DEPTH of Job		
Reference:	Pump Truck	525.00
	1-8 7/8 DRY Hole Plug	21.00
	2.25 PER MILE	72.00
	Sub Total	
	Tax	
	Total	618.00

Floating Equipment

Remarks:

50SKS AT 1740'  
25SKS AT 660'  
10SKS AT 40'  
10SKS MOUSE HOLE

THANK YOU

RELEASED NOV 1 1996 JUL 5

FROM CONFIDENTIAL