

TO: STATE CORPORATION COMMISSION  
CONSERVATION DIVISION - PLUGGING  
130 SOUTH MARKET, SUITE 2078  
WICHITA, KANSAS 67202

API Well Number: 15-191-22250-00-00 Spot: SESE  
Sec: 31 Twnshp & Dir: 34 S Rng & Dir: 3 W  
Feet: 660 frm N/S: S Feet: 660 frm E/W: E  
Lease/Unit Name: NETTIE Well Number: 1  
County: SUMNER Total Vertical Depth: 4860 feet

Operator License No.: 4941  
Operator Name: Union Valley Petroleum Corpor  
Address: RR 4, Box 120 Y  
Enid, OK 73701

Conductor Pipe: Size \_\_\_\_\_ feet:  
Surface Casing: Size 8.625 feet: 353  
Production: Size 5.5 feet: 4860

157.95

8/18

Well Type: GAS UIC Docket No: \_\_\_\_\_ Date/Time to Plug: 08/17/2000 12:00 AM  
Plug Co. License No.: 8733 Plug Co. Name: Dunkin, Jerry, Inc.

Proposal Received from: Paul Youngblood Company Name: Union Valley Petro. Corp.  
OpRepPhoneNo: (580) 237-3959

Proposed Plugging Method: Perfs. 4608'-4776'. Set CIBP 50 feet above the perfs. Shoot the casing and pull to 700', spot 35sxs of cement. Pull casing to 400' and circulate cement to surface.

Plugging Proposal Received By: Steve VanGieson WitnessType: Plugging Operations Partially Witnessed  
Date/Time Plugging Completed: 08/18/2000 12:00 AM

Actual Plugging Report:

A CIBP was set at 4215'. The 5 1/2" casing was shot loose and pulled to 720', where 35sxs of cement was spotted. The casing was pulled to 400', where cement was circulated to surface. The remaining pipe was pulled from the wellbore, and the cement was brought back to surface. A plate was welded on the surface pipe.

Remarks: Jerry Duncan Cementing Services Class.A cement  
Anhydrite Plug: No BottomPlug: \_\_\_\_\_ DakotaPlug: No  
Plugged through: \_\_\_\_\_

I (did / did not) observe this plugging. \_\_\_\_\_ Signed \_\_\_\_\_

INVOICED

(TECHNICIAN)

DATE 9/15/00

INV. NO. 2001060686

JB