

60 R

4-12-88  
API NUMBER 15-185-22,505-000

1020133

STATE CORPORATION COMMISSION  
CONSERVATION DIVISION - PLUGGING SECTION  
200 COLORADO DERBY BUILDING  
WICHITA, KANSAS 67202

NE SW NE, SEC. 11, T 23 S, R 13 W/E

3630 feet from S section line

1650 feet from E section line

TECHNICIAN'S PLUGGING REPORT

Operator License # 9247

Lease Name Wesley Well # 2

Operator: Cincris Energy Company, Inc.

County Stafford 127.40

Name & Address 4600 Camelot East

Well Total Depth 3920 feet

Great Bend, KS 67530

Conductor Pipe: Size \_\_\_\_\_ feet

Surface Casing: Size 8 5/8 feet 261

Abandoned Oil Well \_\_\_\_\_ Gas Well \_\_\_\_\_ Input Well \_\_\_\_\_ SWD Well \_\_\_\_\_ D&A X

Other well as hereinafter indicated \_\_\_\_\_

Plugging Contractor Woodman-Iannitti Drilling Company License Number 5122

Address 805 Union Center Building, Wichita, KS 67202

Company to plug at: Hour: 3 p.m. Day: 12 Month: 4 Year: 19 88

Plugging proposal received from Rich Wheeler

(company name) Woodman-Iannitti Drilling Company (phone) 316-587-3477  
Elevation 1870'

were: to fill hole with heavy mud and spot cement through drill pipe Anhydrite 736'

1st plug at Top Arbuckle with 40 sx cement, 2nd plug at 750' with 50 sx cement,

3rd plug at 250' with 40 sx cement, 4th plug at 40-0' with 10 sx cement,

5th plug to circulate rathole with 15 sx cement.

Plugging Proposal Received by Steve Durrant (TECHNICIAN)

Plugging Operations attended by Agent?: All \_\_\_\_\_ Part \_\_\_\_\_ None X

Operations Completed: Hour: 6:45 p.m. Day: 12 Month: 4 Year: 19 88

ACTUAL PLUGGING REPORT 1st plug at 3858' with 40 sx cement,

2nd plug at 750' with 50 sx cement,

3rd plug at 250' with 40 sx cement,

4th plug at 40-0' with 10 sx cement,

5th plug to circulate rathole with 15 sx cement.

Rec'd 8-1-88

Remarks: Used 60/40 Pozmix 6% gel by Allied.  
(If additional description is necessary, use BACK of this form.)

INVOICED

DATE 4-20-88

INV. NO. 20379  
4-12

Signed Glenn R. Barlow (TECHNICIAN)

AUG 3 1988

NOTICE OF INTENTION TO DRILL

(see rules on reverse side)

Expected Spud Date March 16 1988 month day year

API Number 15-185-22,505-0000

OPERATOR: License # 9247 Name Cincris Energy Company, Inc. Address 4600 Camelot East City/State/Zip Great Bend, KS 67530 Contact Person Bill Riley Phone 316 792-6228

NE SW NE Sec. 11 Twp. 23 S, Rg. 13 XX East 3630 Ft. from South Line of Section 1650 Ft. from East Line of Section

CONTRACTOR: License # 5122 Name Woodman-Iannitti City/State Great Bend, KS

(Note: Locate well on Section Plat on reverse side) Nearest lease or unit boundary line 330 feet County Stafford Lease Name Wesley Well # 2 Ground surface elevation est. 1865 feet MSL

Well Drilled For: X Oil Storage Infield X Mud Rotary Gas Inj X Pool Ext Air Rotary OWWO Expl Wildcat Cable

Domestic well within 330 feet: yes X no Municipal well within one mile: yes X no Depth to bottom of fresh water 200 Depth to bottom of usable water 200 Surface pipe by Alternate 220 1 X 2

If OWWO: old well info as follows: Operator Well Name Comp Date Old Total Depth

Surface pipe planned to be set Conductor pipe required N/A Projected Total Depth 3860 feet Formation Arbuckle

I certify that well will comply with K.S.A. 55-101, et seq., plus eventually plugging hole to KCC specifications. Date 2-27-88 Signature of Operator or Agent William V. Riley Title PMA

For KCC Use: Conductor Pipe Required feet; Minimum Surface Pipe Required 220 feet per Alt. DX This Authorization Expires 2-16-88 Approved By Feb 3-16-88

EFFECTIVE DATE: 3-27-88 Move in 4-6-88 set 8 5/8 @ 2120' plugged 4-12-88 NE SW NE Sec. 11 Twp. 23 S, Rg. 13 X West

PLUGGING PROPOSAL IF ABOVE IS D & A

This plugging proposal will be reviewed and approved or revised at the time the district office is called prior to setting surface casing (call 7 a.m. to 5 p.m. workdays).

Table with 3 columns: Plug depth (ft), Formation, and Feet of. Includes entries for 1st plug (ANNY, 25 ft), 2nd plug (DAXOTA, 100 ft), 3rd plug (BASE SURFACE, 40 ft), 4th plug (40', 10 ft), and 5th plug (Rathole to surface minus 5 feet 15 SX).

Handwritten notes: PUSHER Rich Wheeler, TD 3920 FORMATION Arb, SURFACE PIPE 8 5/8 @ 261, ANHYDRITE 736 - ELEVATION 1870, STARTING TIME & DATE 3PM 04-12-88, COMPLETION TIME & DATE 6:45 PM, 750' Arb - 385', 1st PLUG @ 108 HOLE FT. W/ 40 SX, 2nd PLUG @ 750 FT. W/ 50 SX, 3rd PLUG @ 250 FT. W/ 70 SX, 4th PLUG @ 40-0 FT. W/ 10 SX, RAT HOLE CIRCULATED W/ 15 SX, MOUSE HOLE CIRCULATED W/ 10 SX, WATER WELL PLUGGED W/ 5x 1 1/2" W.W., CEMENT COMPANY 6/4 Poz - Allard, TECHNICIAN [Signature]

RECEIVED STATE CORPORATION COMMISSION

APR 18 1988

CONSERVATION DIVISION Wichita, Kansas