CORRECTION #1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION KOLAR Document ID: 1357013

Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

# WELL COMPLETION FORM

Confidentiality Requested:

Yes No

		•••				
WELL	HISTORY	- DESCF	RIPTION	OF W	ELL &	LEASE

OPERATOR: License #			API No.:		
Name:			Spot Description:		
Address 1:					
Address 2:			Feet from Dorth / South Line of Section		
City: S	tate: Zi	p:+	Feet from East / West Line of Section		
Contact Person:			Footages Calculated from Nearest Outside Section Corner:		
Phone: ()					
CONTRACTOR: License #			GPS Location: Lat:, Long:		
Name:					
Wellsite Geologist:			Datum: NAD27 NAD83 WGS84		
Purchaser:			County:		
Designate Type of Completion:			Lease Name: Well #:		
New Well	-Entry	Workover	Field Name:		
Oil WSW	SWD		Producing Formation:		
Gas DH	EOR		Elevation: Ground: Kelly Bushing:		
OG	GSW		Total Vertical Depth: Plug Back Total Depth:		
CM (Coal Bed Methane)			Amount of Surface Pipe Set and Cemented at: Feet		
Cathodic Other (Cor	e, Expl., etc.):		Multiple Stage Cementing Collar Used? Yes No		
If Workover/Re-entry: Old Well In	fo as follows:		If yes, show depth set: Feet		
Operator:			If Alternate II completion, cement circulated from:		
Well Name:			feet depth to:w/sx cmt.		
Original Comp. Date:	Original T	otal Depth:			
Deepening Re-perf.	Conv. to E	OR Conv. to SWD	Drilling Fluid Management Plan		
Plug Back Liner	Conv. to G	SW Conv. to Producer	(Data must be collected from the Reserve Pit)		
Commingled	Pormit #:		Chloride content: ppm Fluid volume: bbls		
Dual Completion			Dewatering method used:		
			Location of fluid disposal if hauled offsite:		
GSW	Permit #:		Operator Name:		
			Lease Name: License #:		
Spud Date or Date Re	ached TD	Completion Date or	Quarter Sec Twp S. R East West		
Recompletion Date		Recompletion Date	County: Permit #:		

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

### Submitted Electronically

KCC Office Use ONLY			
Confidentiality Requested			
Date:			
Confidential Release Date:			
Wireline Log Received Drill Stem Tests Received			
Geologist Report / Mud Logs Received			
UIC Distribution			
ALT I II III Approved by: Date:			

			CORRECT Page Two	ION #1	KO	LAR Docu	ument ID: 13570
Operator Name:			Lease Name: _			_Well #:	
Sec Twp	Sec TwpS. R East 🗌 West						
open and closed, flowin	g and shut-in press	formations penetrated. D sures, whether shut-in pre with final chart(s). Attach	ssure reached stat	ic level, hydrosta	tic pressures, bot	0 0	-
<b>, ,</b>	Ũ	btain Geophysical Data a or newer AND an image t		ogs must be ema	iled to kcc-well-lo	ogs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Taken (Attach Additional Sh	eets)	Yes No		-	on (Top), Depth a		Sample
Samples Sent to Geological Survey			Nan	ie		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud	Logs	☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
		CASING Report all strings set-o		ew Used ermediate, product	ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQ	JEEZE RECORD			
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used				

Perforate Protect Casing Plug Back TD Plug Off Zone

1.	Did you perform a hydraulic fracturing treatment on this well?	Yes
2.	Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
3.	Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

No (If No, skip questions 2 and 3)

۷.	Does the volume of the total base huld of the hydraulic fracturing treatment exceed 350,000 gallons?
3.	Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?

No (If No, skip question 3)

No	(If No,	fill out Pa	ge Three	of the /	4 <i>CO-1)</i>

Date of first Produ Injection:	ction/Injection	or Resumed Prod	uction/	Producing M	ethod:	ping	Gas Lift	Other (Explain)		
Estimated Produce Per 24 Hours		Oil Bb	lls.	Gas	Mcf	Wa	ter	Bbls.	Gas-Oil Ratio	Gravity
Vented	DSITION OF G	Jsed on Lease	METHOD OF COMPLETION:			PRODUCTIO Top	N INTERVAL: Bottom			
Shots Per Foot	Perforatior Top	n Perforatio Bottom		Bridge Plug Type	Bridge I Set A				ot, Cementing Squeeze ad Kind of Material Used)	Record
TUBING RECORI	D: Siz	ze:	Set At:		Packer At	t:				

Form	ACO1 - Well Completion
Operator	Haas Petroleum, LLC
Well Name	Ferrell 19i-HP
Doc ID	1357013

# Casing

Purpose Of String	Size Hole Drilled	Size Casing Set		Setting Depth	Type Of Cement		Type and Percent Additives
Production	9.875	7.000	17	20	Cement	5	N/A
Production	5.625	2.875	6.5	692	IA Cement	99	Poz Blend

## Summary of Changes

Lease Name and Number: Ferrell 19i-HP API/Permit #: 15-059-27093-00-00 Doc ID: 1357013 Correction Number: 1 Approved By: Karen Ritter

Field Name	Previous Value	New Value
Approved By	NAOMI JAMES	Karen Ritter
Approved Date	01/26/2016	06/09/2017
Contractor License Number	35187	99975
Contractor Name	B H Drilling, LLC	COMPANY SERVICING TOOLS
Footages Reference Corner	NW	SE
Is Footage Measured from the East or the West Section Line	West	East
LocationInfoLink	https://kolar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=18&t	https://kolar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=18&t
NorthSouthFromRefere nce	North	South
Number of Feet East or West From Section Line	2535	2312
Number of Feet North or South From Section Line	2320	2978

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=12 80635	//kcc/detail/operatorE ditDetail.cfm?docID=13 57013



k

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1280635

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

CONFIDENTIAL	WELL COMPLETION FORM
WELLI	HISTORY - DESCRIPTION OF WELL & LEASE

API No. 15
Spot Description:
Feet from Dorth / South Line of Section
Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
GPS Location: Lat:, Long:
(e.g. xx.xxxx) (e.gxxx.xxxxx)
Datum: NAD27 NAD83 WGS84
County:
Lease Name: Well #:
Field Name:
Producing Formation:
Elevation: Ground: Kelly Bushing:
Total Vertical Depth: Plug Back Total Depth:
Amount of Surface Pipe Set and Cemented at: Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: Feet
If Alternate II completion, cement circulated from:
feet depth to:w/sx cmt
Drilling Fluid Menogement Dien
Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Chloride content: ppm Fluid volume: bbls
Dewatering method used:
Location of fluid disposal if hauled offsite:
Location of huid disposal in hadred offsite.
Operator Name:
Lease Name: License #:
Quarter Sec Twp S. R East West
County: Permit #:

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

### Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

Haas Petroleum, LLC 10551 Barkley Street, Suite # 307 Overland Park, Kansas 66212 Office (913) 499-8373 Fax (913) 766-1310

January 7, 2016

Company:	Haas Petroleum, LLC
Lease:	Ferrell – Well # 19 I HP
County:	Franklin
Spot:	SE SE SE NW of Sec 18, Twp 18, R 21 E
API:	15-059-27093-00-00
Spud:	December 23, 2015
TD:	700'
12/23/15:	Set 20' of 7" – Cemented with 5 sacks
1/7/16:	Drilled from 20' to 700' TD. Ran 692' of 2 7/8 casing
1/7/16:	Cemented with 99 sacks

				C	LUXI	L -	ICVET MU	ilded	49	886
Co	NSOLIDATE	D		V	J'AN'		ICKET NUI			
	Well Services, LI.	s IN	vnli.	#8066	24 T		OCATION_ OREMAN			1
				& TRE/	• • • • • • • • • • • •			way we	<u>nou</u>	<b>y</b>
PO Box 884, Chai 620-431-9210 or				CEME						
	CUSTOMER #	WELL NAM	AE & NUME		SECTION		TOWNSHIP	RAN	GE	COUNTY
111.111.	3451 Fe	erroll #	197-	HP	NE18	-+-	18	ai		FR
CUSTOMER	· · ·						制的自己的			
MAILING ADDRESS	trolev u				TRUCK #	<u>#</u>	DRIVER	TRUC	- 1 71	DRIVER
		AN St			729		<u>asten</u>	<u> 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 </u>	tel.	, Mathy
Suite 20	STATI		CODE	ł	YUT-		e ar			
Leawood			6211		369	X	ta Maa	1		
JOB TYPE 1000		SIZE 57		I HOLE DEP		C	ASING SIZE	R WEIGHT	27/2	"EVE
CASING DEPTH				TUBING				OTHER	<u>, , , , , , , , , , , , , , , , , , , </u>	
SLURRY WEIGHT_		RY VOL		WATER ga	l/sk	c	EMENT LEFT			
DISPLACEMENT_		ACEMENT PS		MIX PSI			ATE 4 4	-		
REMARKS: held	Saferh, most				ation mi	ixee	lt pur	used o		t-Gel
followed be	, 5 bbls the	ash wat		hixed t	ounsed.	9	9 'sks	Poz	blend	14
coment i	1 2% gel	per sk	, ceu	rout >	to surta	acp.	Alusha	L pune	clea	<u>m,</u>
pumped 2	1/2 " rubber	plud to	Cast	nes TL	> wi/		bb/s >	resh u	wate	c,
pressured	to 800 F	ST, we	le held	I press	ure for	30	min	MIT,	cele	nied_
pressure,	Shot in m	sing.		۲ ۲			<u> </u>			
<b>I</b> .							~		<b>~</b>	
		·							<del>)</del>	
	······································							10	<del>)</del>	
								74	) 7	
ACCOUNT	······	······································						<u>}</u>	) 7	
ACCOUNT	QUANITY or UN	ITS	DE	SCRIPTION	of SERVICES of	r PROD				TOTAL
			DE MP CHARG		of SERVICES of	r PROL		1500	<u>).</u> @	TOTAL
CEOUS CEOUS	QUANITY or UN	PU	MP CHARG	)E		r PROD		150	0.00 ( 25	
CE0450 CE0450 CE0002 (E0711	15 mi nun	PUI	MP CHARG			r PROD		150X 107 46d	). 99 (, 25 ), 99	
CEOUS CEOUS	15 mi	PUI	MP CHARG	)E	2			1500 107 460	). 00 (, 25 ), 00 ), 00	
CE0450 CE0450 CE0002 (E0711	15 mi nun	PUI	MP CHARG	)E	, 	icks		1500 107 444 200 246		
CE0450 CE0450 CE0002 (E0711	15 mi nun	PUI	MP CHARG	)E	, 	- 46		1500 107 460 246 113	). 00 (, 25 ), 00 ), 00	
CODE CEO450 CEO202 CEO211 WE0853	15 mi nuin 2 hrs		MP CHARGE	ie Lilage Vac	, Yru	- 46		1500 107 444 200 246 1134	7.28 9.94	332.3
CEO450 CEO202 CEO211 WE0853 CC 5840	15 mi min 2 hrs 99 Sec	PUI MIL S	MP CHARGE EAGE Kan M SO	ie Lilage Vac	, 	- 46		/SOX /07 /07 /07 /07 /07 /07 /07 /07 /07 /07	2.99 7.25 9.99 7.26 94	332.3
CODE CEO450 CEO202 CEO211 WE0853	15 mi nuin 2 hrs	PUI MIL S	MP CHARGE EAGE SO DZL/EL	ie Liloage Vač	, tru ceineut	- 46		1500 107 444 200 246 1134 133	0.80 (25 ).80 ).80 (25 (25) (25) (25) (25) (25) (25) (25)	332.3
CEO450 CEO202 CEO211 WE0853 CC 5840	15 mi min 2 hrs 99 Sec	PUI MIL S	MP CHARGE EAGE SO DZL/EL	ie Liloage Vač	, tru ceineut	- 46		1500 107 444 200 246 1134 133	7.24	332.3
CODE CEO450 CEO211 WE0853 CC5840 CC5945	15 mi min 2 hrs 99 Sec	PUI MIL S	MP CHARGE EAGE SO DZL/EL	ie Lilage Vac	tru cernent plug	eckes - 46	73. Suble tal	1500 107 460 246 1134 1330 109 45	2.25 2.25 2.05 2.05 2.05 2.05 2.05 2.05	332.3
CODE CEO450 CEO211 WE0853 CC5840 CC5945	15 mi min 2 hrs 99 Sec	PUI MIL S	MP CHARGE EAGE SO DZL/EL	ie Liloage Vač	tru cernent plug	teria	23 Subto tal	1500 107 444 200 246 1134 133	2.25 2.25 2.05 2.05 2.05 2.05 2.05 2.05	332
CODE CEO450 CEO211 WE0853 CC5840 CC5945	15 mi min 2 hrs 99 Sec	PUI MIL S	MP CHARGE EAGE SO DZL/EL	ie Liloage Vač	tru cernent plug	teria	73. Suble tal	1500 107 460 246 1134 1330 109 45	2.25 2.25 2.05 2.05 2.05 2.05 2.05 2.05	332.3
CODE CEO450 CEO211 WE0853 CC5840 CC5945	15 mi min 2 hrs 99 Sec	PUI MIL S	MP CHARGE EAGE SO DZL/EL	ie Liloage Vač	tru cernent plug	teria	23 Subto tal	1500 107 460 246 1134 1330 109 45	2.25 2.25 2.05 2.05 2.05 2.05 2.05 2.05	332
CODE CEO450 CEO211 WE0853 CC5840 CC5945	15 mi min 2 hrs 99 Sec	PUI MIL S	MP CHARGE EAGE SO DZL/ez	ie Liloage Vač	tru cernent plug	teria	23 Subto tal	1500 107 460 246 1134 1330 109 45	2.25 2.25 2.05 2.05 2.05 2.05 2.05 2.05	332
CODE CEO450 CEO211 WE0853 CC5840 CC5945	15 mi min 2 hrs 99 Sec	PUI MIL S	MP CHARGE EAGE SO DZL/ez	ie Liloage Vač	tru cernent plug	teria	23 Subto tal	1500 107 460 246 1134 1330 109 45	2.25 2.25 2.05 2.05 2.05 2.05 2.05 2.05	332
CODE CEO450 CEO211 WE0853 CC5840 CC5945	15 mi min 2 hrs 99 Sec	PUI MIL S	MP CHARGE EAGE SO DZL/ez	ie Liloage Vač	tru cernent plug	teria	23 Subto tal	1500 107 460 246 1134 1330 109 45	2.25 2.25 2.05 2.05 2.05 2.05 2.05 2.05	1332.3 805.3
CODE CEO450 CEO211 WE0853 CC5840 CC5945	15 mi min 2 hrs 99 Sec	PUI MIL S	MP CHARGE EAGE SO DZL/ez	ie Liloage Vač	tru cernent plug	teria	22 Subto tal	1500 107 460 246 113 113 133 109 45 1491 686	2. 25 2. 25	332. 805.3 2137.
CODE CEO450 CEO211 WE0853 CC5840 CC5945	15 mi min 2 hrs 99 Sec	PUI MIL S	MP CHARGE EAGE SO DZL/ez	ie Liloage Vač	tru cernent plug	teria	23 Subto tal	1500 107 460 246 113 113 133 109 45 1491 686	2. 25 2. 25	1332.3 805.3

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.