CORRECTION #1

Kansas Corporation Commission Oil & Gas Conservation Division 1244631

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #		API No. 15 -					
Name:		Spot Description:					
Address 1:		SecTwpS. R East West					
Address 2:		Feet from North / South Line of Section					
City: State: Z	ip:+	Feet from East / West Line of Section					
Contact Person:		Footages Calculated from Nearest Outside Section Corner:					
Phone: ()		□NE □NW □SE □SW					
CONTRACTOR: License #		GPS Location: Lat:, Long:					
Name:		(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)					
Wellsite Geologist:		Datum: NAD27 NAD83 WGS84					
Purchaser:		County:					
Designate Type of Completion:		Lease Name: Well #:					
New Well Re-Entry	Workover	Field Name:					
		Producing Formation:					
Oil WSW SWD	SIOW	Elevation: Ground: Kelly Bushing:					
☐ Gas ☐ D&A ☐ ENHR ☐ OG ☐ GSW	☐ SIGW	Total Vertical Depth: Plug Back Total Depth:					
☐ OG ☐ GSW ☐ CM (Coal Bed Methane)	Temp. Abd.	Amount of Surface Pipe Set and Cemented at: Feet					
Cathodic Other (Core, Expl., etc.):		Multiple Stage Cementing Collar Used? Yes No					
If Workover/Re-entry: Old Well Info as follows:		If yes, show depth set: Feet					
Operator:		If Alternate II completion, cement circulated from:					
Well Name:		feet depth to:w/sx cmt.					
Original Comp. Date: Original T							
Deepening Re-perf. Conv. to E	<u>. </u>	Drilling Flyid Management Plan					
	SSW Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)					
		Chloride content:ppm Fluid volume:bbls					
Commingled Permit #:							
Dual Completion Permit #:		Dewatering method used:					
SWD Permit #:		Location of fluid disposal if hauled offsite:					
		Operator Name:					
GSW Permit #:		Lease Name: License #:					
	_	Quarter Sec TwpS. R East West					
Spud Date or Date Reached TD Recompletion Date	Completion Date or Recompletion Date	County: Permit #:					
		1 Office .					

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

Confidentiality Requested:

Yes No

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received							
Geologist Report Received							
UIC Distribution							
ALT I II III Approved by: Date:							



Operator Name:			Lease Name:	Well #:			
Sec Twp	S. R [East West	County:				
open and closed, flow and flow rates if gas to Final Radioactivity Log	ing and shut-in pressur o surface test, along wit g, Final Logs run to obt	rmations penetrated. D res, whether shut-in pre th final chart(s). Attach ain Geophysical Data a r newer AND an image f	ssure reached stati extra sheet if more and Final Electric Lo	c level, hydrosta space is needed	tic pressures, bo d.	ttom hole tempe	erature, fluid recovery,
Drill Stem Tests Taken (Attach Additional S		Yes No		og Formatic	on (Top), Depth a	nd Datum	Sample
Samples Sent to Geol	ogical Survey	Yes No	Nam	Э		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
		CASING	RECORD Ne	w Used			
		Report all strings set-c	conductor, surface, inte	rmediate, producti	on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SOL	EEZE DECORD			
Purpose:	Depth	Type of Cement	# Sacks Used	EEZE RECORD	Type and	Percent Additives	
Perforate Protect Casing Plug Back TD	Top Bottom	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	040.00 0004		Type and		
Plug Off Zone							
Does the volume of the to	-	this well? ulic fracturing treatment ex submitted to the chemical of	_		No (If No, sk	kip questions 2 an kip question 3) I out Page Three (
Shots Per Foot		N RECORD - Bridge Plugs otage of Each Interval Perf			cture, Shot, Cemen		d Depth
				,		,	
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No)	
Date of First, Resumed	Production, SWD or ENHI	R. Producing Meth		Gas Lift C	other <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil Bb		Mcf Wate			Gas-Oil Ratio	Gravity
DISPOSITIO	ON OF GAS:	h.	METHOD OF COMPLE	TION.		PRODUCTIO	ON INTERVAL:
Vented Sold		Open Hole		Comp. Con	nmingled mit ACO-4)	THODOUTIC	ZIN IINI ETIVAE.
(If vented, Sub	omit ACO-18.)	Other (Specify)	,000				

Form	ACO1 - Well Completion
Operator	JTC Oil, Inc.
Well Name	Cooper P-37
Doc ID	1244631

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9	7	10	20	PORTLAN D	5	50/50 POZ
Production	5.625	2.875	8	718	PORTLAN D	113	50/50 POZ

Summary of Changes

Lease Name and Number: Cooper P-37

API/Permit #: 15-121-30919-00-00

Doc ID: 1244631

Correction Number: 1

Approved By: NAOMI JAMES

Field Name	Previous Value	New Value
Approved Date	02/12/2015	03/03/2015
Electric Log Run?	No	Yes
Elogs_PDF		GAMMA
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=12 42478	NEUTRON//kcc/detail/operatorE ditDetail.cfm?docID=12 44631



Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1242478

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

CONFIDENTIAL WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
Oil	Elevation: Ground: Kelly Bushing:
OG GSW Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Demois #	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	Location of fluid disposal if fladied offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received							
Geologist Report Received							
UIC Distribution							
ALT I II III Approved by: Date:							

KOLAR Document ID: 1242478

Page Two

Operator Name: _				Lease Name:			Well #:	
Sec Twp.	S. R.	E	ast West	County:				
	flowing and shu	ut-in pressures, v	vhether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample
Samples Sent to 0	Geological Surv	/ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		B	CASING eport all strings set-c		New Used	ion, etc.		
Purpose of Strir		Hole illed	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	UEEZE RECORD			
Purpose:		epth T Bottom	ype of Cement	# Sacks Used		Type and F	Percent Additives	
Perforate Protect Casi Plug Back T								
Plug Off Zor								
Did you perform a Does the volume Was the hydraulic	of the total base f	fluid of the hydrauli		_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,
Date of first Product Injection:	tion/Injection or R	esumed Production	Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			DN INTERVAL: Bottom
	Sold Used	I on Lease	Open Hole			mmingled mit ACO-4)	Тор	BOROTT
,	,			B.11 B1				
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	: Size:	Set	Δ+-	Packer At:				
TODING RECORD:	. 3126.	Set	n.	i donei Al.				

Form	ACO1 - Well Completion
Operator	JTC Oil, Inc.
Well Name	Cooper P-37
Doc ID	1242478

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9	7	10	20	PORTLAN D	5	50/50 POZ
Production	5.625	2.875	8	718	PORTLAN D	113	50/50 POZ

	Operator License # Operator Address	32834 JTC Oil, Inc. 35790 Plum Creek Road		erator JTC Oil, Inc. Lease Name Iress 35790 Plum Creek Road Well #		Lease Name	15-121-30919-00-00 Cooper P-37			
	City Contractor Contractor License # T.D. T.D. of pipe	JTC Oil, Inc. 32834 740' 718'	66064	Spud Date Cement Date Location	1/14/2015 1/19/2015 Sec 9 85 feet from	T 17 S	R 22 line			
	Surface pipe size	7"			85 feet from	E	line			
	Surface pipe depth	20'		County	Miami					
	Well Type	Production								
	Driller's	Log								
Thickness	Strata	From	То							
2	soil	0	2							
6	clay	2	8							
2	shale	8	10							
23	lime	10	33							
95	shale	33	128							
18	lime	128	146							
31	shale	146	177							
4	lime	177	181							
40	shale	181	221							
16	lime	221	237							
9	shale	237	246							
27	lime	246	273							
7	coal	273	280							
23	lime	280	303							
4	coal	303	307							
12	lime	307	319							
137	shale	319	456							
22	lime shale	456	478							
3	sand	478	481	ok						
4	shale	481	485							
9	lime	485	494							
48 8	shale	494	542							
16	lime shale	542	550							
3	lime	550 566	566 569							
18	black shale	569	587							
3	lime	587	590							
18	shale	590	608							
2	lime	608	610							
34	shale	610	644							
2	oil sand	644	646							
2	oil sand	646	648							
2	oil sand	648	650							
2	oil sand	650	652							
_	On Juliu	030	UJZ							

2	oil sand	652	654	good
2	oil sand	654	656	
2	sandy shale	656	658	
3	sandy shale	658	661	ok
3	oil sand	661	664	good
3	oil sand	664	667	good
3	oil sand	667	670	good
3	sandy shale	670	673	
3	sandy shale	673	676	
64	shale	676	740	



250 N. Water, Ste 200 - Wichita, Ks 67202

HURRICANE SERVICES INC

104 Prairie Plaza Parkway - Garnett, Ks 66032

Customer JTC			stomer Name:	Ticket No.:			50149					
Address:			AFE No.:	Date:								
City, State, Zip:	e, Zip:				Job type	Cement Longstring						
Service District:	Service District:				Well Details:	etalls: 2 7/8 casing @ 700 5 7/8 hole @ 720						
Well name & No. Cooper P 37			Well Location:	Gounty: Miami Stat			State:	* Kansas				
Equipment #	Driver	Equipment #	Driver	Equipment #	Hours	TRUCK CALL	.ED			AM PM	TIME	
26	Joe					ARRIVED AT JOB			AM PM			
231	Tom					START OPERATION			AM PM			
160-250	Troy					FINISH OPERATION			AM PM			
108	Jeff					RELEASED			AM PM			
110	Tyler					MILES FROM STATION TO WELL						

Hooked onto 2 7/8 casing and achieved circulation.. Pumped 17 bbl gel sweep followed by 17 bbl water spacer and 113 sks of 50/50 poz mix 2% gel 1/4 flo seal.. Flushed pump and pumped plug to bottom and set float shoe.. CEMENT TO SURFACE.. 55 BBLS WATER FROM CITY OF OSAWATOMIE KS... REST WAS CUSTOMER SUPPLIED

Product/Service Code	Description	Unit of Measure	Quantity	List Price/Unit	Gross Amount	Item Discount	Net Amour
c00101	Heavy Equip. One Way	mi		\$3.25	\$0.00		\$0.0
c00102	Light Equip. One Way	mi		\$1.50	\$0.00		\$0.0
c23103	Cement Pump (Multiple wells)	ea	1.00	\$675.00	\$675.00	10.00%	\$607.5
p01604	50/50 Pozmix Cement	sack	113.00	\$11.30	\$1,276.90	25.00%	\$957.6
p01607	Bentonite Gel	lb	200.00	\$0.30	\$60.00	25.00%	\$45.0
p01607	Bentonite Gel	lb	190.00	\$0.30	\$57.00	25.00%	\$42.7
001611	FLO-Seal	lb	28.25	\$2.15	\$60.74	25.00%	\$45.
p01631	Rubber 2 7/8	ea	1.00	\$25.00	\$25.00	10.00%	\$22.
002000	H2O	gal	2,300.00	\$0.01	\$29.90	10.00%	\$26.9
c10800	Vacuum Truck 80 bbl	ea	1.00	\$84.00	\$84.00	10.00%	\$75.6
c11000	Vacuum Truck 80 bbl	ea	1.00	\$84.00	\$84.00	10.00%	\$75.0
25001	Cement Bulk Trailer - Minimum	ea	0.50	\$300.00	\$150.00	10.00%	\$135.0
	nce unless Hurricane Services Inc has approved credit prior to sale.			Gross:	\$ 2,502.54	Net:	\$ 2,034.0
Credit terms of sale for approved accounts are total invoice due on or before the 30th day from he date of invoice. Past due accounts may pay interest on the balance past due at the rate of 1 ½% per month or the maximum allowable by applicable state or federal laws if such laws limit interest to a lesser amount. In the event it is necessary to employ an agency and/or attorney to affect the collection of said account, Customer hereby agrees to pay all fees directly or ndirectly incurred for such collection. In the event that Customer's account with HSI becomes delinquent, HSI has the right to revoke any and all discounts previously applied in arriving at net more price. Upon revocation, the full invoice price without discount will become immediately fue and owing and subject to collection.			Total Taxable \$1,113.48			7.650%	
			Frac and Acid service treatments designed with intent to increase production on newly drilled or existing wells are not taxable.			Sale Tax:	\$ 85.1
						Total: \$	
			Date of Service: 1/19/2015				
and subject of the su	HSI Representative: Joe Blanchard						
X	Customer Representative: Curtis						
	CUSTOMER AUTHORIZED AGENT Customer Comments or Concerns:						