| Confiden | tiality Re | quested: |
|----------|------------|----------|
| Yes | No | |

CORRECTION #1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1251581

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

| WFII | HISTORY | DESCRIPTION | OF WELL 8 | ΣΙΕΔSE |
|------|---------|---------------------------------|-----------|---------------|
| | | | | |

| OPERATOR: License # | API No. 15 |
|---|--|
| Name: | Spot Description: |
| Address 1: | |
| Address 2: | Feet from North / South Line of Section |
| City: State: Zip:+ | Feet from East / West Line of Section |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: |
| Phone: () | |
| CONTRACTOR: License # | GPS Location: Lat:, Long: |
| Name: | (e.g. xx.xxxxx) (e.gxxx.xxxxx) |
| Wellsite Geologist: | |
| Purchaser: | County: |
| Designate Type of Completion: | Lease Name: Well #: |
| New Well Re-Entry Workover | Field Name: |
| | Producing Formation: |
| ☐ Oil ☐ WSW ☐ SWD ☐ SIOW □ Gas □ D&A □ ENHR □ SIGW | Elevation: Ground: Kelly Bushing: |
| □ OG □ GSW □ Temp. Abd. | Total Vertical Depth: Plug Back Total Depth: |
| CM (Coal Bed Methane) | Amount of Surface Pipe Set and Cemented at: Feet |
| Cathodic Other (Core, Expl., etc.): | Multiple Stage Cementing Collar Used? |
| If Workover/Re-entry: Old Well Info as follows: | If yes, show depth set: Feet |
| Operator: | If Alternate II completion, cement circulated from: |
| Well Name: | feet depth to:w/sx cmt. |
| Original Comp. Date: Original Total Depth: | |
| Deepening Re-perf. Conv. to ENHR Conv. to SWD | Drilling Fluid Management Plan |
| Plug Back Conv. to GSW Conv. to Producer | |
| | Chloride content: ppm Fluid volume: bbls |
| Commingled Permit #: Dual Completion Permit #: | Dewatering method used: |
| SWD Permit #: | Location of fluid disposal if hauled offsite: |
| ENHR Permit #: | |
| GSW Permit #: | Operator Name: |
| | Lease Name: License #: |
| Spud Date or Date Reached TD Completion Date or | Quarter Sec TwpS. R East West |
| Recompletion Date Recompletion Date | County: Permit #: |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY |
|---------------------------------|
| Confidentiality Requested |
| Date: |
| Confidential Release Date: |
| Wireline Log Received |
| Geologist Report Received |
| UIC Distribution |
| ALT I II III Approved by: Date: |

CORRECTION #1

1251581

| Operator Nar | me: | | | Lease Name: | _ Well #: |
|--------------|------|-------|-----------|-------------|-----------|
| Sec | Twp. | _S. R | East West | County: | |

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

| Drill Stem Tests Taken (Attach Additional Sheets) | | Yes No | | L | .og Formatio | on (Top), Depth an | nd Datum | Sample |
|---|-------------------------|--|-------------------------------|------------|----------------------|---|-----------------------------------|-------------------------------|
| Samples Sent to Geol | ogical Survey | Yes No | | Nam | e | | Тор | Datum |
| Cores Taken Electric Log Run | | ☐ Yes ☐ No ☐ Yes ☐ No | | | | | | |
| List All E. Logs Run: | | | | | | | | |
| | | CASI Report all strings s | NG RECORD et-conductor, su | Ne Inte | | ion, etc. | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weig Lbs. / | | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | ADDITION | | IG / SQL | JEEZE RECORD | | | |
| Purpose: Perforate | Depth Top Bottom | Type of Cement | # Sacks | Used | | Type and P | ercent Additives | |
| Protect Casing Plug Back TD Plug Off Zone | | | | | | | | |
| Did you perform a hydrau Does the volume of the to | - | | t exceed 350,00 | 0 gallons' | │ Yes 〔 ? │ Yes 〔 | | p questions 2 ar p question 3) | nd 3) |
| Was the hydraulic fracturi | ng treatment informatic | on submitted to the chemic | al disclosure reg | gistry? | Yes | No (If No, fill | out Page Three | of the ACO-1) |
| Shots Per Foot | | ON RECORD - Bridge P Footage of Each Interval | | | | cture, Shot, Cement mount and Kind of Ma | | d Depth |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| TUBING RECORD: | Size: | Set At: | Packer At | : | Liner Run: | Yes No | | |

| Date of First, Resumed Production, SWD or ENHR. | | Producing Me | ethod: | | | | | |
|---|-----|--------------|---------|------|---------------|-----------------|---------------|---------|
| | | | Flowing | Pump | oing Gas Lift | Other (Explain) | | |
| Estimated Production Per 24 Hours | Oil | Bbls. | Gas | Mcf | Water | Bbls. | Gas-Oil Ratio | Gravity |

| DISPOSITION OF GAS: | METHOD OF COMPLETION: | PRODUCTION INTERVAL: |
|-----------------------------|--|----------------------|
| Vented Sold Used on Lease | Open Hole Perf. Dually Comp. Commingled (Submit ACO-5) (Submit ACO-4) | |
| (If vented, Submit ACO-18.) | Other (Specify) | |

51

| Form | ACO1 - Well Completion |
|-----------|------------------------|
| Operator | JTC Oil, Inc. |
| Well Name | Chase P-10 |
| Doc ID | 1251581 |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | Setting Depth | Type Of Cement | | Type and Percent Additives |
|----------------------|----------------------|-----------------------|--------|------------------|-------------------|----|----------------------------------|
| Surface | 9 | 7 | 10 | 20 | PORTLAN D | 5 | OWC |
| Production | 5.625 | 2.875 | 8 | 693 | PORTLAN D | 99 | OWC |
| | | | | | | | |
| | | | | | | | |

Summary of Changes

Lease Name and Number: Chase P-10

API/Permit #: 15-059-26926-00-00

Doc ID: 1251581

Correction Number: 1

Approved By: NAOMI JAMES

| Field Name | Previous Value | New Value |
|-------------------|---|--|
| Approved Date | 03/12/2015 | 05/05/2015 |
| Electric Log Run? | No | Yes |
| Elogs_PDF | | GAMMA |
| Save Link | //kcc/detail/operatorE ditDetail.cfm?docID=12 45388 | NEUTRON //kcc/detail/operatorE ditDetail.cfm?docID=12 51581 |



Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1245388

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

| WELL | COMPLETION FORM | |
|------|-----------------|---|
| | | _ |

| Yes No | OIL & GAS CONSERVATION DIVISION |
|--------------|---------------------------------------|
| CONFIDENTIAL | WELL COMPLETION FORM |
| WELL | HISTORY - DESCRIPTION OF WELL & LEASE |

| OPERATOR: License # | | | API No. 15 | | | | | | |
|-------------------------------------|---------------|----------------------|---------------------------------------|---------------------------|----------------------|--|--|--|--|
| | | | _ Spot Description: | | | | | | |
| Address 1: | | | | | | | | | |
| Address 2: | | | | | | | | | |
| City: Sta | ate: Zi | p:+ | Fe | eet from East / | West Line of Section | | | | |
| Contact Person: | | | Footages Calculated from | Nearest Outside Section | Corner: | | | | |
| Phone: () | | | | V SE SW | | | | | |
| CONTRACTOR: License # | | | GPS Location: Lat: | , Long: | | | | | |
| Name: | | | | | (e.gxxx.xxxxx) | | | | |
| Wellsite Geologist: | | | Datum: NAD27 | | | | | | |
| Purchaser: | | | County: | | | | | | |
| Designate Type of Completion: | | | Lease Name: | | Well #: | | | | |
| New Well | Entry | Workover | Field Name: | | | | | | |
| | | | Producing Formation: | | | | | | |
| | | | Elevation: Ground: | Kelly Bushin | g: | | | | |
| | | Temp. Abd. | Total Vertical Depth: | Plug Back Total | Depth: | | | | |
| CM (Coal Bed Methane) | | | Amount of Surface Pipe Se | et and Cemented at: | Feet | | | | |
| Cathodic Other (Core, | Expl., etc.): | | Multiple Stage Cementing Collar Used? | | | | | | |
| If Workover/Re-entry: Old Well Info | as follows: | | If yes, show depth set: Feet | | | | | | |
| Operator: | | | If Alternate II completion, c | cement circulated from: _ | | | | | |
| Well Name: | | | feet depth to: | w/ | sx cmt | | | | |
| Original Comp. Date: | Original T | otal Depth: | | | | | | | |
| Deepening Re-perf. | Conv. to E | NHR Conv. to SWD | Drilling Fluid Manageme | nt Plan | | | | | |
| Plug Back | Conv. to G | SW Conv. to Producer | (Data must be collected from t | the Reserve Pit) | | | | | |
| Commingled | Permit #· | | Chloride content: | ppm Fluid volum | ne: bbls | | | | |
| Dual Completion | | | Dewatering method used: | | | | | | |
| SWD | | | Location of fluid disposal if | f hauled offsite: | | | | | |
| | Permit #: | | | | | | | | |
| | Permit #: | | Operator Name: | | | | | | |
| | | | Lease Name: | | | | | | |
| Spud Date or Date Read | ched TD | Completion Date or | Quarter Sec | TwpS. R | East West | | | | |
| Recompletion Date | | Recompletion Date | County: | Permit #: | | | | | |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KOLAR Document ID: 1245388

| Operator Nam | ne: | | | Lease Name: | _ Well #: |
|--------------|-----|------|-----------|-------------|-----------|
| Sec | Twp | S. R | East West | County: | |

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

| Drill Stem Tests Taken Yes No (Attach Additional Sheets) | | | | Log Formation (Top), Depth and Datum | | | Sample | | | |
|---|-------------------------------|--------------|----------------------------------|--------------------------------------|---|-------------------------------|-----------------------|---|-------------------------------|--|
| Samples Sent to Geolo | | | ⁄es 🗌 No | 1 | Name | Э | | Тор | Datum | |
| Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run: | | □ Y □ Y | Yes ☐ No Yes ☐ No Yes ☐ No | | | | | | | |
| | | Rep | CASING ort all strings set-c | |] Ne | w Used rmediate, productio | on, etc. | | | |
| Purpose of String | Size Hole Drilled | Siz | ze Casing et (In O.D.) | Weight Lbs. / Ft. | | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| [| | | ADDITIONAL | CEMENTING / | SQU | EEZE RECORD | | | | |
| Purpose: | Depth Top Bottom | Туре | e of Cement | # Sacks Use | d | Type and Percent Additives | | | | |
| Protect Casing Plug Back TD Plug Off Zone | | | | | | | | | | |
| Did you perform a hydra Does the volume of the Was the hydraulic fracture | total base fluid of the | hydraulic fr | acturing treatment | | - | ☐ Yes ns? ☐ Yes ☐ Yes | No (If No, s | kip questions 2 ar kip question 3) ill out Page Three | | |
| Date of first Production/Inj Injection: | jection or Resumed Pr | oduction/ | Producing Meth | iod: | | Gas Lift 🗌 O | ther <i>(Explain)</i> | | | |
| Estimated Production Per 24 Hours | Oil | Bbls. | Gas | Mcf | Water Bbls. Gas-Oil Ratio | | | | | |
| DISPOSITIO | N OF GAS: | | METHOD OF | | | TION: | | PRODUCTION INTERVAL: | | |
| Vented Sold (If vented, Subn | Used on Lease | | Open Hole | | Dually Comp. Commingled (Submit ACO-5) (Submit ACO-4) | | • | Top Botto | | |
| | foration Perform Top Botto | | Bridge Plug Type | Bridge Plug Set At | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| TUBING RECORD: | Size: | Set At: | | Packer At: | | | | | | |

| Form | ACO1 - Well Completion |
|-----------|------------------------|
| Operator | JTC Oil, Inc. |
| Well Name | Chase P-10 |
| Doc ID | 1245388 |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | Setting Depth | Type Of Cement | | Type and Percent Additives |
|----------------------|----------------------|-----------------------|--------|------------------|-------------------|----|----------------------------------|
| Surface | 9 | 7 | 10 | 20 | PORTLAN D | 5 | OWC |
| Production | 5.625 | 2.875 | 8 | 693 | PORTLAN D | 99 | OWC |
| | | | | | | | |
| | | | | | | | |

| | Operator License # | 32834 | | API # | | 15-059-2692 | 6-00-00 | h |
|-----------|------------------------|------------------|---------|-------------|------|-------------|----------|--------|
| | Operator | JTC Oil, Inc. | | Lease Nam | e | Chase | .0 00 00 | , , |
| | Address | 35790 Plum Cre | ek Road | Well # | | P-10 | | |
| | City | Osawatomie, KS | | WCII # | | 10 | | |
| | Contractor | JTC Oil, Inc. | 00004 | Spud Date | | 2/23/2015 | | |
| | Contractor License # | 32834 | | Cement Date | to | 2/25/2015 | | |
| | T.D. | 720' | | Location | ite | Sec 33 | T 17 S | R 21 E |
| | T.D. of pipe | 693' | | Location | 165 | feet from | N N | line |
| | Surface pipe size | 7" | | | | feet from | W | |
| | Surface pipe depth | 20' | | | 1405 | | vv | line |
| | | 20 Production | | County | | Franklin | | |
| | Well Type Driller's | | | | | | | |
| Thickness | Strata | From | То | | | | | |
| 2 | soil | 0 | 2 | | | | | |
| 13 | | 2 | 15 | | | | | |
| 54 | clay shale | | | | | | | |
| | | 15 | 69 | | | | | |
| 18 | lime | 69 | 87 | | | | | |
| 27 | shale | 87 | 114 | | | | | |
| 6 | lime | 114 | 120 | | | | | |
| 36 | shale | 120 | 156 | | | | | |
| 17 | lime | 156 | 173 | | | | | |
| 9 | shale | 173 | 182 | | | | | |
| 29 | lime | 182 | 211 | | | | | |
| 7 | coal | 211 | 218 | | | | | |
| 21 | lime | 218 | 239 | | | | | |
| 5 | coal | 239 | 244 | | | | | |
| 11 | lime | 244 | 255 | | | | | |
| 154 | shale | 255 | 409 | | | | | |
| 12 | lime | 409 | 421 | | | | | |
| 50 | shale | 421 | 471 | | | | | |
| 4 | lime | 471 | 475 | | | | | |
| 10 | shale | 475 | 485 | | | | | |
| 3 | lime | 485 | 488 | | | | | |
| 12 | black shale | 488 | 500 | | | | | |
| 2 | lime | 500 | 502 | | | | | |
| 13 | shale | 502 | 515 | | | | | |
| 1 | lime | 515 | 516 | | | | | |
| 1 | coal | 516 | 517 | | | | | |
| 1 | lime oil | 517 | 518 | good | | | | |
| 3 | lime oil | 518 🛌 | 521 | good | | | | |
| 3 | lime oil | 521 | 524 | v-good | | | | |
| 2 | lime oil | 524 | 526 | v-good | | | | |
| 27 | shale | 526 | 553 | | | | | |
| 43 | black shale | 553 | 596 | | | | | |
| 2 | sandy | 596 | 598 | | | | | |
| 3 | sandy | 598 | 601 | | | | | |
| 44 | shale | 601 | 645 | | | | | |
| | | | | | | | | |

| 3 | oil sand | 645 | 648 | oil |
|----|-------------|-----|-----|------|
| 3 | oil sand | 648 | 651 | good |
| 36 | black shale | 651 | 687 | |
| 33 | shale | 687 | 720 | |



250 N. Water, Ste 200 - Wichita, Ks 67202

104 Prairie Plaza Parkway - Garnett, Ks 66032

| | 1.000 | | | | 1 | T | | T | T | | | |
|--|--------------------------------------|---|-------------------------------------|---|--------------------|--|-------------------------------------|-----------------|------------------|----------------|------------|--|
| Custome | | | | istomer Name | - | | Ticket No.: 50529 | | | 29 | | |
| Address | | | | | AFE No. | Cement Longstring (NEW WELL) | | | | | | |
| City, State, Zip | | | | | Job type | | | | | | | |
| Service District | : | | | | Well Details | 2 7/8 casing | 2 7/8 casing @ 700 5 7/8 hole @ 720 | | | | | |
| Well name & No. | Chase P-1 | 10 | | | Well Location | | County | Franklin | State | Kansa | | |
| Equipment # | Driver | Equipment # | Driver | Equipment # | Hours | TRUCK CAL | LED | | | AM PM AM | TIME | |
| 26 | Joe | | | | | ARRIVED AT | | | | PM | | |
| 231 | Tom Troy | | | | | START OPE | | | | PM | | |
| 108 | Jeff | | | | | RELEASED | RATION | | | PM AM PM | | |
| 111 | Travis | | | | | MILES FROM | STATION 1 | O WELL | | | | |
| | | | | A REAL PROPERTY AND ADDRESS OF TAXABLE PARTY. | eatment Su | No. of Concession, Name of | | | | | | |
| Hooked onto 2 7 pump and pump | | | | | | | | | ks of OVVC | cemen | t Flusned | |
| Product/Service Code | Description | | | | Unit of Measure | Quantity | List Price/Unit | Gross Amount | ltem Discount | | Net Amount | |
| c00101 | | ip. One Way | | | mi | Quantity | \$3.25 | \$0.00 | 10.00% | | \$0.00 | |
| c00102 | | o. One Way | | | mi | | \$1.50 | \$0.00 | 10.00% | 1 | \$0.00 | |
| c23103 | Cement PL | mp (Multiple w | ells) | | ea | 1.00 | \$675.00 | \$675.00 | 10.00% | | \$607.50 | |
| | | | | | | | | | | | | |
| p01605 | | O.W.C. Cement | | | | 99.00 | \$17.95 | \$1,777.05 | 25.00% | | \$1,332.79 | |
| p01607 | Bentonite (| jel | | | lb | 200.00 | \$0.30 | \$60.00 | 25.00% | | \$45.00 | |
| | | | | | | | | | | | | |
| p01631 | Rubber 2 7 | /8 | | | ea | 1.00 | \$25.00 | \$25.00 | 10.00% | - | \$22.50 | |
| p02000 | H2O | | | | gal | | \$0.01 | \$0.00 | | | | |
| c10800 | Vacuum Tr | ruck 80 bbl | | | ea | 2.00 | \$84.00 | \$168.00 | 10.00% | | \$151.20 | |
| c11000 | Vacuum Tr | uck 80 bbl | | | ea | 2.00 | \$84.00 | \$168.00 | 10.00% | | \$151.20 | |
| -24204 | Comont Ru | lk Truck - Minir | 200 | | 00 | 1.00 | \$300.00 | \$300.00 | 50.00% | | \$150.00 | |
| c24201 | Cement Bu | | num | | ea | 1.00 | \$300.00 | \$300.00 | 50.00 % | | \$150.00 | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | - | | |
| | | | ۰. | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| TERMS: Cash in advan | ce unless Hurric | ane Services Inc has | approved credit | prior to sale. | | | Gross: | \$ 3,173.05 | Net: | \$ | 2,460.19 | |
| Credit terms of sale for a the date of invoice. Past | approved account t due accounts m | nts are total invoice de nay pay interest on the | ue on or before the balance past de | he 30th day from ue at the rate of 1 | Total | Taxable | \$ - | Tax Rate: | 7.650% | * | 2,400.13 | |
| 1/2% per month or the ma interest to a lesser among | aximum allowabl | e by applicable state | or federal laws if | such laws limit | Frac and Acid se | ervice treatments de | | | Sale Tax: | \$ | - | |
| affect the collection of s indirectly incurred for su | | | | | | oduction on newly di wells are not taxable | | | Total: | \$ | 2,460.19 | |
| delinquent, HSI has the invoice price. Upon revo | right to revoke a | ny and all discounts p | previously applied | d in arriving at net | | Date of Service: | | | 2/25/2015 | | | |
| due and owing and subj | | | | , | | | | | e Blancha | rd | | |
| v | | | | | | Representative: | | Jo | | u | | |
| X | CUSTOM | | NT | | Custome | Representative: | | | Curtis | | | |
| | | omer Comm | | oncerns: | | | | | | | | |
| 1.1 | | | | | | | | | | | | |

Hurricane Services appreciates any Comments. Concerns or Criticism's from our valuable customers as Safety and Customer Satisfaction are our Number 1 goal. All Comments are confidential and will be used in a constructive manner to improve our Safety and Job Performance.