CORRECTION #1

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

1251583

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

## **WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License #			API No. 15					
Name:			Spot Description:					
Address 1:			SecTwpS. R East West					
Address 2:			Feet from North / South Line	of Section				
City: Sta	ıte: Zi <sub>l</sub>	p:+	Feet from	of Section				
Contact Person:			Footages Calculated from Nearest Outside Section Corner:					
Phone: ()			□NE □NW □SE □SW					
CONTRACTOR: License #			GPS Location: Lat:, Long:					
Name:			(e.g. xx.xxxxx) (e.gxxx.x	xxxx)				
Wellsite Geologist:			Datum: NAD27 NAD83 WGS84					
Purchaser:			County:					
Designate Type of Completion:			Lease Name: Well #:					
New Well Re-E	=ntrv	Workover	Field Name:					
	_		Producing Formation:					
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW □ SIGW	Elevation: Ground: Kelly Bushing:					
☐ Gas ☐ D&A ☐ OG	GSW	Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:					
CM (Coal Bed Methane)	G3VV	Temp. Abd.	Amount of Surface Pipe Set and Cemented at:	Feet				
Cathodic Other (Core,	Expl., etc.);		Multiple Stage Cementing Collar Used? Yes No					
If Workover/Re-entry: Old Well Info			If yes, show depth set:	Feet				
Operator:			If Alternate II completion, cement circulated from:					
Well Name:			feet depth to:w/_	_ sx cmt.				
Original Comp. Date:			<u> </u>					
Deepening Re-perf.	Conv. to El	NHR Conv. to SWD	Drilling Fluid Management Plan					
☐ Plug Back	Conv. to GS	SW Conv. to Producer	(Data must be collected from the Reserve Pit)					
	D '' "		Chloride content:ppm Fluid volume:	bbls				
<ul><li>☐ Commingled</li><li>☐ Dual Completion</li></ul>			Dewatering method used:					
SWD			Location of fluid disposal if hauled offsite:					
☐ ENHR			Location of fluid disposal if flauled offsite.					
GSW			Operator Name:					
_			Lease Name: License #:					
Spud Date or Date Read	ched TD	Completion Date or	Quarter Sec TwpS. R	t West				
Recompletion Date		Recompletion Date	County: Permit #:					

### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

Confidentiality Requested:

Yes No

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II III Approved by: Date:						



# 

Operator Name:				Lease I	Name: _			Well #:		
Sec Twp	S. R	East	West	County	:					
open and closed, flow and flow rates if gas t Final Radioactivity Lo	now important tops of for ving and shut-in pressu o surface test, along w ng, Final Logs run to ob ed in LAS version 2.0 o	res, whet ith final cl tain Geop	her shut-in pre hart(s). Attach physical Data a	ssure reac extra shee .nd Final E	hed stati et if more lectric Lo	c level, hydro space is nee	ostatic pressure eded.	s, bottom hole temp	erature, fl	luid recovery,
Drill Stem Tests Taker (Attach Additional		Ye	s No			.og Form	nation (Top), De	pth and Datum		Sample
Samples Sent to Geological Survey					Nam	е		Тор		Datum
Cores Taken Electric Log Run	Cores Taken									
List All E. Logs Run:										
		Repo	CASING rt all strings set-c	RECORD onductor, su	N∈ urface, inte		duction, etc.			
Purpose of String	Size Hole Drilled		e Casing (In O.D.)	Weig Lbs.		Setting Depth	Type o Cemer			and Percent dditives
			ADDITIONAL	CEMENTII	NG / SQL	JEEZE RECO	)RD	<u> </u>		
Purpose:  Perforate Protect Casing Plug Back TD	Depth Top Bottom	Туре	of Cement	# Sacks	Used	Type and Percent Additives				
Plug Off Zone										
Does the volume of the t	ulic fracturing treatment or total base fluid of the hydra ring treatment information	aulic fractu	ring treatment ex		-	Yes Yes Yes	No (If I	No, skip questions 2 ai No, skip question 3) No, fill out Page Three		O-1)
Shots Per Foot			D - Bridge Plug Each Interval Perf			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)  Depth				Depth
	Specify:						(			
TUBING RECORD:	Size:	Set At:		Packer A	t:	Liner Run:	Yes	No		
Date of First, Resumed	Production, SWD or ENH	IR.	Producing Meth	od:	g	Gas Lift [	Other (Explain)			
Estimated Production Per 24 Hours	Oil B	bls.		Mcf	Wat		Bbls.	Gas-Oil Ratio		Gravity
DISPOSITI	ON OF GAS:			METHOD OF	COMPLE	TION:		PRODUCTION	ON INTER	VAI ·
Vented Solo			pen Hole	Perf.		Comp.	Commingled (Submit ACO-4)			
(If vented, Su	bmit ACO-18.)		ther (Specify)		(Cabillit)		(535/11/17/00-4)			

Form	ACO1 - Well Completion
Operator	JTC Oil, Inc.
Well Name	Chase P-11
Doc ID	1251583

## Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	9	7	10	20	PORTLAN D	5	OWC
Production	5.625	2.875	8	694	PORTLAN D	100	OWC

## **Summary of Changes**

Lease Name and Number: Chase P-11

API/Permit #: 15-059-26906-00-00

Doc ID: 1251583

Correction Number: 1

Approved By: NAOMI JAMES

Field Name	Previous Value	New Value
Approved Date	03/12/2015	05/05/2015
Electric Log Run?	No	Yes
Elogs_PDF		GAMMA
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=12 45387	NEUTRON//kcc/detail/operatorE ditDetail.cfm?docID=12 51583



Confidentiality Requested:

Yes No

## Kansas Corporation Commission Oil & Gas Conservation Division

1245387

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

# CONFIDENTIAL WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R 🗌 East 🗌 West
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
Oil WSW SWD SIOW	Producing Formation:
Gas D&A ENHR SIGW	Elevation: Ground: Kelly Bushing:
☐ OG ☐ GSW ☐ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec TwpS. R East West           Countv: Permit #:

### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received							
Geologist Report Received							
UIC Distribution							
ALT I II III Approved by: Date:							

KOLAR Document ID: 1245387

## Page Two

Operator Name: _				Lease Name:			Well #:		
Sec Twp.	S. R.	E	ast West	County:					
	flowing and shu	ut-in pressures, v	vhether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,	
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log	
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample	
Samples Sent to 0	Geological Surv	/ey	Yes No	Na	me		Тор	Datum	
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No						
		B	CASING eport all strings set-c		New Used	ion, etc.			
Purpose of Strir		Hole illed	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
			ADDITIONAL	CEMENTING / SO	UEEZE RECORD				
Purpose:		epth T Bottom	ype of Cement	# Sacks Used	Type and Percent Additives				
Perforate Protect Casi Plug Back T									
Plug Off Zor									
Did you perform a     Does the volume     Was the hydraulic	of the total base f	fluid of the hydrauli		_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,	
Date of first Product Injection:	tion/Injection or R	esumed Production	Producing Meth	nod:	Gas Lift 0	Other (Explain)			
Estimated Production Per 24 Hours	on	Oil Bbls.			Water Bbls. Gas-Oil Ratio Gravity				
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			DN INTERVAL: Bottom	
	Sold Used	I on Lease	Open Hole			mmingled mit ACO-4)	Тор	BOROTT	
,	,			B.11 B1					
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record	
TUBING RECORD:	: Size:	Set	Δ+-	Packer At:					
TODING RECORD:	. 3126.		n.	i donei Al.					

Form	ACO1 - Well Completion
Operator	JTC Oil, Inc.
Well Name	Chase P-11
Doc ID	1245387

## Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	9	7	10	20	PORTLAN D	5	OWC
Production	5.625	2.875	8	694	PORTLAN D	100	OWC

	Operator License # Operator Address City Contractor	32834 JTC Oil, Inc. 35790 Plum Creek Road Osawatomie, KS 66064 JTC Oil, Inc.		API # Lease Name Well #	Chase P-11	P-11		
	Contractor License #	32834		Spud Date Cement Date	2/2/2015 e 2/19/2015			
	T.D.	740'		Location	Sec 33	T 17 S R 21 E		
	T.D. of pipe	694'			L65 feet from	N line		
	Surface pipe size	7"			315 feet from	W line		
	Surface pipe depth	20'		County	Franklin	w iiie		
	Well Type	Production		county	Trankiiii			
	Driller's							
Thickness	Strata	From	То					
2	soil	0	2					
12	clay	2	14					
44	shale	14	58					
18	lime	58	76					
27	shale	76	103					
6	lime	103	109					
37	shale	109	146					
17	lime	146	163					
9	shale	163	172					
29	lime	172	201					
8	coal	201	209					
21	lime	209	230					
4	coal	230	234					
11	lime	234	245					
145	shale	245	390					
21	lime	390	411					
50	shale	411	461					
3	lime	461	464					
10	shale	464	474					
3	lime	474	477					
12	black shale	477	489					
2	lime	489	491					
17	shale	491	508					
2	lime oil	508	510	good				
2	lime oil	510	512	ok				
2	lime oil	512	514	good				
1	lime oil	514	515	ok				
25	shale	515	540					
45	black shale	540	585					
5	sandy	585	590					
44	shale	590	634					
2	oil sand	634	636	good				
2	oil sand	636	638	good				
2	oil sand/shale	638	640	ok				

1	sandy shale	640	641	broken
39	black shale	641	680	
60	shale	680	740	



250 N. Water, Ste 200 - Wichita, Ks 67202

# **HURRICANE SERVICES INC**

104 Prairie Plaza Parkway - Garnett, Ks 66032

Customer	JTC			stomer Name	: Ticket No.:				50527		
Address:				AFE No.	Date: 2/19/2015						
City, State, Zip:					Job type	Cement Longstring ( NEW WELL )					
Service District:					Well Details:	Details: 2 7/8 casing @ 700 5 7/8 hole @ 720					
Well name & No. Chase P-11			Well Location:	County: Franklin Stat				-: Kansas			
Equipment #	Driver	Equipment #	Driver	Equipment #	Hours	TRUCK CALL	.ED			AM PM	TIME
26	Joe	extra	Jesse			ARRIVED AT JOB					
231	Tom					START OPERATION PM					
242	Troy					FINISH OPERATION					
108	Jeff					RELEASED				AM PM	
110	Tyler					MILES FROM STATION TO WELL					

Hooked onto 2 7/8 casing and achieved circulation.. Pumped 15 bbl gel sweep followed by 15 bbl water spacer and 100 sks of OWC cement.. Flushed pump and pumped plug to bottom and set float shoe... 4 bbl slurry to surface..

Product/Service Code	Description	Unit of Measure	Quantity	List Price/Unit	Gross Amount	Item Discount		Net Amou
:00101	Heavy Equip. One Way	mi	15.00	\$3.25	\$48.75	10.00%		\$43.
c00102	Light Equip. One Way	mi	15.00	\$1.50	\$22.50	10.00%	,	\$20.
23103	Cement Pump (Multiple wells)	ea	1.00	\$675.00	\$675.00	10.00%	_	\$607.
p01605	O.W.C. Cement	sack	100.00	\$17.95	\$1,795.00	25.00%		\$1,346.2
p01607	Bentonite Gel	lb	200.00	\$0.30	\$60.00	25.00%		\$45.0
p01631	Rubber 2 7/8	ea	1.00	\$25.00	\$25.00	10.00%		\$22.5
p02000	H2O	gal	4,600.00	\$0.01	\$59.80	10.00%		\$53.8
10800	Vacuum Truck 80 bbl	ea	2.00	\$84.00	\$168.00	10.00%		\$151.2
11000	Vacuum Truck 80 bbi	ea	2.00	\$84.00	\$168.00	10.00%		\$151.2
24201	Cement Bulk Truck - Minimum	ea	1.00	\$300.00	\$300.00	50.00%		\$150.0
FERMS: Cash in advance unless Hurricane Services Inc has approved credit prior to sale. Fredit terms of sale for approved accounts are total invoice due on or before the 30th day from he date of invoice. Past due accounts may pay interest on the balance past due at the rate of 1 4% per month or the maximum allowable by applicable state or federal laws if such laws limit interest to a lesser amount. In the event it is necessary to employ an agency and/or attorney to affect the collection of said account. Customer hereby agrees to pay all fees directly or indirectly incurred for such collection. In the event that Customer's account with HSI becomes letinquent, HSI has the right to revoke any and all discounts previously applied in arvining at net invoice price. Upon revocation, the full invoice price without discount will become immediately				Gross:	\$ 3,322.05	Net:	\$	2,591.6
		10141	Taxable	\$ -	Tax Rate:	7.650%	=	$\sim$
		to increase pro	Frac and Acid service treatments designed with intent to increase production on newly drilled or existing wells are not taxable.			Sale Tax: \$		
		et	Date of Service:	Total: \$ 2,591.6				
ue and owing and subject to collection.			Representative:	Joe Blanchard				
X	Customer Representative:				Curtis			
	CUSTOMER AUTHORIZED AGENT CUSTOMER COMMENTS OF CONCERNS:	+						