Confidentiality Requested:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1214932

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15				
Name:	Spot Description:				
Address 1:					
Address 2:	Feet from North / South Line of Section				
City: State: Zip:+	Feet from East / West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()					
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
	Producing Formation:				
	Elevation: Ground: Kelly Bushing:				
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:				
GG GSW Temp. Abd.	Amount of Surface Pipe Set and Cemented at: Feet				
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No				
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet				
Operator:	If Alternate II completion, cement circulated from:				
	feet depth to:w/sx cmt.				
Well Name:	W/ W/ W/				
Original Comp. Date: Original Total Depth:					
Deepening Re-perf. Conv. to ENHR Conv. to SWD Plug Back Conv. to GSW Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)				
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls				
Dual Completion Permit #:	Dewatering method used:				
SWD Permit #:	Location of fluid disposal if hauled offsite:				
ENHR Permit #:	Operator Name:				
GSW Permit #:	Operator Name: License #:				
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West				
Recompletion Date Recompletion Date	County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II Approved by: Date:					

CORRECTION #1

1214932

Operator Nar	ne:			Lease Name:	_ Well #:
Sec	Twp	_S. R	East West	County:	

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sheets)		Yes No		🗌 Lo	og Formatio	on (Top), Depth an	d Datum	Sa	ample
(Attach Additional Samples Sent to Geo	,	Yes No	Yes No				Тор	D	atum
Cores Taken Electric Log Run		Yes No							
List All E. Logs Run:									
		CASING Report all strings set-o	RECORD [New New		on, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used		nd Percent ditives
		ADDITIONAL	CEMENTING	/ SQUE	EEZE RECORD				
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Us	Used Type and Percent Additives					
Protect Casing Plug Back TD									
Plug Off Zone									
Did you perform a hydraulic fracturing treatment on this well? Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 Was the hydraulic fracturing treatment information submitted to the chemical disclosure reg			-		☐ Yes [☐ Yes [☐ Yes [No (If No, ski	o questions 2 ar o question 3) out Page Three	,	-1)
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				cture, Shot, Cement mount and Kind of Mat		k	Depth		

TUBING RECORD:	Size: Set At:			Packer	At:	Liner Ru		No		
Date of First, Resumed Production, SWD or ENHR.			} .	Producing M	lethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
									1	
DISPOSITION OF GAS:			METHOD OF COMPLETION:		TION:		PRODUCTION INTE	RVAL:		
Vented Sold Used on Lease		Open Hole	Perf.	Dually		Commingled				
(If vented, Sub				Other (Specify)		(Submit A	,	(Submit ACO-4)		
Per 24 Hours DISPOSITIC Vented Sold	ıı	AS: Jsed on Lease		Dpen Hole	METHOD (DF COMPLE	TION: Comp. ACO-5)			

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Form	ACO1 - Well Completion			
Operator	OXY USA Inc.			
Well Name	TRAFTON ATU A 4			
Doc ID	1214932			

Casing

	Size Casing Set	 Setting Depth	Type Of Cement	Type and Percent Additives

Summary of Changes

Lease Name and Number: TRAFTON ATU A 4 API/Permit #: 15-067-21493-00-01 Doc ID: 1214932 Correction Number: 1 Approved By: NAOMI JAMES

Field Name	Previous Value	New Value
Approved Date	02/06/2014	07/21/2014
If OWWO - Original Well Operator Name	ELLORA	OXY
Lease Name	TRAFTON A	TRAFTON ATU A
LocationInfoLink	https://solar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=14&t	https://kolar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=14&t
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=11 87420	//kcc/detail/operatorE ditDetail.cfm?docID=12 14932



Confidentiality Requested:

CONFIDENTIAL

WE

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1187420

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

HISTORY	- DESCF	RIPTION (OF WELL	. & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	Sec TwpS. R East 🗌 West
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:	+ Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
	Field Name:
	Producing Formation:
	SIOW Elevation: Ground: Kelly Bushing:
Gas D&A ENHR	SIGW
OG GSW GSW CM (Coal Bed Methane)	Temp. Abd. Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	
Well Name:	
Original Comp. Date: Original Total De	
Deepening Re-perf. Conv. to ENHR	
	Conv. to Producer (Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
	Dewatering method used:
Dual Completion Permit #: SWD Permit #:	
	Location of fluid disposal if hauled offsite:
GSW Permit #:	Uperator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Com	Quarter Sec. Twp. S. R. East West
	ompletion Date or County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II III Approved by: Date:					

KOLAR Document ID: 1187420

Operator Name:	Lease Name: Well #:
Sec TwpS. R East 🗌 West	County:

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sheets)		Y	es 🗌 No	[Log Formation (Top), Dept		and Datum	Sample
Samples Sent to Geological Survey			és 🗌 No	١	lame	e		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud Logs List All E. Logs Run:			ies No ies No ies No						
		Repo	CASING I] Ne	w Used rmediate, productio	on, etc.		
Purpose of String Size Hole Drilled			ze Casing tt (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose: Perforate	Depth Top Bottom			# Sacks Used		Type and Percent Additives			
Protect Casing Plug Back TD Plug Off Zone									
 Did you perform a hydra Does the volume of the till Was the hydraulic fracture Date of first Production/Injunction 	total base fluid of the h ring treatment informa	nydraulic fra tion submit	acturing treatment tted to the chemica Producing Meth	al disclosure regis	stry?	Yes	□ No (If No, s □ No (If No, f	kip questions 2 ar kip question 3) ill out Page Three	
Injection:			Flowing Pumping				ther <i>(Explain)</i>		
Estimated Production Oil Bbl Per 24 Hours		Bbls.	s. Gas Mcf			Water Bbls. Gas-Oil Ratio Gravity			
DISPOSITION OF GAS:			METHOD OF (COMPLETION: PRODUCTION INTERVAL: Top Botto			DN INTERVAL: Bottom
Vented Sold Used on Lease (If vented, Submit ACO-18.)			Open Hole Perf.		Dually Comp. Commingled (Submit ACO-5) (Submit ACO-4)				
Shots Per Perforation Perforation Foot Top Bottom			Bridge Plug Type Set At		Acid, Fracture, Shot, Cementing Squeeze Record (Amount and Kind of Material Used)				
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	OXY USA Inc.
Well Name	TRAFTON A 4
Doc ID	1187420

Perforations

Shots Per Foot	Perforation Record	Material Record	Depth
4	,	FRAC/605 BBL KCL, 140324#12/20 BROWN SAND	2591-2592.5, 2636- 2637.5, 2697-2638.5
	2591-2592.5, 2636- 2637.5, 2697-2638.5 LOWER CHASE	FRAC/650 BBL KCL 160.071 #12/20 BROWN SAND	2591-2592.5, 2636- 2637.5, 2697-2638.5

Form	ACO1 - Well Completion
Operator	OXY USA Inc.
Well Name	TRAFTON A 4
Doc ID	1187420

Casing

	Size Casing Set	 Setting Depth	Type Of Cement	Type and Percent Additives