Confidentiality Requested:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1192528

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

#### WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License #   | API No. 15  |  |  |  |  |
|---|---|--|--|--|--|
| Name:   | Spot Description:   |  |  |  |  |
| Address 1:  |   |  |  |  |  |
| Address 2:  | Feet from  North / South Line of Section  |  |  |  |  |
| City: State: Zip:+  | Feet from East / West Line of Section   |  |  |  |  |
| Contact Person:   | Footages Calculated from Nearest Outside Section Corner:                        |  |  |  |  |
| Phone: ()   |   |  |  |  |  |
| CONTRACTOR: License #   | GPS Location: Lat:, Long:   |  |  |  |  |
| Name:   | (e.g. xx.xxxx) (e.gxxx.xxxx)  |  |  |  |  |
| Wellsite Geologist:   | Datum: NAD27 NAD83 WGS84  |  |  |  |  |
| Purchaser:  | County:   |  |  |  |  |
| Designate Type of Completion:   | Lease Name: Well #:   |  |  |  |  |
| New Well Re-Entry Workover  | Field Name:   |  |  |  |  |
|   | Producing Formation:  |  |  |  |  |
|   | Elevation: Ground: Kelly Bushing:   |  |  |  |  |
| Gas D&A ENHR SIGW   | Total Vertical Depth: Plug Back Total Depth:                                    |  |  |  |  |
| OG GSW Temp. Abd. CM (Coal Bed Methane)   | Amount of Surface Pipe Set and Cemented at: Feet                                |  |  |  |  |
| Cathodic Other (Core, Expl., etc.):   | Multiple Stage Cementing Collar Used? Yes No                                    |  |  |  |  |
| If Workover/Re-entry: Old Well Info as follows:                                 | If yes, show depth set: Feet  |  |  |  |  |
| Operator:   | If Alternate II completion, cement circulated from:                             |  |  |  |  |
| Well Name:  | feet depth to:w/sx cmt.   |  |  |  |  |
| Original Comp. Date: Original Total Depth:                                      |   |  |  |  |  |
| Deepening Re-perf. Conv. to ENHR Conv. to SWD                                   | Drilling Fluid Monogoment Dien  |  |  |  |  |
| Plug Back Conv. to GSW Conv. to Producer  | Drilling Fluid Management Plan<br>(Data must be collected from the Reserve Pit) |  |  |  |  |
|   | Chloride content: ppm Fluid volume: bbls  |  |  |  |  |
| Commingled Permit #:  | Dewatering method used:   |  |  |  |  |
| Dual Completion Permit #:   |   |  |  |  |  |
| SWD Permit #:   | Location of fluid disposal if hauled offsite:                                   |  |  |  |  |
| ENHR Permit #:  | Operator Name:  |  |  |  |  |
| GSW Permit #:   | Lease Name: License #:  |  |  |  |  |
|   | Quarter Sec TwpS. R East West   |  |  |  |  |
| Spud Date orDate Reached TDCompletion Date orRecompletion DateRecompletion Date | County: Permit #:   |  |  |  |  |

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

## Submitted Electronically

| KCC Office Use ONLY             |  |  |  |  |  |
|---------------------------------|--|--|--|--|--|
| Confidentiality Requested       |  |  |  |  |  |
| Date:                           |  |  |  |  |  |
| Confidential Release Date:      |  |  |  |  |  |
| Wireline Log Received           |  |  |  |  |  |
| Geologist Report Received       |  |  |  |  |  |
| UIC Distribution                |  |  |  |  |  |
| ALT I II III Approved by: Date: |  |  |  |  |  |
|                                 |  |  |  |  |  |

# CORRECTION #1

1192528

| Operator Na | me: |       |           | Lease Name: | _ Well #: |
|-------------|-----|-------|-----------|-------------|-----------|
| Sec         | Twp | _S. R | East West | County:     |           |

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

| Drill Stem Tests Taken                                       |                             | Yes No   | L L                  | .og Formatic        | on (Top), Depth an                           | d Datum   | Sample                       |    |
|--|-----------------------------|--|----------------------|---------------------|--|---|------------------------------|----|
| (Attach Additional Sheets) Samples Sent to Geological Survey |                             | Nam  | e                    |                     | Тор  | Datum   |                              |    |
| Cores Taken<br>Electric Log Run                              |                             | Yes No   |                      |                     |  |   |                              |    |
| List All E. Logs Run:  |                             |  |                      |                     |  |   |                              |    |
|  |                             | CASING<br>Report all strings set-  | RECORD Ne            |                     | on, etc.                                     |   |                              |    |
| Purpose of String  | Size Hole<br>Drilled        | Size Casing<br>Set (In O.D.)   | Weight<br>Lbs. / Ft. | Setting<br>Depth    | Type of<br>Cement                            | # Sacks<br>Used                                       | Type and Percen<br>Additives | ıt |
|  |                             |  |                      |                     |  |   |                              |    |
|  |                             |  |                      |                     |  |   |                              |    |
|  |                             | ADDITIONAL   | CEMENTING / SQU      | JEEZE RECORD        |  |   |                              |    |
| Purpose:<br>Perforate  | Depth<br>Top Bottom         | Type of Cement   | # Sacks Used         |                     | Type and Pe                                  | ercent Additives                                      |                              |    |
| Protect Casing Plug Back TD                                  |                             |  |                      |                     |  |   |                              |    |
| Plug Off Zone  |                             |  |                      |                     |  |   |                              |    |
|  | otal base fluid of the hydr | n this well?<br>aulic fracturing treatment ex<br>submitted to the chemical |                      | Yes<br>? Yes<br>Yes | No (If No, ski                               | o questions 2 an<br>o question 3)<br>out Page Three o |                              |    |
| Shots Per Foot   |                             | ON RECORD - Bridge Plug<br>ootage of Each Interval Per                     |                      |                     | cture, Shot, Cement<br>mount and Kind of Mat |   | Depth                        |    |
|  |                             |  |                      |                     |  |   |                              |    |
|  |                             |  |                      |                     |  |   |                              |    |
|  |                             |  |                      |                     |  |   |                              |    |

Packer At:

Pumping

Mcf

Producing Method:

Flowing

Gas

Liner Run:

Gas Lift

Water

No

Gas-Oil Ratio

Gravity

Yes

Bbls.

Other (Explain)

TUBING RECORD:

Estimated Production

Per 24 Hours

Size:

Oil

Date of First, Resumed Production, SWD or ENHR.

Set At:

Bbls.

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

| Form      | ACO1 - Well Completion |
|-----------|------------------------|
| Operator  | Utah Oil LLC           |
| Well Name | VanTyle SV2            |
| Doc ID    | 1192528                |

# Casing

| Purpose<br>Of String | Size Hole<br>Drilled | Size<br>Casing<br>Set |    | Setting<br>Depth | Type Of<br>Cement |    | Type and<br>Percent<br>Additives |
|----------------------|----------------------|-----------------------|----|------------------|-------------------|----|----------------------------------|
| Surface              | 9                    | 7                     | 10 | 22               | Portland          | 6  | 50/50 POZ                        |
| Completio<br>n       | 5.6250               | 2.8750                | 8  | 309              | Portland          | 44 | 50/50 POZ                        |
|                      |                      |                       |    |                  |                   |    |                                  |
|                      |                      |                       |    |                  |                   |    |                                  |

## Summary of Changes

Lease Name and Number: VanTyle SV2

API/Permit #: 15-121-29674-00-00

Doc ID: 1192528

Correction Number: 1

Approved By: NAOMI JAMES

| Field Name          | Previous Value  | New Value   |
|---------------------|---|---|
| Approved Date       | 02/14/2014  | 03/05/2014  |
| Producing Formation | Burgis  | Hepler  |
| Save Link           | //kcc/detail/operatorE<br>ditDetail.cfm?docID=11<br>88889 | //kcc/detail/operatorE<br>ditDetail.cfm?docID=11<br>92528 |



Confidentiality Requested:

CONFIDENTIA

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1188889

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

| OPERATOR: License #                             |                      | API No. 15   |  |  |  |  |  |
|---|----------------------|--|--|--|--|--|--|
| Name:   |                      | Spot Description:  |  |  |  |  |  |
| Address 1:                                      |                      |  |  |  |  |  |  |
| Address 2:                                      |                      | Feet from North / South Line of Section                  |  |  |  |  |  |
| City: State: Zi                                 | 0:+                  | Feet from East / West Line of Section                    |  |  |  |  |  |
| Contact Person:                                 |                      | Footages Calculated from Nearest Outside Section Corner: |  |  |  |  |  |
| Phone: ()                                       |                      |  |  |  |  |  |  |
| CONTRACTOR: License #                           |                      | GPS Location: Lat:, Long:                                |  |  |  |  |  |
| Name:   |                      | (e.g. xx.xxxx) (e.gxxx.xxxxx)                            |  |  |  |  |  |
| Wellsite Geologist:                             |                      | Datum: NAD27 NAD83 WGS84                                 |  |  |  |  |  |
| Purchaser:                                      |                      | County:  |  |  |  |  |  |
| Designate Type of Completion:                   |                      | Lease Name: Well #:                                      |  |  |  |  |  |
| New Well Re-Entry                               | Workover             | Field Name:  |  |  |  |  |  |
|   |                      | Producing Formation:                                     |  |  |  |  |  |
|   | SIOW                 | Elevation: Ground: Kelly Bushing:                        |  |  |  |  |  |
| Gas D&A ENHR                                    | SIGW                 | Total Vertical Depth: Plug Back Total Depth:             |  |  |  |  |  |
| GSW   | Temp. Abd.           | Amount of Surface Pipe Set and Cemented at: Fee          |  |  |  |  |  |
| CM (Coal Bed Methane)                           |                      | Multiple Stage Cementing Collar Used? Yes No             |  |  |  |  |  |
| Cathodic Other (Core, Expl., etc.):             |                      |  |  |  |  |  |  |
| If Workover/Re-entry: Old Well Info as follows: |                      | If yes, show depth set: Feel                             |  |  |  |  |  |
| Operator:                                       |                      | If Alternate II completion, cement circulated from:      |  |  |  |  |  |
| Well Name:                                      |                      | feet depth to:w/sx cmt                                   |  |  |  |  |  |
| Original Comp. Date: Original To                | otal Depth:          |  |  |  |  |  |  |
| Deepening Re-perf. Conv. to El                  | NHR Conv. to SWD     | Drilling Fluid Management Plan                           |  |  |  |  |  |
| Plug Back Conv. to G                            | SW Conv. to Producer | (Data must be collected from the Reserve Pit)            |  |  |  |  |  |
|   |                      | Chloride content: ppm Fluid volume: bbls                 |  |  |  |  |  |
|   |                      | Dewatering method used:                                  |  |  |  |  |  |
|   |                      | Location of fluid disposal if hauled offsite:            |  |  |  |  |  |
|   |                      |  |  |  |  |  |  |
|   |                      | Operator Name:   |  |  |  |  |  |
|   |                      | Lease Name: License #:                                   |  |  |  |  |  |
| Spud Date or Date Reached TD                    | Completion Date or   | Quarter Sec Twp S. R East West                           |  |  |  |  |  |
| Recompletion Date                               | Recompletion Date    | County: Permit #:  |  |  |  |  |  |

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

## Submitted Electronically

| KCC Office Use ONLY             |  |  |  |  |  |
|---------------------------------|--|--|--|--|--|
| Confidentiality Requested       |  |  |  |  |  |
| Date:                           |  |  |  |  |  |
| Confidential Release Date:      |  |  |  |  |  |
| Wireline Log Received           |  |  |  |  |  |
| Geologist Report Received       |  |  |  |  |  |
| UIC Distribution                |  |  |  |  |  |
| ALT I II III Approved by: Date: |  |  |  |  |  |

#### KOLAR Document ID: 1188889

| Operator Nam | ne: |      |           | Lease Name: | Well #: |
|--------------|-----|------|-----------|-------------|---------|
| Sec          | Twp | S. R | East West | County:     |         |

Page Two

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

| Drill Stem Tests Taken<br>(Attach Additional Sh                                    | acate)   | Y          | ′es 🗌 No                         |                       |                                   | og Formatio                   | n (Top), Depth a      | and Datum                            | Sample                        |
|--|--|------------|----------------------------------|-----------------------|-----------------------------------|-------------------------------|-----------------------|--------------------------------------|-------------------------------|
| Samples Sent to Geolo  |  |            | ⁄es 🗌 No                         | 1                     | Name                              | Э                             |                       | Тор                                  | Datum                         |
| Cores Taken<br>Electric Log Run<br>Geologist Report / Mud<br>List All E. Logs Run: |  | □ Y<br>□ Y | Yes ☐ No<br>Yes ☐ No<br>Yes ☐ No |                       |                                   |                               |                       |                                      |                               |
|  |  | Rep        | CASING<br>ort all strings set-c  |                       | ] Ne                              | w Used<br>rmediate, productio | on. etc.              |                                      |                               |
| Purpose of String  | Size Hole<br>Drilled   | Siz        | ze Casing<br>et (In O.D.)        | Weight<br>Lbs. / Ft.  |                                   | Setting<br>Depth              | Type of<br>Cement     | # Sacks<br>Used                      | Type and Percent<br>Additives |
|  |  |            |                                  |                       |                                   |                               |                       |                                      |                               |
|  |  |            |                                  |                       |                                   |                               |                       |                                      |                               |
| [  |  |            | ADDITIONAL                       | CEMENTING /           | SQU                               | EEZE RECORD                   |                       |                                      |                               |
| Purpose:   | Perforate Top Bottom   |            | e of Cement                      | # Sacks Use           | d                                 |                               | Type and              | Percent Additives                    |                               |
| Protect Casing Plug Back TD Plug Off Zone  |  |            |                                  |                       |                                   |                               |                       |                                      |                               |
| 2. Does the volume of the  | 1. Did you perform a hydraulic fracturing treatment on this well?       Image: Constant on this well?       Image: Constant on this well?         2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?       Yes       Image: No (If No, skip questions 2 and 3)         3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?       Yes       Image: No (If No, skip question 3) |            |                                  |                       |                                   |                               |                       |                                      |                               |
| Date of first Production/Inj<br>Injection:   | jection or Resumed Pr  | oduction/  | Producing Meth                   | iod:                  |                                   | Gas Lift 🗌 O                  | ther <i>(Explain)</i> |                                      |                               |
| Estimated Production<br>Per 24 Hours   | Oil  | Bbls.      | Gas                              | Mcf                   | Water Bbls. Gas-Oil Ratio Gravity |                               |                       |                                      |                               |
| DISPOSITIO   | N OF GAS:  |            | Ν                                | IETHOD OF COM         | MPLE                              | TION:                         |                       | PRODUCTIC<br>Top                     | DN INTERVAL:<br>Bottom        |
| Vented Sold<br>(If vented, Subn  | Sold Used on Lease Open Hole Perf.   |            |                                  | -                     | ·                                 | nit ACO-4)                    | юр                    | Bollom                               |                               |
|  | foration Perform<br>Top Botto  |            | Bridge Plug<br>Type              | Bridge Plug<br>Set At |                                   | Acid,                         |                       | ementing Squeezend of Material Used) |                               |
|  |  |            |                                  |                       |                                   |                               |                       |                                      |                               |
|  |  |            |                                  |                       |                                   |                               |                       |                                      |                               |
|  |  |            |                                  |                       |                                   |                               |                       |                                      |                               |
|  |  |            |                                  |                       |                                   |                               |                       |                                      |                               |
| TUBING RECORD:   | Size:  | Set At:    |                                  | Packer At:            |                                   |                               |                       |                                      |                               |

| Form      | ACO1 - Well Completion |
|-----------|------------------------|
| Operator  | Utah Oil LLC           |
| Well Name | VanTyle SV2            |
| Doc ID    | 1188889                |

Perforations

| Shots Per Foot | Perforation Record | Material Record | Depth |
|----------------|--------------------|-----------------|-------|
| 2              | 236-259            | 2" DML RTG      | 23    |

| Form      | ACO1 - Well Completion |
|-----------|------------------------|
| Operator  | Utah Oil LLC           |
| Well Name | VanTyle SV2            |
| Doc ID    | 1188889                |

# Casing

| Purpose<br>Of String | Size Hole<br>Drilled | Size<br>Casing<br>Set |    | Setting<br>Depth | Type Of<br>Cement |    | Type and<br>Percent<br>Additives |
|----------------------|----------------------|-----------------------|----|------------------|-------------------|----|----------------------------------|
| Surface              | 9                    | 7                     | 10 | 22               | Portland          | 6  | 50/50 POZ                        |
| Completio<br>n       | 5.6250               | 2.8750                | 8  | 309              | Portland          | 44 | 50/50 POZ                        |
|                      |                      |                       |    |                  |                   |    |                                  |
|                      |                      |                       |    |                  |                   |    |                                  |

# LEASENIME LAN TYLE OPERATOR Utahorl SEAREDAUE 10/25/13 WILL-SUZ LOCATION: Newlan Caster KS APIE SURFACE PIPE 22 11 4 Communicater KS APIE PRODUCTION: PIPE 10 SIZE 2768 FT 3056.90 Baffic 277.9

| Thuckness | Formation                          | Commen!                                  | Deptr | Thickness      | Formation | Comment | Deptin |
|-----------|------------------------------------|--|-------|----------------|-----------|---------|--------|
| 6         | soil/Elay                          |  | 6     |                |           | -       |        |
| 32        | Lime                               |  | * 38  |                |           |         |        |
| 8         | Shale                              |  | 46    |                |           | ¢       |        |
| 19        | Lime                               |  | 65    |                |           |         |        |
| 4         | Shale                              |  | 69    |                |           |         |        |
| 5         | Lime                               |  | 74    |                |           |         |        |
| 3         | Shale                              |  | 77_   |                |           |         |        |
| <u> </u>  | Lime                               |  | 51    |                |           |         |        |
| 2         | Shalr                              |  | 83    |                |           |         |        |
| 4         | Lime                               | ~~~~                                     | 87    |                |           |         |        |
| 151       | Shale                              | Corepoint                                | 238   |                |           |         |        |
| 7         | Shale                              | Lifflebiged                              | 245   | i.<br>•••••••• |           |         |        |
| 5         | Shale<br>Shale<br>Liggin<br>Broken | Corepoint<br>Erench Band<br>Liftle Bleed | 250   |                |           |         |        |
| 3         | Greand                             | goodikleed                               | 253   |                |           |         |        |
| 1         | Lime<br>Brogend<br>Brogend         | 1  | 254   |                |           |         |        |
| 3         | biogend                            | LittleBleed                              | 257   | +              |           |         |        |
| 35        | Brosend                            |  | 259   |                | ļ         |         |        |
|           | Shale                              |  | 294   |                |           |         |        |
| 4         | Lime                               |  | 200   |                |           |         |        |
| 302       | Shale                              |  | 302   |                |           |         |        |
|           | Lime                               |  | 303   | <u> </u>       |           |         |        |
|           | Shale                              |  | 310   |                |           | -       |        |
| - 3       | Lime                               |  | 312   |                | +         |         |        |
| - 5       | Shale                              |  | 317   |                |           | +       |        |
|           | Lime                               | TD                                       | 322   |                |           |         |        |
|           |                                    |  |       |                |           |         |        |
|           |                                    |  |       |                |           |         |        |
|           |                                    |  |       | +              | +         | +       |        |
|           |                                    |  |       |                |           |         |        |
|           |                                    | +  |       |                |           |         |        |
|           |                                    |  |       |                | +         |         |        |
|           |                                    |  |       |                |           |         |        |
|           |                                    |  |       | 1              |           |         |        |
|           |                                    |  | -     |                |           |         |        |
|           |                                    |  |       | 1              | 1         |         | L      |



## DIY SUPPLY Ottawa #3505 2204 S PRINCETON CIRCLE DR OTTAWA, KS 66067

# PHONE: (785) 242-8200

# CUSTOMER COPY

CUST NO:JOB NO:PURCHASE ORDER:REFERENCE:\*9000DEAN UTAH OIL785-241-3923

TERMS: CLERK: CASH/CHECK/BANKCARD 9DDG

DATE / TIME: 8/30/13 2:00

SOLD TO: \*\*\*\* CASH \*\*\*\*

SHIP TO:

TERMINAL: 903 ORDER: 84425

DEL. DATE: 8/27/13

TAX: 090 OTTAWA SALES TAX



|                     |            | ORDERED                                      | -    | SKU     | DESCRIPTION   | SUGG | UNITS | PRICE/ PER  | EXTENSION       |
|---------------------|------------|--|------|---------|---|------|-------|-------------|-----------------|
| 1                   | 525        | 525  | EA   | 1290915 | PORTLAND CEMENT 94LB<br>MFG part# 1124-94   | 9.45 | 525   |             | 4,462.50        |
| 2                   | 15         | 15   | EA   | 5040001 | PALLET QUIKRETE/PAVESTN   |      | 15    | 15.00 /EA   | 225.00          |
|                     |            |  |      |         | MFG part# PALLET  |      | 15    | 13.00 /EA   | 225.00          |
|                     |            |  |      | IN NAYS | M.D. 8.50 15  | 00   |       |             |                 |
|                     |            |  |      | 9 1213  | an 8-30-13 in<br>Nore 3-20-13 AS  | ik.  |       |             |                 |
|                     |            |  |      | U PITA  | none Zapisa Ar  | e    |       |             |                 |
|                     |            |  |      | 1143    | 011 3-012   |      |       |             |                 |
|                     | 1          |  |      | 1.      |   |      |       |             |                 |
|                     |            |  |      | 4-an t  | h 3rd 25  | ~    |       |             |                 |
|                     |            |  |      | 1 010 1 | or se   | 2    |       |             |                 |
|                     |            |  |      | 10      | in the second |      |       |             |                 |
|                     |            |  |      | 13 01ta | he 3 <sup>rel</sup> of Sey<br>back  |      |       |             |                 |
|                     |            |  |      | 10 /12  |   |      |       |             |                 |
|                     |            |  |      |         |   |      |       |             |                 |
|                     |            |  |      |         |   | 4    |       |             |                 |
|                     |            |  |      |         |   |      |       |             |                 |
|                     |            |  |      |         |   |      | - 4   |             |                 |
|                     |            |  |      |         |   |      |       |             |                 |
|                     |            |  |      |         |   |      |       |             | 22              |
|                     |            |  |      |         |   |      |       |             |                 |
|                     |            |  |      | 40      |   |      |       |             |                 |
|                     |            | 1  |      |         |   |      |       |             |                 |
|                     |            |  |      |         |   |      |       | TAXABLE     | 4697 60         |
|                     |            |  |      |         |   |      |       | NON-TAXABLE | 4687.50<br>0.00 |
| RIOR                | DEPOSIT    | 509  | 7.66 |         |   |      |       | SUBTOTAL    | 4687.50         |
| 1 <b>1</b>      111 |            | <b>91   91   91   1   9</b> 1   91   91   91 |      |         |   |      |       | TAX AMOUNT  | 410.16          |
|                     |            |  |      |         |   |      |       | TOTAL       | 5097.66         |
|                     | VT: 49350. |  |      |         |   |      |       |             |                 |
| 0. 1                |            | .00  |      | 1       |   | Х    |       |             |                 |