CORRECTION #1

Kansas Corporation Commission Confidentiality Requested: OIL & GAS CONSERVATION DIVISION Yes No

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15			
Name:	Spot Description:			
Address 1:	SecTwpS. R			
Address 2:	Feet from North / South Line of Section			
City:	Feet from _ East / _ West Line of Section			
Contact Person:	Footages Calculated from Nearest Outside Section Corner:			
Phone: ()	□NE □NW □SE □SW			
CONTRACTOR: License #	GPS Location: Lat:, Long:			
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxxx)			
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84			
Purchaser:	County:			
Designate Type of Completion:	Lease Name: Well #:			
New Well Re-Entry Workover	Field Name:			
	Producing Formation:			
Oil	Elevation: Ground: Kelly Bushing:			
OG GSW Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:			
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet			
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?			
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet			
Operator:	If Alternate II completion, cement circulated from:			
Well Name:	feet depth to:w/sx cmt.			
Original Comp. Date: Original Total Depth:				
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Drilling Fluid Management Plan			
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)			
Demois #	Chloride content: ppm Fluid volume: bbls			
Commingled Permit #:	Dewatering method used:			
SWD Permit #:	Location of fluid disposal if hauled offsite:			
ENHR Permit #:	Location of fluid disposal if fladied offsite.			
GSW Permit #:	Operator Name:			
	Lease Name: License #:			
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R			
Recompletion Date Recompletion Date	County: Permit #:			

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II III Approved by: Date:						

CORRECTION #1

Operator Name:				_ Lease l	Name: _			Well #:		
Sec Twp	S. R	East V	West	County	:					
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in pres o surface test, along	sures, whether s with final chart(shut-in pre s). Attach	ssure reac extra shee	hed stati t if more	c level, hydrosta space is neede	itic pressures, bot d.	tom hole temp	erature, flui	d recovery,
Final Radioactivity Lo- files must be submitte						gs must be ema	ailed to kcc-well-lo	gs@kcc.ks.go	v. Digital el	ectronic log
Drill Stem Tests Taker (Attach Additional S		Yes	No				on (Top), Depth ar			mple
Samples Sent to Geo	logical Survey	Yes	☐ No		Nam	e		Тор	Da	tum
Cores Taken Electric Log Run		☐ Yes ☐ Yes	☐ No ☐ No							
List All E. Logs Run:										
			CASING		☐ Ne					
	0: 11-1-	· ·				ermediate, product		# O	T	d Damasat
Purpose of String	Size Hole Drilled	Size Cas Set (In O		Weig Lbs. /		Setting Depth	Type of Cement	# Sacks Used		d Percent itives
		AD	DITIONAL	CEMENTIN	NG / SQL	JEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Ce	ement	# Sacks	Used		Type and F	ercent Additives		
Perforate Protect Casing										
Plug Back TD Plug Off Zone										
Did you perform a hydrau	•					Yes	No (If No, ski	p questions 2 ar	nd 3)	
Does the volume of the to							= :	p question 3)	of the ACO	()
Was the hydraulic fractur	ing treatment information	on submitted to the	e chemicai d	isciosure re	gistry?	Yes	No (If No, fill	out Page Three	or the ACO-1	<i>)</i>
Shots Per Foot		ION RECORD - I Footage of Each I					cture, Shot, Cement mount and Kind of Ma		d	Depth
TUBING RECORD:	Size:	Set At:		Packer A	i:	Liner Run:	Yes No			
Date of First, Resumed	Production, SWD or Ef	NHR. Prod	ducing Meth	ıod:		1				
			Flowing	Pumpin	g	Gas Lift C	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er B	bls. (Gas-Oil Ratio		Gravity
DISPOSITIO	ON OF GAS:		M	METHOD OF	COMPLE	ETION:		PRODUCTION	ON INTERVA	
Vented Sold		Open		Perf.	Dually	Comp. Cor	mmingled			
	bmit ACO-18.)		(Specify)		(Submit)	ACO-5) (Sub	mit ACO-4)			

Form	ACO1 - Well Completion
Operator	Utah Oil LLC
Well Name	VanTyle SV5
Doc ID	1192539

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9	7	10	20	Portland	5	50/50 POZ
Completio n	5.6250	2.8750	8	315	Portland	41	50/50 POZ

Summary of Changes

Lease Name and Number: VanTyle SV5

API/Permit #: 15-121-29677-00-00

Doc ID: 1192539

Correction Number: 1

Approved By: NAOMI JAMES

Field Name	Previous Value	New Value
Approved Date	02/18/2014	03/05/2014
Producing Formation	Burgis	Hepler
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=11 88916	//kcc/detail/operatorE ditDetail.cfm?docID=11 92539



Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1188916

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

CONFIDENTIAL WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15
Name:			Spot Description:
Address 1:			SecTwpS. R
Address 2:			Feet from North / South Line of Section
City: Sta	ate: Zi	ip:+	Feet from East / West Line of Section
Contact Person:			Footages Calculated from Nearest Outside Section Corner:
Phone: ()			□NE □NW □SE □SW
CONTRACTOR: License #			GPS Location: Lat:, Long:
Name:			(e.g. xx.xxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:			Datum: NAD27 NAD83 WGS84
Purchaser:			County:
Designate Type of Completion:			Lease Name: Well #:
New Well Re-l	Entry	Workover	Field Name:
	_		Producing Formation:
Oil WSW SWD	SIOW □ SIGW	Elevation: Ground: Kelly Bushing:	
☐ Gas ☐ D&A	☐ ENHR	Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	dow	тетір. Ава.	Amount of Surface Pipe Set and Cemented at: Fe
Cathodic Other (Core,	. Expl., etc.);		Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info			If yes, show depth set: Fe
Operator:			If Alternate II completion, cement circulated from:
Well Name:			feet depth to:w/sx cr
Original Comp. Date:			,
Deepening Re-perf.	Conv. to E	NHR Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back	Conv. to G	SW Conv. to Producer	(Data must be collected from the Reserve Pit)
Comming to d	Dait #-		Chloride content:ppm Fluid volume:bb
CommingledDual Completion			Dewatering method used:
SWD			Location of fluid disposal if hauled offsite:
☐ ENHR			Location of haid disposal in fladica offsite.
☐ GSW			Operator Name:
_			Lease Name: License #:
Spud Date or Date Read	ched TD	Completion Date or	Quarter Sec. TwpS. R East We
Recompletion Date		Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II Approved by: Date:						

KOLAR Document ID: 1188916

Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [East	West	County:					
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool erature, fluid recovery, Digital electronic log
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name)		Тор	Datum
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€ Y€	es No						
			Repo		RECORD [Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[Depth	Typo		# Sacks Use		EEZE RECORD	Typo a	nd Percent Additives	
Perforate Protect Ca Plug Back	Top	Bottom	Type of Cement		# Jacks Osed		- Type and Forcent Addition			
Plug Off Z										
Did you perform Does the volum Was the hydraul	e of the total base	fluid of the hyd	draulic fra	cturing treatmen		•	Yes ns? Yes	No (If No	, skip questions 2 an , skip question 3) , fill out Page Three o	,
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)		
Estimated Produc	otion	Oil Bb	le.	Flowing Gas	Pumping	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPO	OSITION OF GAS	S:		N	METHOD OF CO	MPLE.	TION:		PRODUCTIO	N INTERVAL:
Vented	Sold Use	d on Lease		Open Hole		Dually		nmingled	Тор	Bottom
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (Subi	mit ACO-4)		
Shots Per Foot	Perforation Top	Perforation Bottom	on	Bridge Plug Type	Bridge Plug Set At		Acid,		Cementing Squeeze Kind of Material Used)	Record
TUBING RECOR	D: Size:		Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Utah Oil LLC
Well Name	VanTyle SV5
Doc ID	1188916

Perforations

Shots Per Foot	Perforation Record	Material Record	Depth
2	232-259	2" DML RTG	27

Form	ACO1 - Well Completion
Operator	Utah Oil LLC
Well Name	VanTyle SV5
Doc ID	1188916

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9	7	10	20	Portland	5	50/50 POZ
Completio n	5.6250	2.8750	8	315	Portland	41	50/50 POZ

WILL SV-5 LOCATION: What oil SLARIDATIO-29-13

TOTACE DIDE	7" It 20	Cemem(=bags)	5
PRODUCTION:	PIPE	SIZI: 27/x	315,25

Forma	Forma	ion	Comment		Thickness	Formation	Comment	Depth
501	501 4	clay		4				
	lime		•	33				
	shale			45				
-	lim			60			<u> </u>	
	shal		State V	65			***************************************	
	lim			67				
	shal-			73		ļ		
	lime			יר				
	shal			81		-		
-	lime	THE RESERVE THE PARTY OF THE PA		85				
	shale			95				
oil s	01/ 30	nd	very good Sleed	97			1	
3.11.	3.11,	shele		99		1		
san	san)	good bleed	101		1		
selfy	silty	shale		166				
shal	shal	4		110				
grey:	greys	and		115				
whal	shul.	_		233	-			
د اره	oil s	, nd	good bleed	234	ļ			
1.00	1.00	e_	270	234.5	<u> </u>			
broke	broken	sand	1.15 good bleed	236	-			
Lines	Lines	Sand	good bleed	238	ļ			
lost	lost	sound	very good bleed	245.5	1			
lime	limey	sad	and bleed	47	1			
booke	booker	sad	good blead	249				
1.me	lime	sand	1	249.5			+	
0.1	0.1	on -d	very good blead	255			Kenny	
امرزا	lime	ysno	good bleed	258.5		-	3 cores	
sand	sand	sha le	line lite blood				95 - 102	
	Sha			317	-		233- 271	
	lim		TD	350			34 BAFFLE	
							_	
					1			
								-117



DIY SUPPLY Ottawa #3505 2204 S PRINCETON CIRCLE DR **OTTAWA, KS 66067**

PHONE: (785) 242-8200

PAGE NO 1 **CUSTOMER**

CUST NO *****9

41

JOB NO: 000

PURCHASE ORDER: DEAN UTAH OIL REFERENCE:

785-241-3923

1 1

TERMS: CASH/CHECK/BANKCARD

CLERK: 102

9/13/13

7:36

TERMINAL: 901 ORDER: 88135

SOLD TO: **** CASH **** SHIP TO: DEAN

DEL. DATE: 9/11/13

TAX: 090 OTTAWA SALES TAX

INVOICE: A88406

								Tallani peni	EVTENCION
TINE	SHIPPED	ORDERED	UM	SKU	DESCRIPTION	SUGG	UNITS		EXTENSION
1	490	490	EA	1290915	PORTLAND CEMENT 94LB	9.45	490	8.50 /EA	4,165.00
		Marie S.			MFG part# 1124-94			45.00 (54	-60.00 R
. 3	-4	-4	EA	5040001	PALLET QUIKRETE/PAVESTN	1	4	15.00 /EA	-00.00 1
					CREDIT RETURN	1	1		
					MFG part# PALLET	1	1	N.	
4		1			Orig: A85031/9 08/30/13 TX:	. 1			
				34)	9-13-13 MBC				
					** DAID IN EILL! **		4 19	TAXABLE	4105.00

** PAID IN FULL **

4464.19

TAXABLE NON-TAXABLE SUBTOTAL

0.00 4105.00

CHECK PAYMENT CK# 1884

4464.19

TAX AMOUNT

359.19

TOTAL

4464.19



TOT WT: 46060.00

Received By