CORRECTION #1

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R East West
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
☐ Oil ☐ WSW ☐ SWD ☐ SIOW	Producing Formation:
Gas D&A ENHR SIGW	Elevation: Ground: Kelly Bushing:
☐ OG ☐ GSW ☐ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content:ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

Confidentiality Requested:

Yes No

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
☐ Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II Approved by: Date:

CORRECTION #1

Operator Name:				Lease N	Name: _			Well #:		
Sec Twp	S. R	East	West	County	:					
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in pres o surface test, along	sures, whethe with final cha	er shut-in pre art(s). Attach	essure reac n extra shee	hed stati t if more	c level, hydrosta space is neede	itic pressures, bot d.	tom hole temp	erature, fluid re	ecovery,
Final Radioactivity Lo files must be submitte						ogs must be ema	ailed to kcc-well-lo	gs@kcc.ks.go	v. Digital electr	ronic log
Drill Stem Tests Taker (Attach Additional		Yes	☐ No				on (Top), Depth ar		Sampl	
Samples Sent to Geo	logical Survey	Yes	□No		Nam	е		Тор	Datum	1
Cores Taken Electric Log Run		☐ Yes ☐ Yes	☐ No ☐ No							
List All E. Logs Run:										
				RECORD	Ne					
	2	1				ermediate, product		T	I	
Purpose of String	Size Hole Drilled		Casing n O.D.)	Weig Lbs. /		Setting Depth	Type of Cement	# Sacks Used	Type and Pe Additive	
			ADDITIONAL	CEMENTIN	NG / SQL	JEEZE RECORD				
Purpose:	Depth Top Bottom	Type of	Cement	# Sacks	Used		Type and F	ercent Additives		
Perforate Protect Casing	100 20111111									
Plug Back TD Plug Off Zone										
1 lug 0 li 20 lio										
Did you perform a hydrau	ulic fracturing treatment	on this well?				Yes	No (If No, ski	ip questions 2 ar	nd 3)	
Does the volume of the t							= :	p question 3)		
Was the hydraulic fractur	ring treatment information	on submitted to	the chemical	disclosure re	gistry?	Yes	No (If No, fill	out Page Three	of the ACO-1)	
Shots Per Foot		ION RECORD Footage of Eac					cture, Shot, Cement			epth
	open,					,,				
TUBING RECORD:	Size:	Set At:		Packer A	t:	Liner Run:				
							Yes No			
Date of First, Resumed	Production, SWD or Ef	NHR. F	Producing Met	hod: Pumpin	a	Gas Lift 0	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat			Gas-Oil Ratio	Gra	avity
	1									
	ON OF GAS:		en Hole	METHOD OF			mmingled	PRODUCTION	ON INTERVAL:	ļ
Vented Solo	I Used on Lease bmit ACO-18.)		en noie _	Perf.	(Submit		mmingled mit ACO-4)			

Form	ACO1 - Well Completion
Operator	Utah Oil LLC
Well Name	VanTyle SV19
Doc ID	1192542

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9	7	10	20	Portland	6	50/50 POZ
Completon	5.6250	2.8750	8	262	Portland	41	50/50 POZ

Summary of Changes

Lease Name and Number: VanTyle SV19

API/Permit #: 15-121-29753-00-00

Doc ID: 1192542

Correction Number: 1

Approved By: NAOMI JAMES

Field Name	Previous Value	New Value
Approved Date	02/19/2014	03/05/2014
Producing Formation	Burgis	Hepler
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=11 89015	//kcc/detail/operatorE ditDetail.cfm?docID=11 92542



Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1189015

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

CONFIDENTIAL WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
□ Oil □ WSW □ SWD □ SIOW □ Gas □ D&A □ ENHR □ SIGW	Elevation: Ground: Kelly Bushing:
OG GSW Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Demot #	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	Location of fluid disposal if fladied offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

KOLAR Document ID: 1189015

Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [East	West	County:					
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool erature, fluid recovery, Digital electronic log
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name)		Тор	Datum
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€ Y€	es No						
			Repo		RECORD [Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[Depth	Typo	of Cement	# Sacks Use		EEZE RECORD	Typo a	nd Percent Additives	
Perforate Protect Ca Plug Back	Top	Bottom	туре	or cement	# Sacks Use	,u		туре а	ia Percent Additives	
Plug Off Z										
Did you perform Does the volum Was the hydraul	e of the total base	fluid of the hyd	draulic fra	cturing treatmen		•	Yes ns? Yes	No (If No	, skip questions 2 an , skip question 3) , fill out Page Three o	,
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)		
Estimated Produc	otion	Oil Bb	le.	Flowing Gas	Pumping Mcf	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPO	OSITION OF GAS	S:		N	METHOD OF CO	MPLE.	TION:		PRODUCTIO	N INTERVAL:
Vented	Sold Use	d on Lease		Open Hole		Dually		nmingled	Тор	Bottom
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (Subi	mit ACO-4)		
Shots Per Foot	Perforation Top	Perforation Bottom	on	Bridge Plug Type	Bridge Plug Set At		Acid,		Cementing Squeeze Kind of Material Used)	Record
TUBING RECOR	D: Size:		Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Utah Oil LLC
Well Name	VanTyle SV19
Doc ID	1189015

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	9	7	10	20	Portland	6	50/50 POZ
Completon	5.6250	2.8750	8	262	Portland	41	50/50 POZ

LEASE NAME Ve. Tyle OPERATOR WELL & STARIDATE: 11-19-13
WELL & SV-19 LOCATION: API =

SURFACE PIPE: 7" Ft 20 Cement #bags) & PRODUCTION: PIPE: SIZE: #FT

Thickness	Formation	Comment	Depth	Thickness	Formation	Comment	Depth
5	soil reles		5				
32	1:~		\$ 37				
8	Shale		45				
20	line		65				
13	shole		78				
	line		83				
15	Shele		98				
3	broken se-1	life bleed	161				
Ч	graysand		105				/
4	orland	good blood	109				
126	skela		235				
10	grex send		245				
6	Broken sand	very laminated very lockberry	251				
1	10mg		252				
ጌ	skele		254				
l	lim		255				
7	shele	10	262				

						Kenny	
						1 earc 245-262	
						Dry Hole	
						<u> </u>	
Western Williams							
-secretarius viji-secolo							
www.me-Anti-polary/PACC							
							LI CONTRACTOR OF THE CONTRACTO
						Period and the second	



DIY SUPPLY Ottawa #3505 2204 S PRINCETON CIRCLE DR **OTTAWA, KS 66067**

PHONE: (785) 242-8200

PAGE NO 1 **CUSTOMER**

CUST NO *****9

41

JOB NO: 000

PURCHASE ORDER: DEAN UTAH OIL REFERENCE: 785-241-3923 TERMS:

CASH/CHECK/BANKCARD

CLERK: 102

7:36 9/13/13

SOLD TO: **** CASH **** SHIP TO: DEAN

DEL. DATE: 9/11/13

TERMINAL: 901 ORDER: 88135

1 1

TAX: 090 OTTAWA SALES TAX

INVOICE: A88406

								DDIOE! DED	EXTENSION
LINE	SHIPPED	ORDERED	UM	SKU	DESCRIPTION	SUGG	UNITS		4,165.00
1	490	490		1290915	PORTLAND CEMENT 94LB	9.45	490	8.50 /EA	4,105.00
	110-7-7-	in in the second			MFG part# 1124-94			45.00 (EA	-60.00 R
3	-4	-4	EA	5040001	PALLET QUIKRETE/PAVESTN	1	4	15.00 /EA	-00.00 //
8					CREDIT RETURN	1			
					MFG part# PALLET				
4		1		1	Orig: A85031/9 08/30/13 TX:			1	
				349	9-13-13 MBC				
							4.10	TAXABLE	4105.00

** PAID IN FULL **

4464.19

TAXABLE NON-TAXABLE SUBTOTAL

4105.00 0.00 4105.00

CHECK PAYMENT CK# 1884

4464.19

TAX AMOUNT

359.19

TOTAL

4464.19

TOT WT: 46060.00

Received By