Confidentiality Requested:

CORRECTION #1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1199266

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15				
Name:			Spot Description:				
Address 1:							
Address 2:			Feet from Dorth / South Line of Section				
City: St	ate: Zip	D:+	Feet from East / West Line of Section				
Contact Person:			Footages Calculated from Nearest Outside Section Corner:				
Phone: ()							
CONTRACTOR: License #			GPS Location: Lat:, Long:				
Name:			(e.g. xx.xxxx) (e.gxxx.xxxx)				
Wellsite Geologist:			Datum: NAD27 NAD83 WGS84				
Purchaser:			County:				
Designate Type of Completion:			Lease Name: Well #:				
	Entry	Markovar	Field Name:				
	_	Workover	Producing Formation:				
	SWD	SIOW	Elevation: Ground: Kelly Bushing:				
Gas D&A			Total Vertical Depth: Plug Back Total Depth:				
	GSW	Temp. Abd.	Amount of Surface Pipe Set and Cemented at: Feet				
CM (Coal Bed Methane)			Multiple Stage Cementing Collar Used?				
Cathodic Other (Core							
If Workover/Re-entry: Old Well Inf	o as follows:		If yes, show depth set: Feet				
Operator:			If Alternate II completion, cement circulated from:				
Well Name:			feet depth to:w/sx cmt.				
Original Comp. Date:	Original To	tal Depth:					
Deepening Re-perf.	Conv. to EN	IHR Conv. to SWD	Drilling Fluid Management Plan				
Plug Back	Conv. to GS	SW Conv. to Producer	(Data must be collected from the Reserve Pit)				
	De weeit #e		Chloride content: ppm Fluid volume: bbls				
Commingled Dual Completion			Dewatering method used:				
			Location of fluid disposal if hauled offsite:				
			Location of huid disposal if hadied offsite.				
			Operator Name:				
			Lease Name: License #:				
Spud Date or Date Rea	iched TD	Completion Date or	Quarter Sec TwpS. R East West				
Recompletion Date		Recompletion Date	County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

1199266

Operator Name: L				Lease Name:					Well #:	_ Well #:					
Sec	Twp	_S.	R	East	West	County:									
							_								

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken Yes No			L	og Formatio	on (Top), Depth an	d Datum	Sample	
Samples Sent to Geolog	,	Yes No	Nam	e		Тор	Datum	
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No						
List All E. Logs Run:								
		CASING Report all strings set-c			ion, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
[ADDITIONAL	CEMENTING / SQU	EEZE RECORD				
Purpose: Depth Type of Cement # Sacks				Used Type and Percent Additives				
Protect Casing Plug Back TD								
Plug Off Zone								
Did you perform a hydraulic	fracturing treatment of	on this well?		Yes	No (If No, skij	o questions 2 an	d 3)	
Does the volume of the tota	I base fluid of the hydr	aulic fracturing treatment ex	ceed 350,000 gallons'	Yes	No (If No, skip	o question 3)		
Was the hydraulic fracturing	treatment information	n submitted to the chemical c	lisclosure registry?	Yes	No (If No, fill o	out Page Three o	of the ACO-1)	

Shots Per Foot		PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Depth		
TUBING RECORD:	Siz	ze:	Set At:	: Pack	er At:	Liner F	Run:	No	
Date of First, Resumed Production, SWD or ENHR.				Producing Method:	mping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas Mcf	Wat	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITI	ION OF G	AS:		METHOD	OF COMPL	ETION:		PRODUCTION INT	ERVAL:
Vented Solo	_	Jsed on Lease		Open Hole Perf.	Dually (Submit	/ Comp.	Commingled (Submit ACO-4)		
(If vented, Su	ıbmit ACO	-18.)		Other (Specify)		,	(000,111,100,4)		

Summary of Changes

Lease Name and Number: Pedrow 15-IW API/Permit #: 15-003-25710-00-00 Doc ID: 1199266

Correction Number: 1

Approved By: NAOMI JAMES

Field Name	Previous Value	New Value
Approved Date	03/12/2013	04/11/2014
Completion Or Recompletion Date	02/06/2013	02/11/2013
Fracturing Question 1		No
LocationInfoLink	https://solar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=28&t	https://kolar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=28&t
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=11 23858	//kcc/detail/operatorE ditDetail.cfm?docID=11 99266



CONFIDENTIAL WELL COMPLETION EOPM

1123858

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

	LICTORY	DESCOID		
VVELL	HISIURI	- DESCRIP	WELL Q	LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from Cast / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
	Field Name:
Wellsite Geologist:	
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: Plug Back Total Depth:
	Amount of Surface Pipe Set and Cemented at: Feet
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used? Yes No
OG GSW Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	feet depth to:w/sx cmt
If Workover/Re-entry: Old Well Info as follows:	
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: ppm Fluid volume: bbls
	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	
Dual Completion Permit #:	Operator Name:
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	Quarter Sec TwpS. R East West
GSW Permit #:	County: Permit #:
Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Letter of Confidentiality Received						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II III Approved by: Date:						

KOLAR Document ID: 1123858

Operator Nam	ne:			Lease Name:	Well #:
Sec	Twp	S. R	East West	County:	

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	acate)	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No						
		Rep	CASING ort all strings set-c] Ne	w Used rmediate, productio	on. etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
[ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose:	Depth Top Bottom	Туре	e of Cement	# Sacks Use	d		Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
 Did you perform a hydra Does the volume of the Was the hydraulic fracture 	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:		Ν	IETHOD OF COM	MPLE	TION:		PRODUCTIC Top	DN INTERVAL: Bottom
Vented Sold Used on Lease Oper (If vented, Submit ACO-18.)		Open Hole		Dually Comp. Commingled (Submit ACO-5) (Submit ACO-4)			юр	Bollom	
	Perforation Perforation Bridge Plug Bridge Plug Acid, Fracture, Shot, Cementing Squeeze Record Top Bottom Type Set At (Amount and Kind of Material Used)								
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Tailwater, Inc.
Well Name	Pedrow 15-IW
Doc ID	1123858


Casing

	Size Hole Drilled	Size Casing Set	U U	Setting Depth	Type Of Cement		Type and Percent Additives
surface	9.8750	7	17	22	Portland	6	
completion	5.6250	2.8750	6.45	871	Portland	120	50/50 POZ

/ 👗 🗋 c)il Wall Sarvice	s. LLG	JUL .		LOCATION_		<u> </u>
	and in South Charles and a				FOREMAN C	aser Kenn	edy
20 Box 884. Ch	anute, KS 6672		ELD TICKET & TRE	ATMENT REI	PORT		
	r 800-467-8676		CEME	INT			
DATE	CUSTOMER #	WE	L NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
2/11/13	7800	Pedroc	0 #15-IW	NE 28	20	20	AN
CUSTOMER	1-1-1			TRUCK#			
MAILING ADDRE	ss Inc	•			Casker	TRUCK#	DRIVER
		Dr. Suit	212	666		V Satety	Therry
	voud are I	STATE		548	KeiCar	K	
OKahama	City	OK	73116	675	Dortes		
IOB TYPE 100	estrine	HOLE SIZE	SS/2" HOLE DEF		CASING SIZE & V	VEIGHT J7/2	"EF
ASING DEPTH	7-1-1	DRILL PIPE	TUBING		- 	OTHER	
				al/sk	CEMENT LEFT in		·
	5.04 4/5	-			RATE 4,56		
REMARKS: he			stablished circu	lation unit		*****	Prentisin
	ved by 10		rech water mi				BRUNIX
Zer tolloc		el per s					
N' " - II			to w/ 5.04			unp clea.	
$\frac{1}{2}$		chstra					
<u>-51, well</u>	held pla	ssure Tr	or 30 min L	IT, releas	ed préssure	shut in	casing.
			·				
						$\neq \rightarrow$	<u> </u>
)		
					/	r	
ACCOUNT CODE	QUANITY	or UNITS	DESCRIPTION	l of SERVICES or Pl	RODUCT	UNIT PRICE	TOTAL
5401]		PUMP CHARGE				1030.00
54010	25 m	•	MILEAGE			· · · · · · · · · · · · · · · · · · ·	100,00
5402	C11'		asing footage				
5 10 0	- VOTI		ton milegge	· ·			175,00
5104	<u>/2 Min</u>			·······			
SSOZC	2 hrs		80 Vac	<u> </u>			180,00
					·	· · · · · · · · · · · · · · · · · · ·	ļ
1124	176	el-e	50/- 82.	Course		<u> </u>	1714 00
	120	Sks	50,50 Pozmix	<u>^</u>		·	<u>1314.</u>
11188	305	井	Ptenium Ge			· · · · ·	<u> </u>
4402	1		21/2" Nober	dug			28.00
						7	
							6 6 6 C
				· .		00111	a second
				··· · · · · · · · · ·	181	Low Le	
						-	1
					·		· · · · · · · · · · · · · · · · · · ·
					Z.82	SALES TAX	109.62
avin 3737					+:0 (ESTIMATED	
						TOTAL	3000.04
UTHORIZTION_	Inc		TITLE			DATE	

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

i



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Paola, KS 66071

Phone: 913-557-9083 Fax: 913-557-9084

WELL LOG Tailwater, Inc. Pedrow #15-IW API #15-003-25,710 February 5 - February 6, 2013

Thickness of Strata	Formation	Total
9	soil & clay	9
3	clay & gravel	12
67	shale	79
27	lime	106
69	shale	175
10	lime	185
6	shale	191
37	lime	228
5	shale	233
23	lime	256
3	shale	259
23	lime	282 base of the Kansas City
170	shale	452
3	lime	455
14	shale	469
8	lime	477 oil show
11	shale	488
10	oil sand	498 green, ok bleeding
27	shale	525
1 7	coal	526
6	shale	533
15	lime	539
8	shale	554
33	lime	562
7	shale	595
30	lime	602
6	shale	632
35	broken sand	638 brown & green, ok bleeding
1	shale	673
6	lime & shells	674
4	oil sand	680 brown, ok bleeding
3	shale	684
69	sand	687 black, no oil show
2	shale	756
22	oil sand	758 grey, light show
24	shale	780
27	silty shale	804

Pedrow #15-IW

Page 2

7	sand	811 grey, no oil show
3	shale	814
4	sand	818 green, no oil show
2	sand	820 white, no oil show
61	shale	881 TD

Drilled a 9 7/8" hole to 22.4' Drilled a 5 5/8" hole to 881'

Set 22.4' of 7" surface casing cemented with 6 sacks of cement.

Set 871' of 2 7/8" 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner Sam Brownback, Governor

March 11, 2013

Christian L. Martin Tailwater, Inc. 6421 AVONDALE DR STE 212 OKLAHOMA CITY, OK 73116-6428

Re: ACO1 API 15-003-25710-00-00 Pedrow 15-IW NE/4 Sec.28-20S-20E Anderson County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Christian L. Martin