Confidentiality Requested:

CORRECTION #1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1212407

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

OPERATOR: License #		API No. 15		
Name:		Spot Description:		
Address 1:				
Address 2:		Feet from North / South Line of Section		
City: Sta	ate: Zip:+	Feet from East / West Line of Section		
Contact Person:		Footages Calculated from Nearest Outside Section Corner:		
Phone: ()				
CONTRACTOR: License #		GPS Location: Lat:, Long:		
Name:		(e.g. xx.xxxx) (e.gxxx.xxxxx)		
Wellsite Geologist:		Datum: NAD27 NAD83 WGS84		
Purchaser:		County:		
Designate Type of Completion:		Lease Name: Well #:		
New Well	Entry Workover	Field Name:		
	·	Producing Formation:		
Oil WSW	SWD SIOW	Elevation: Ground: Kelly Bushing:		
	GSW Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:		
CM (Coal Bed Methane)		Amount of Surface Pipe Set and Cemented at: Feet		
	Expl., etc.):	Multiple Stage Cementing Collar Used?		
If Workover/Re-entry: Old Well Info		If yes, show depth set: Feet		
-		If Alternate II completion, cement circulated from:		
		feet depth to:w/sx cmt.		
Original Comp. Date:	Original Total Depth:			
Deepening Re-perf.	Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan		
Plug Back	Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)		
Commingled	Permit #:	Chloride content: ppm Fluid volume: bbls		
Dual Completion	Permit #:	Dewatering method used:		
	Permit #:	Location of fluid disposal if hauled offsite:		
	Permit #:			
GSW	Permit #:	Operator Name:		
		Lease Name: License #:		
Spud Date or Date Read	ched TD Completion Date or	QuarterSecTwpS. R East West		
Recompletion Date	Recompletion Date	County: Permit #:		

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received							
Geologist Report Received							
UIC Distribution							
ALT I II III Approved by: Date:							

CORRECTION #1

1212407

Operator Name:				Lease Name:	_ Well #:
Sec	Twp	S. R	East West	County:	

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taker		Yes No	No Log Formation (Top), Depth and Datum			Sample	
(Attach Additional Samples Sent to Geo	,	Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		CASING Report all strings set-c	RECORD Ne		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	JEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Jsed Type and Percent Additives			
Protect Casing Plug Back TD							
Plug Off Zone							
	otal base fluid of the hydr	on this well? raulic fracturing treatment ex n submitted to the chemical o	-	☐ Yes [? ☐ Yes [☐ Yes [No (If No, ski	p questions 2 an p question 3) out Page Three o	
Shots Per Foot		ON RECORD - Bridge Plug ootage of Each Interval Perf			cture, Shot, Cement mount and Kind of Ma		d Depth

TUBING RECORD:	Siz	ze:	Set At:		Packer	r At:	Liner F		No	
				Producing N		ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
				-					1	
DISPOSITION OF GAS:			METHOD OF COMPLET		TION:		PRODUCTION IN	TERVAL:		
Vented Sold Used on Lease			Open Hole	Perf.	Uually	Comp.	Commingled (Submit ACO-4)			
(If vented, Submit ACO-18.)			Other (Specify))	(Cubinit)		(000/11/100 4)			

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Form	ACO1 - Well Completion
Operator	Magnum Exploration Kansas, LLC
Well Name	Thrasher 2
Doc ID	1212407

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	9	7	10	40	Portland	8	50/50 POZ
Completio n	5.6250	2.8750	8	845	Portland	145	50/50 POZ

Summary of Changes

Lease Name and Number: Thrasher 2 API/Permit #: 15-045-22213-00-00 Doc ID: 1212407 Correction Number: 1 Approved By: NAOMI JAMES

Field Name	Previous Value	New Value
Approved Date	05/29/2014	06/30/2014
Operator's Contact Name	James Roberts	C.W. Roberts
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=12 07533	//kcc/detail/operatorE ditDetail.cfm?docID=12 12407



ION 1207533

Confidentiality Requested:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form r

August 2013 Form must be Typed Form must be Signed All blanks must be Filled

Form ACO-1

CONFIDENTIAL WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15		
Name:	Spot Description:		
Address 1:			
Address 2:	Feet from Dorth / South Line of Section		
City: State: Zip:+	Feet from East / West Line of Section		
Contact Person:	Footages Calculated from Nearest Outside Section Corner:		
Phone: ()			
CONTRACTOR: License #	GPS Location: Lat:, Long:		
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)		
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84		
Purchaser:	County:		
Designate Type of Completion:	Lease Name: Well #:		
New Well Re-Entry Workover	Field Name:		
	Producing Formation:		
	Elevation: Ground: Kelly Bushing:		
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:		
OG GSW Temp. Abd. CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet		
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?		
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet		
Operator:	If Alternate II completion, cement circulated from:		
Well Name:	feet depth to:w/sx cmt.		
Original Comp. Date: Original Total Depth:			
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan		
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)		
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls		
Commingled Permit # Dual Completion Permit #:	Dewatering method used:		
SWD Permit #:	Location of fluid disposal if hauled offsite:		
ENHR Permit #:			
GSW Permit #:	Operator Name:		
	Lease Name: License #:		
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East West		
Recompletion Date Recompletion Date	County: Permit #:		

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received							
Geologist Report Received							
UIC Distribution							
ALT I II Approved by: Date:							

KOLAR Document ID: 1207533

Operator Nam	ne:			Lease Name:	Well #:
Sec	Twp	S. R	East West	County:	

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	acate)	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No						
		Rep	CASING ort all strings set-c		Ne	w Used rmediate, productio	on, etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
[ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose: Depth PerforateProtect Casing		Туре	e of Cement	# Sacks Use	# Sacks Used Type an		Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
 Did you perform a hydra Does the volume of the Was the hydraulic fracture 	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:		Ν	IETHOD OF COM	MPLE	TION:		PRODUCTIC Top	DN INTERVAL: Bottom
Vented Sold (If vented, Subn	Used on Lease		Open Hole		-	·	mingled	юр	
	foration Perform Top Botto		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeezend of Material Used)	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Magnum Exploration Kansas, LLC
Well Name	Thrasher 2
Doc ID	1207533

Perforations

Shots Per Foot	Perforation Record	Material Record	Depth
3	736-748	2" DML RTG	12

Form	ACO1 - Well Completion
Operator	Magnum Exploration Kansas, LLC
Well Name	Thrasher 2
Doc ID	1207533

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	9	7	10	40	Portland	8	50/50 POZ
Completio n	5.6250	2.8750	8	845	Portland	145	50/50 POZ

HAT DRILLING 12371 KS HWY 7 MOUND CITY, KS 66056 LICENSE # 33734

Thrasher #2 API # 15-045-22213-00-00 SPUD DATE 05-02-14

Footage	Formation	Thickness	Set 40' of 7"
2	topsoil	2	TD 845'
17	sand stone	15	Ran 841' of 2 7/8 on 05-03-14
72	shale	55	
127	sand	55	
149	lime	22	
154	shale	5	
161	lime	7	
175	shale	14	
195	lime	20	
227	shale	32	
275	lime	48	
308	shale	33	
354	lime	46	
369	shale	15	
478	lime	109	
642	shale	164	
647	lime	5	
736	shale	89	
748	oil sand	12	good odor, good show
845	shale	97	3 , <u>Bood</u> bito (1

267838

CONSOLIDATED Oil Well Services, LLC

TICKET NUMBER	47154
LOCATION OF	Jawa KS
CORCUAN A	34

FOREMAN_ Fred Marn

PO	Box	884,	Cha	nute,	KS	66720
620	-431	-9210) or	800-	467-	8676

FIELD TICKET & TR	EATMENT REPORT
CEN	IENT

0-431-9210 or 800-467-86/6				the second diversity of the se	
DATE CUSTOMER#	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
	hrasher #2	50 25	13	20	DG
ISTOMER		TRUCK #	DRIVER	TRUCK #	DRIVER
Magnum Explan	axion Mansecher	712	Frenkad		
- · · · · · · · · · · · · · · · · · · ·	reek Ct	495	NarBoc		
TY UITOU STA		370	Jos Ric		
B-d Ford	Tx 76021	558	CASING SIZE & W		~~~~
LURRY WEIGHT SLU ISPLACEMENT <u>7.73 BBOIS</u> EMARKS: <u>Ho</u> (d CVew) 100 # Gel Flus 2% Col 2% Cal	u. Mix + Pump ium Chloride. 44 sh pump + liney	stablich (145 SKS # Flo-Seel clean D	CEMENT LEFT in RATE <u>SBP</u> Solso Po Solso Po Solso Po	h	Purp Comment

Jul Moder

ACCOUNT	QUANITY or UNITS	DESCRIPTION of SERVICES or PROD	UCT	UNIT PRICE	TOTAL
CODE		PUMP CHARGE	455		108500
5401		MILEAGE	495		12600
5406	30mi	Casing Footage		4	NIC
5402	845	Ton Miles	558	1	368-19
5407	Minim	80 BBL Vac Truck	370	201 - 201 -	20000
5507C	2 hrs	80 poc vac moch	C 212		677 44
5408		Weekand Surcharge		Ę.	
		50/50 Por Mix Coment	····	166750	
1124	1455KS	Soloo Torthit Concert	19-20-00	75 63	
11180	344#	Premium Cal		19032	
1102	244	Calcion Chloride		9139	
1107	37#	Fla Seal my		2.024 59	
		Material	3020	- 60747	
		Less John Mar		1 0010	1417 42
			er i as	1	295
4402		23 Rubber flig			
				4657.72	
		-/	7.15%	SALES TAX	10346
vin 3737	-htt.	TITLE ENG	and the second second	ESTIMATED TOTAL	4006 8

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form. WU