Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R 🔲 East 🗌 West
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
□ Oil □ WSW □ SWD □ SIOW	Producing Formation:
Gas D&A ENHR SIGW	Elevation: Ground: Kelly Bushing:
OG GSW Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	·
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Coverning alord Paymeit #	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	Location of huld disposal if flauled offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec. TwpS. R East West
Recompletion Date Recompletion Date	Countv: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II Approved by: Date:

CORRECTION #1

Operator Name:			Lease Name: _			Well #:	
Sec Twp	S. R	East West	County:				
open and closed, flow and flow rates if gas to Final Radioactivity Log	ing and shut-in pressul o surface test, along wi g, Final Logs run to obt		essure reached stati n extra sheet if more and Final Electric Lo	c level, hydrosta space is neede	tic pressures, bot d.	tom hole temp	
files must be submitte	d in LAS version 2.0 or	r newer AND an image	file (TIFF or PDF).				
Drill Stem Tests Taken (Attach Additional S		Yes No	_ L		on (Top), Depth a		Sample
Samples Sent to Geol	ogical Survey	☐ Yes ☐ No	Nam	е		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
		CASING	i RECORD Ne	w Used			
			RECORD Ne conductor, surface, inte		on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONA	OFMENTING / OOL				
Purpose:	Depth		L CEMENTING / SQL # Sacks Used	EEZE RECORD	Type and [Porcent Additives	
Perforate Protect Casing Plug Back TD	Top Bottom	Type of Cement	# Sacks Useu		туре апи г	Percent Additives	
Plug Off Zone							
Does the volume of the to		n this well? aulic fracturing treatment e submitted to the chemical	=	? Yes	No (If No, sk	ip questions 2 ar ip question 3) out Page Three	
Shots Per Foot		N RECORD - Bridge Pluç ootage of Each Interval Pe			cture, Shot, Cemen		d Depth
		-					
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No		
Date of First, Resumed	Production, SWD or ENH	R. Producing Met		Gas Lift C	Other (Explain)		
Estimated Production Per 24 Hours	Oil Bt	bls. Gas	Mcf Wate	er B	bls. (Gas-Oil Ratio	Gravity
DISPOSITIO	ON OF GAS:	1	METHOD OF COMPLE	TION:		PPON IOTIC	ON INTERVAL:
Vented Sold		Open Hole	Perf. Dually	Comp. Cor	nmingled	THODUCTIO	SIN IIN I ELIVAE.
(If vented, Sub	omit ACO-18.)	Other (Specify)	(Submit)	-100-5) (Sub	mit ACO-4)		

Form	ACO1 - Well Completion
Operator	Magnum Exploration Kansas, LLC
Well Name	Werts I-6
Doc ID	1212406

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9	7	10	40	Portland	8	50/50 POZ
Completio n	5.6250	2.8750	8	800	Portland	127	50/50 POZ

Summary of Changes

Lease Name and Number: Werts I-6 API/Permit #: 15-045-22210-00-00

Doc ID: 1212406

Correction Number: 1

Approved By: NAOMI JAMES

Field Name	Previous Value	New Value
Approved Date	06/04/2014	06/30/2014
Operator's Contact Name	James Roberts	C.W. Roberts
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=12 07510	//kcc/detail/operatorE ditDetail.cfm?docID=12 12406



Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1207510

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

CONFIDENTIAL WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

API No. 15
Spot Description:
SecTwpS. R East _ West
Feet from North / South Line of Section
Feet from _ East / _ West Line of Section
Footages Calculated from Nearest Outside Section Corner:
□NE □NW □SE □SW
GPS Location: Lat:, Long:
(e.g. xx.xxxxx) (e.gxxx.xxxxxx)
Datum: NAD27 NAD83 WGS84
County:
Lease Name: Well #:
Field Name:
Producing Formation:
Elevation: Ground: Kelly Bushing:
Total Vertical Depth: Plug Back Total Depth:
Amount of Surface Pipe Set and Cemented at: Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: Feet
If Alternate II completion, cement circulated from:
feet depth to:w/sx cmt.
Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content: ppm Fluid volume: bbls
Dewatering method used:
Dewatering method used.
Location of fluid disposal if hauled offsite:
Operator Name:
Lease Name: License #:
Quarter Sec. Twp. S. R. East West
County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II Approved by: Date:

KOLAR Document ID: 1207510

Page Two

Operator Name: _				Lease Name:			Well #:	
Sec Twp.	S. R.	E	ast West	County:				
	flowing and shu	ut-in pressures, v	vhether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample
Samples Sent to 0	Geological Surv	/ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		B	CASING eport all strings set-c		New Used	ion, etc.		
Purpose of Strir		Hole illed	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	UEEZE RECORD			
Purpose:		epth T Bottom	ype of Cement	# Sacks Used		Type and F	Percent Additives	
Perforate Protect Casi Plug Back T								
Plug Off Zor								
Did you perform a Does the volume Was the hydraulic	of the total base f	fluid of the hydrauli		_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,
Date of first Product Injection:	tion/Injection or R	esumed Production	Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			DN INTERVAL: Bottom
	Sold Used	I on Lease	Open Hole			mmingled mit ACO-4)	Тор	BOROTT
,	,			B.11 B1				
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	: Size:	Set	Δ+-	Packer At:				
TODING RECORD:	. 3126.	Set	n.	i donei Al.				

Form	ACO1 - Well Completion
Operator	Magnum Exploration Kansas, LLC
Well Name	Werts I-6
Doc ID	1207510

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9	7	10	40	Portland	8	50/50 POZ
Completio n	5.6250	2.8750	8	800	Portland	127	50/50 POZ

HAT DRILLING 12371 KS HWY 7 MOUND CITY, KS 66056 LICENSE # 33734

Werts #I-6 API # 15-045-22210-00-00 SPUD DATE 05-13-14

Footage Formation Thickness Set 40' of 7" 2 topsoil 2 TD 805' 10 clay 8 Ran 800' of 2 7/8 on 05-14-14 98 shale 88 131 lime 33 138 shale 7 146 lime 8 154 shale 8 174 lime 20 205 shale 31 235 lime 30
10 clay 8 Ran 800' of 2 7/8 on 05-14-14 98 shale 88 131 lime 33 138 shale 7 146 lime 8 154 shale 8 174 lime 20 205 shale 31
98 shale 88 131 lime 33 138 shale 7 146 lime 8 154 shale 8 174 lime 20 205 shale 31
138 shale 7 146 lime 8 154 shale 8 174 lime 20 205 shale 31
146 lime 8 154 shale 8 174 lime 20 205 shale 31
154 shale 8 174 lime 20 205 shale 31
174 lime 20 205 shale 31
205 shale 31
to bear person
235 lima 20
255 11116 50
287 shale 52
305 lime 18
317 shale 12
334 lime 17
375 shale 41
404 lime 29
412 shale 8
453 lime 41
597 shale 144
600 lime 3
shale 5 good bleed
608 oil sand 3
617 shale 9
630 lime 13
636 shale 6
641 lime 5
718 shale 77
726 oil sand 8 good odor, strong bleed
729 sandy shale 3 good odor, little show
805 shale 76

268173



CONSOLIDATED APT 15-045-22216

LOCATION Oftawa FOREMAN Alga Made

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

		1		CEIME	=14 1				
DATE	CUSTOMER#	WELL	NAME & N	UMBER	SEC	TION	TOWNSHIP	RANGE	COUNTY
5.14.14	3700	Wery	7	T.6	SW	6	14	21	06
CUSTOMER		Frala A			1181	1 1 2	344		i. Militari
MAILING ADDRE	Nun.	Explora	wion		TRU		DRIVER	TRUCK#	DRIVER
0 7/0	Co. Rd.	262		1	730		AlcMad	Safety	Meet
CITY	10,10	STATE	ZIP CODE	. E	368		A. (Mc)		
(1.12		Tx	2.11 0002		369		M:18 H99		
Clyar			57/8		1348		Mathoc		
	11000	V-12-16	2.70	HOLE DE	PTH_XD	5	CASING SIZE & V	VEIGHT 2 1	<u> </u>
CASING DEPTH	• •	PRILL PIPE		TUBING_				OTHER	
SLURRY WEIGH		LURRY VOL_	20	_ WATER ga	al/sk		CEMENT LEFT IN	CASING VE	
DISPLACEMENT		SPLACEMENT				-	RATE 46p	n	
REMARKS: H	eld nee	Ding.	F15 79	bl: shed	2 rgt		Mixed	t pump	
201 400	llowed	by 12	13K	30/50 c			45 270 9	P1 2%	Calcium,
1/4D +	lo seal	1 /	ack,		latea	<u>e</u> c	ement.	Flush	ed
pymp.	Jump.	ed plu	9 10	casi	ng T	Ų	Well)	reld	800
1197	tor 30	2 m17	ute	MIT	<u> </u>	> }	floort.	C/058	rcQ_
VOLVE									
	ر بر								
HAT, Eric							low Mader		
							I well	Maa	
			y			1	NOUT V	27 - 22-12-12-1	
CODE	I QUANTITOTUNES I DESCRIPTION AT SERVICES AND D						DOUCT	UNIT PRICE	TOTAL
5401	27.11	1	PUMP CHA	RGE			368		1085
3406	2:	5	MILEAGE	=111			368	F.,	1050
5402	8	00	cas	inc	footo	100	~		
5407	Ň	14	+.0 n	mile		0	348	and the	36800
55026		7	80	var-			369		2000
9 00 00		<u> </u>		7-1-		CIPOLO COMO N		and the same of th	200
	***************************************		7.71		100				
1124	12	7	カカバ	D cen	101	Later to the second sec	**************************************	1460.50	
	313	-#-	5		(EUL)	*******			
1/180	213	L.	- Gre	·		•		68.86	
1107	32	**	1100	seal			- William	79.04	
1102	213	12	<u> </u>	lciun				166.14	
4					sterial		546	1774.54	
		ļ				295	30%	-532.34	
						nati	erial tot	9(1242.18
4402	1		2/2	plag					29.00
				<u>' </u>			vi nimentali ili.		
	Waltering ST 200	pilis — III — III — II							
		minaa aa	- Durthumbion municipality				A STORMWOOD TO SEE	3691.03	
	The state of the s		A				= 10,55	SALES TAX	90.93
Ravin 3737	NO COU	100			10		1000	ESTIMATED	
	Jim OK'd	0011		antan m				TOTAL	3120,61
AUTHORIZTION	JIM UGA	, 0611		TITLE		- Indicated		DATE	

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form