CORRECTION #1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION KOLAR Document ID: 1377130

Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

Confidentiality Requested:

Yes No

WELL	HISTORY	- DESCRIF	PTION OF	WELL	& LEASE

OPERATOR: License #		API No.:
Name:		Spot Description:
Address 1:		
Address 2:		Feet from North / South Line of Section
City: State: 2	Zip:+	Feet from East / West Line of Section
Contact Person:		Footages Calculated from Nearest Outside Section Corner:
Phone: ()		
CONTRACTOR: License #		GPS Location: Lat:, Long:
Name:		(e.g. xx.xxxx) (e.gxxx.xxxxx)
Wellsite Geologist:		Datum: NAD27 NAD83 WGS84
Purchaser:		County:
Designate Type of Completion:		Lease Name: Well #:
New Well Re-Entry	Workover	Field Name:
		Producing Formation:
		Elevation: Ground: Kelly Bushing:
		Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)		Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):		Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:		If yes, show depth set: Feet
Operator:		If Alternate II completion, cement circulated from:
Well Name:		feet depth to:w/sx cmt.
Original Comp. Date: Original	Total Depth:	
Deepening Re-perf. Conv. to I	EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to	GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
		Chloride content: ppm Fluid volume: bbls
•		Dewatering method used:
		Location of fluid disposal if hauled offsite:
		Elecation of huid disposal in natied offsite.
		Operator Name:
		Lease Name: License #:
Spud Date or Date Reached TD	Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date	Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II III Approved by: Date:

CORRECTION #1

Operator Name:	Lease Name:	Well #:
Sec TwpS. R □ East □ West	County:	
INSTRUCTIONS: Show important tops of formations penetrated. Deto open and closed, flowing and shut-in pressures, whether shut-in press and flow rates if gas to surface test, along with final chart(s). Attach estimates a surface test is a surface test in the surface test is a surface test.	sure reached static level, hydrostatic pressures, bo	0 0
Final Radioactivity Log, Final Logs run to obtain Geophysical Data and files must be submitted in LAS version 2.0 or newer AND an image file	0	ogs@kcc.ks.gov. Digital electronic log

				•							
Drill Stem Tests	Taken ional Sheets)		۱ []	les 🗌 No			.og Formatic	n (Top), Depth	and Datum	Sample	
Samples Sent to Geological Survey		ר 🗌	res 🗌 No		Nam	e		Тор	Datum		
Cores Taken Electric Log Run Geologist Report / Mud Logs		ı []	Yes ☐ No Yes ☐ No Yes ☐ No								
List All E. Logs F	Run:										
			Rep		G RECORD	Ne Inte	ew Used ermediate, producti	on, etc.			
Purpose of St	ring	ize Hole	Si	ize Casing	Weigh		Setting	Type of	# Sacks	Type and Percent	
		Drilled	Se	et (In O.D.)	Lbs. / I	=t.	Depth	Cement	Used	Additives	
				ADDITIONA		G / SQL	JEEZE RECORD				
Purpose:	т	Depth op Bottom	Type of Cement		# Sacks l	# Sacks Used		Type an	Type and Percent Additives		
Perforate Protect Casing Plug Back TD		p Dottom									
Plug Off Z	one										
1. Did you perform	a bydraulio frac	turing treatmor	at on this y	woll?			Yes		skip questions 2 ar	ad 2)	
 Does the volum 	-	-			nt exceed 350,0	000 gallo			skip question 3)	10.0)	
3. Was the hydraul			-	-		-			fill out Page Three	of the ACO-1)	
Date of first Produ	ction/Injection o	r Besumed Pro	duction/	Producing Me	thod:						
Injection:		r nesumed r ro	duction	Flowing	Pumping		Gas Lift C	ther (Explain)			
Estimated Produc	ction	Oil E	3bls.	Gas	Mcf	Wat	er Bl	ols.	Gas-Oil Ratio	Gravity	
Per 24 Hours											
חפות	OSITION OF GA	. C.			METHOD OF (PRODUCTIO	ON INTERVAL:	
Vented						Dually Comp. Commingled		mingled	Тор	Bottom	
	ed, Submit ACO-			opennoie				nit ACO-4)			
(,									
Shots Per Perforation Perforation Bridge Plug Bridge Plug Foot Top Bottom Type Set At		g Acid, Fracture, Shot, Cementing Squeeze Record (Amount and Kind of Material Used)									
									,		
	1	1				1					

Packer At:

Size:

Set At:

TUBING RECORD:

Form	ACO1 - Well Completion
Operator	SM Oil & Gas, Inc.
Well Name	GOODE "A" 7-2
Doc ID	1377130

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	12.25	8.625	20	43	Portland	12	0
Production	6.75	4.5	11.6	1602	50/50 POZ, OWC		6% Gel, 200# Phenoseal

Summary of Changes

Lease Name and Number: GOODE "A" 7-2 API/Permit #: 15-019-27579-00-00 Doc ID: 1377130 Correction Number: 1 Approved By: Karen Ritter

Field Name	Previous Value	New Value
Approved Date	06/16/2017	12/26/2017
Date of First or Resumed Production or		8/3/2017
SWD or Enhr Geologist Report / Mud Logs?		No
Method Of Completion - Perf	No	Yes
Perf_perf1bottom		1550
Perf_perf1top		1534
Perf_shots1		2
PerforationsRevised		[[dataGrid]]
Producing Method Pumping	No	Yes
Production Interval #1		1534

Summary of changes for correction 1 continued

Field NamePrevious ValueNew Value

Production Interval #3

1550

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1357585

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

CONFIDENTIAL	WELL COMPLETION FORM
WELL	HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #		API No. 15
Name:		Spot Description:
Address 1:		
Address 2:		Feet from North / South Line of Section
City: State	e: Zip:+	Feet from East / West Line of Section
Contact Person:		Footages Calculated from Nearest Outside Section Corner:
Phone: ()		
CONTRACTOR: License #		GPS Location: Lat:, Long:
Name:		(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:		Datum: NAD27 NAD83 WGS84
		County:
Designate Type of Completion:		Lease Name: Well #:
New Well Re-Ei	ntry 🗌 Workover	Field Name:
		Producing Formation:
		Elevation: Ground: Kelly Bushing:
Gas D&A	SIGW	Total Vertical Depth: Plug Back Total Depth:
OG CM (Coal Bed Methane)	GSW Temp. Abd.	Amount of Surface Pipe Set and Cemented at: Feet
	Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info		If yes, show depth set: Feet
		If Alternate II completion, cement circulated from:
•		feet depth to:w/sx cmt.
		w, w, w,
Original Comp. Date:		
Deepening Re-perf.	Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Commingled I	Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion	Permit #:	Dewatering method used:
	Permit #:	Location of fluid disposal if hauled offsite:
ENHR I	Permit #:	Operator Name:
GSW	Permit #:	Lease Name: License #:
		Quarter Sec. TwpS. R. Image: Control of the section of
Spud Date or Date Reach Recompletion Date	ned TD Completion Date or Recompletion Date	County: Sec. Iwp. S. H. East West

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I II III Approved by: Date:				

SM Oil & Gas, Inc. P. O. Box 189 Skiatook, Oklahoma 74070 620-725-3200

June 1, 2017

Kansas Corporation Commission **Conservation Division** 266 N. Main Street – Suite #220 Wichita, Kansas 67202-1513

Re: Goode "A" 7-2 API #15-019-27579-00-00 Cement Usage ACO-1

To Whom It May Concern:

SM Oil & Gas, Inc. buys quantities of Portland Type I cement, which comes on pallets of 35 sacks per pallet, for the companies usage. In this case, the required 12 sacks of cement were mixed by our own drilling rig personnel and used to properly install the surface casing.

An invoice showing the bulk quantity of cement is available if needed.

Thank you,

01

Thomas H. Oast Area Manager

810 E 7[™] PO Box 92 EUREKA, KS 67045 (620) 583-5561



	Cement or Acid Field Report Ticket No. 3359
	Foreman Russell MeLON
and the second se	Camp EUICKA

Date Cust. ID) # Lease & Well Number			Section	Township	Range	County	State
and the second se				2				CQ	KS
6-6-17 1180 Goode "A" 7-5 Customer				Safety	Unit #	Construction of the second s	Driver	Unit #	Driver
S.M. OIL + GAS				Meeting	104		INNM		And the second
				- 2m	114	20	Collected and a second s	Name and States and the second s	ali kana mana mana mana mana mana mana mana
P.O. Box 189				AM	112	24	150~	a ana amin'ny sora ana amin'ny tanàna mandritry amin'ny tanàna mandritry amin'ny tanàna mandritry amin'ny tanàn	an a
Dity	or XC	State	Zip Code	- 2eui	Skannen an	and a construction of the second s	annan far strategy an	New 2010/02/2010 00/00/02/2011/02/2011/02/2010/02/2010/02/2011/02/2011/02/2011/02/2011/02/2011/02/2011/02/2011	
5K1700	11	OK	mip would	JASI			And a local data of the second se	and the second secon	
Mix + SKS Lis SKS DW ReltASS PST 90 Slower	Safely y Demp 5 ut come is w(1) + 422 - 0# Bus to Suffe	meeting, no & Gel nt w/ 6 % * Phenosce ToP Rubb nP Prug to ace. Ann	6-1 1 # Ph -1 @ 14 # = er Plug 1) 5 1400 -145 UIAS Staye	CASIN Romp C 2005-01 20 Bé 15PIAC 15PIAC	BICAL BU Fra D 12.8 I Sluing e w 25 COL FLOAT OF CEM	ESA WAT = 35 Be WASH BOLC Flont	Htion u - SPAC - SPAC - SLUCY CUT PU - TY WAT HEID.	3PM 5 J 38 Bbl w rr. min 12 mp + Line tro. Final 10 Bbl Ce plete, Tea	5 S P-MP MOAT
close (-Asiag	IN W	O PSIE.	1043	D II A	atend			a na an
and the same and the function of the same sector	and a second	an and a standard standard and a standard standard and a factor of the standard standard standard standard stan	an a	many logical sector manufacture and an inclusion of	fussell n	1	and the second	and the product of the state of	

Code	Qty or Units	Description of Product or Services	Unit Price	Total	
	i i	Pump Charge	1050.00	1050.00	
-102 -107	30	Mileage	3.95	118.50	
· 204	125	skis 50/50 Puzmix	11.25	1406.25	
-20b -208	630 ⁴¹ 125 ⁴¹	Gel = 6% / Project / CEMANT	1.25	156.25	
202	75	SKS OWC COMENT TAIL	19.15	1436.25	
-208		Phenosen 1 + Perisk / cement	1.25	93.75	
-206	500 [#]	Gel Flush		100.00	
-2.14	40 #	Tow Milenge Bulk Truck X 2	345	18.00	
-108 A -403	1	412 TOP Rubber Plug	45.00	45.00	
C-113 C-2.24	2 1/2 hr 3,500	Sallows City Water	85.00 10 Per/1000	<u>212.50</u> 35.00	
ange a state and state and state and state			Sub TOTAL	5.487.50	
ana poper a substantia de constitui de forenzia de secondo de secondo de secondo de secondo de secondo de secon			690 Sales Tax	2 388.90	
		Title Co/ OWNER	Total	6489.0	

I agree to the payment terms and conditions of services provided on the back of this job ticket. Any amendments to payment terms must be in writing on the front of this job ticket or in the Customer's records at ELITE's office.