Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1305791

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
□ Oil □ WSW □ SWD □ SIOW	Producing Formation:
Gas D&A ENHR SIGW	Elevation: Ground: Kelly Bushing:
OG GSW Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	·
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Coverning alord Paymeit #	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	Location of huld disposal in haufed offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec. TwpS. R East West
Recompletion Date Recompletion Date	Countv: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II Approved by: Date:

1305791 CORRECTION #2

Operator Name:			Lease Na	ıme:			Well #:	
Sec Twp	S. R [East West	County: _					
INSTRUCTIONS: Show open and closed, flowing and flow rates if gas to s	g and shut-in pressur	res, whether shut-in pro	essure reache	ed static leve	l, hydrostat	ic pressures, bot		
Final Radioactivity Log, files must be submitted					ust be emai	iled to kcc-well-lo	gs@kcc.ks.go	v. Digital electronic log
Drill Stem Tests Taken (Attach Additional She	eets)	Yes No		Log	Formatio	n (Top), Depth ar		Sample
Samples Sent to Geolog	gical Survey	☐ Yes ☐ No		Name			Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No						
List All E. Logs Run:								
		CASING Report all strings set-	RECORD conductor, surfa	New ace, intermedia	Used	on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / F	t S	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	L CEMENTING	S / SQUEEZE	BECORD			
Purpose:	Depth	Type of Cement	# Sacks U			Type and F	Percent Additives	
Perforate Protect Casing Plug Back TD Plug Off Zone	Top Bottom							
Flug On Zone								
Did you perform a hydraulic Does the volume of the tota Was the hydraulic fracturing	l base fluid of the hydra	ulic fracturing treatment e		_	Yes [Yes [Yes [No (If No, sk	ip questions 2 ar ip question 3) out Page Three	,
Shots Per Foot		N RECORD - Bridge Pluç otage of Each Interval Per				cture, Shot, Cement nount and Kind of Ma		Depth
TUBING RECORD:	Size:	Set At:	Packer At:	Line	r Run:	Yes No		
Date of First, Resumed Pr	oduction, SWD or ENHI	R. Producing Met	hod:	Gas Li	ift 🔲 O	ther (Explain)		
Estimated Production Per 24 Hours	Oil Bb	ols. Gas	Mcf	Water	Bb	ols. (Gas-Oil Ratio	Gravity
DISPOSITION	OF GAS:		METHOD OF C	OMPLETION:			PRODUCTIO	ON INTERVAL:
Vented Sold	Used on Lease	Open Hole	Perf.	Dually Comp		nmingled		
(If vented, Subm.	it ACO-18.)	Other (Specify)	(,	GUDINIL ACO-5)	(Subr	nit ACO-4)		

Form	ACO1 - Well Completion
Operator	Tailwater, Inc.
Well Name	North Kempnich 12-IWU
Doc ID	1305791

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.8750	7	17	23	Portland	5	POZ
Production	5.6250	2.8750	6.45	655	Portland	93	50/50 POZ

Summary of Changes

Lease Name and Number: North Kempnich 12-IWU

API/Permit #: 15-003-26236-00-00

Doc ID: 1305791

Correction Number: 2

Approved By: Karen Ritter

Field Name	Previous Value	New Value
Approved By	NAOMI JAMES	Karen Ritter
Approved Date	10/31/2014	05/05/2016
CasingAdd_Type_PctP DF_1		POZ
CasingPurposeOfString PDF_2	Completion	Production
Footages Reference Corner	NW	SE
Is Footage Measured from the East or the	West	East
West Section Line LocationInfoLink	https://kolar.kgs.ku.edu/ kcc/detail/locationInform	https://kolar.kgs.ku.edu/kcc/detail/locationInform
NorthSouthFromRefere nce	ation.cfm?section=22&t North	ation.cfm?section=22&t South
Number of Feet East or West From Section Line	1685	3423
Number of Feet North or South From Section Line	1515	3771

Summary of changes for correction 2 continued

Field Name	Previous Value	New Value
Perf_Depth_1		637.5
Perf_Material_1		Shot
Perf_Record_1		632.5-637.5
Perf_Shots_1		2
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=12	//kcc/detail/operatorE ditDetail.cfm?docID=13
Subdivision2	30281 SE	05791 NE
Subdivision3	NW	SW
Subdivision4Smallest	NE	SE

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	County:
Purchaser:	Lease Name: Well #:
Designate Type of Completion:	Field Name:
☐ New Well ☐ Re-Entry ☐ Workover	Producing Formation:
☐ Oil ☐ WSW ☐ SWD ☐ SIOW	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW ☐ Temp. Abd.	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane)	
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to: sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
	QuarterSecTwpS. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT



Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1229866

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

CONFIDENTIAL WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
Oil	Elevation: Ground: Kelly Bushing:
OG GSW Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Demois #	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	Location of fluid disposal if fladied offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II Approved by: Date:

KOLAR Document ID: 1229866

Page Two

Operator Name: _				Lease Name:			Well #:		
Sec Twp.	S. R.	E	ast West	County:					
	flowing and shu	ut-in pressures, v	vhether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,	
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log	
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample	
Samples Sent to 0	Geological Surv	/ey	Yes No	Na	me		Тор	Datum	
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No						
		B	CASING eport all strings set-c		New Used	ion, etc.			
Purpose of Strir		Hole illed	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
			ADDITIONAL	CEMENTING / SO	UEEZE RECORD				
Purpose:		epth T Bottom	ype of Cement	# Sacks Used		Type and F	Percent Additives		
Perforate Protect Casi Plug Back T									
Plug Off Zor									
Did you perform a Does the volume Was the hydraulic	of the total base f	fluid of the hydrauli		_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,	
Date of first Product Injection:	tion/Injection or R	esumed Production	Producing Meth	nod:	Gas Lift 0	Other (Explain)			
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity	
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			DN INTERVAL: Bottom	
	Sold Used	I on Lease	Open Hole			mmingled mit ACO-4)	Тор	BOROTT	
,	,			B.11 B1					
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At					
TUBING RECORD:	: Size:	Set	Δ+-	Packer At:					
TODING RECORD:	. 3126.	Set	n.	i donei Al.					

Form	ACO1 - Well Completion
Operator	Tailwater, Inc.
Well Name	North Kempnich 12-IWU
Doc ID	1229866

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.8750	7	17	23	Portland	5	
Completio n	5.6250	2.8750	6.45	655	Portland	93	50/50 POZ

3613A Y Road Madison, KS 66860 Ph: 620-437-2661 Fax: 620-437-2881

FED ID# 48-1214033 HURRICANE SERVICES INC

104 Prairie Plaza Parkway Garnett, KS 66032 Ph: 785-448-3100 Fax: 785-448-3102

MC ID# 165290

Remit to: Hurricane Services, Inc. 250 N. Water, Suite 200 Wichita, KS 67202

Customer:

MARTIN OIL PROPERTIES % CHRISTIAN MARTIN 6421 AVONDALE DR., STE 212 OKLAHOMA CITY, OK 73116-6428 Invoice Date: Invoice #: Lease Name: Well#:

County:

0014825 N KEMPNICH 12-IWV ANDERSON

9/18/2014

Date/Description	HRS/QTY	Rate	Total
See ticket 50396 of JB	1.000	675.000	675.00
Cement Pozmix 50/50	93.000	11.300	1,050.90 T
Gel 2%	186.000	0.300	55.80 T
Gel flush	200.000	0.300	60.00 T
Flocele	23.000	2.150	49.45 T
City water	4,600.000	0.013	59.80
Vac truck #108	1.000	84.000	84.00
Vac truck #111	1.000	84.000	84.00
Bulk truck #242	1.000	150.000	150.00
Top rubber plug 2 7/8"	1.000	25.000	25.00 T
10% Discount per Kevin Miller	1.000	229.400-	229.40-

Net Invoice	2,064.55
Sales Tax: (7.65%)	94.95
Total	2,159.50

All invoices are due upon receipt. Interest at the rate of 1 1/2% per month may be charged on all invoices not paid within 30 days from date of invoice.

WE APPRECIATE YOUR BUSINESS!

Hurricane Services, Inc. 104 Prairie Plaza Parkway Garnett, KS 66032 Office # 785-448-3100 Toll Free # 855-718-8027



Ticket	N	o	50396	
Location_				
Foreman_	Joe	BK	nuchord	


Cement Service ticket

Date	Customer#	Well Name & Number		Sec./Township/Range		County
9-18-14		N. Kemonich	12.IWL			Anderson
Customer		Mailing Address		City	State	Zip
Martin	Oil Propostios					

ob Type:			Truck #	Driver
Longstring	Casing TD 655		26	Joe
lole Size: • 5 7/8	Casing Size: 27/8	Displacement: 3.8	231	ToM
Hole Depth: 670	Casing Weight:	Displacement PSI: 375	242	Alex/ TROY
Bridge Plug: Packer:	Tubing:	Cement Left in Casing: O	108	Jeff / Jesse
acker:	PBTD:		111	Rete
Quantity Or Units	Description of	Servcies or Product	Pump charge	675 94
o mi	Mileage Pump truck	c #231	\$3.25/Mile	NC
omi	Mileage Pump truck	# ₂ C	1.50	NC
	ſ			
93 SK	50/50 Poz Mix	,	11.20	1050 .94
186 LB	Prom Gel 2%		.30	55.80
200 LB	Prem Gel Swe	•0	.30	6000
23 60	Flo Soal		25	49.45
	<u> </u>			- 80
4600 Gal	Garnett water	L anguage	1.3	59.80
l hr	BOVAC #111		84.00	84.99
<u>l kr</u>	80 Vac # 108		84.90	84.4
3.9 Tons	Bulk Truck Minimum	Charge #242	\$1.15/Mile	150.99
	7118111011	Choige		1,00.
1	Plugs 27/4 Top	Plus	2500	25 00
AND AND THE PROPERTY OF THE PARTY OF THE PAR	The state of the s	Plug 2,293.45	Subtotal	2,064.55
	10% Disco	out - 229.40	Sales Tax	94,95
			Estimated Tot	tal 2,159,50
Remarks: Hack	1 - C - c : A - L : : :	-1 C:- 1-1'- B		
Eu I I	auto Casing Achieus	CO CIRCUIOTION . F	SELL IDE	D. Gel Ju
Tollowed by	5 pp1 mater space	EK Y 13 SKS	07 50/50	102 W 1 K
tlush pump.	Pump Plug botton	n but Fluat shoe	•	
	<u> </u>	1 ((
	Lement	to Surface.		

(Rev. 1-2011)

Customer Signature



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

> Phone: 913-557-9083 Fax: 913-557-9084

Paola, KS 66071

WELL LOG

Tailwater, Inc. North Kempnich # 12 IWU API #15-003-26,236

September 17 - September 18, 2014

Thickness of Strata	Formation	Total
10	soil & clay	10
4	clay & gravel	14
64	shale	78
28	lime	106
70	shale	176
11	lime	187
5	shale	192
34	lime	226
6	shale	232
22	lime	254
3	shale	257
22	lime	279 base of the Kansas City
31	shale	310
17	sand	327 grey, no oil
129	shale	456
3	lime	459
6	shale	465
8	lime	473 oil show
13	shale	486
3	sand	489 green, no oil
4	shale	493
2	oil sand	495 green, good bleeding
3	silty shale	498
1	coal	499
5	shale	504
14	oil sand	518 green good bleeding
3	shale	521
2	coal	523
4	shale	527
4	lime	531
19	shale	550
4	lime	554
26	shale	580
10	lime	590
14	shale	604
3	lime	607
24	shale	631
3	limey sand	634 green no oil

North Kempnich #12-IWU

Page 2

1.5	broken sand	635.5 brown & green, 10% bleeding
0.5	limey sand	636 green & white, no oil
1.5	broken sand	637.5 brown & green 40% bleeding
1.5	broken sand	639 brown & green no bleeding
21	shale	660 TD

Drilled a 9 7/8" hole to 22.4' Drilled a 5 5/8" hole to 660'

Set 22.4' of 7" surface casing with 5 sacks of cement.
Set 655' of 2 7/8" 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.

Core Times

	Minutes	Seconds
635		40
636		57
637		32
638		30
639		31
640		34
641		35
642		40
643		39
644		34
645		33
646		36
647		33
648		33