Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1230276

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No. 15 | | | |
|---|--|--|--|--|
| Name: | Spot Description: | | | |
| Address 1: | SecTwpS. R 🔲 East 🗌 West | | | |
| Address 2: | Feet from North / South Line of Section | | | |
| City: | Feet from _ East / _ West Line of Section | | | |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: | | | |
| Phone: () | □NE □NW □SE □SW | | | |
| CONTRACTOR: License # | GPS Location: Lat:, Long: | | | |
| Name: | (e.g. xx.xxxxx) (e.gxxx.xxxxx) Datum: NAD27 NAD83 WGS84 | | | |
| Wellsite Geologist: | | | | |
| Purchaser: | County: | | | |
| Designate Type of Completion: | Lease Name: Well #: | | | |
| ☐ New Well ☐ Re-Entry ☐ Workover | Field Name: | | | |
| ☐ Oil ☐ WSW ☐ SWD ☐ SIOW | Producing Formation: | | | |
| Gas D&A ENHR SIGW | Elevation: Ground: Kelly Bushing: | | | |
| ☐ OG ☐ GSW ☐ Temp. Abd. | Total Vertical Depth: Plug Back Total Depth: | | | |
| CM (Coal Bed Methane) | Amount of Surface Pipe Set and Cemented at: Feet | | | |
| Cathodic Other (Core, Expl., etc.): | Multiple Stage Cementing Collar Used? Yes No | | | |
| If Workover/Re-entry: Old Well Info as follows: | If yes, show depth set: Feet | | | |
| Operator: | If Alternate II completion, cement circulated from: | | | |
| Well Name: | feet depth to:w/sx cmt. | | | |
| Original Comp. Date: Original Total Depth: | | | | |
| ☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD | Drilling Fluid Management Plan | | | |
| ☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer | (Data must be collected from the Reserve Pit) | | | |
| Commingled Permit #: | Chloride content:ppm Fluid volume:bbls | | | |
| Dual Completion Permit #: | Dewatering method used: | | | |
| SWD Permit #: | Location of fluid disposal if hauled offsite: | | | |
| ENHR Permit #: | | | | |
| GSW Permit #: | Operator Name: | | | |
| | Lease Name: License #: | | | |
| Spud Date or Date Reached TD Completion Date or | QuarterSecTwpS. R East West | | | |
| Recompletion Date Recompletion Date | Countv: Permit #: | | | |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY | | | | | | |
|---------------------------------|--|--|--|--|--|--|
| Confidentiality Requested | | | | | | |
| Date: | | | | | | |
| Confidential Release Date: | | | | | | |
| Wireline Log Received | | | | | | |
| Geologist Report Received | | | | | | |
| UIC Distribution | | | | | | |
| ALT I II III Approved by: Date: | | | | | | |



CORRECTION #1

| Operator Name: | | | Lease Name: _ | | | Well #: | |
|---|------------------------------|--|----------------------|----------------------------|----------------------|------------------|-------------------------------|
| Sec Twp | S. R | East West | County: | | | | |
| open and closed, flow | ring and shut-in pressu | ormations penetrated. Cures, whether shut-in prediction of the pre | essure reached stat | ic level, hydrosta | tic pressures, bot | | |
| | | otain Geophysical Data a or newer AND an image | | ogs must be ema | illed to kcc-well-lo | gs@kcc.ks.go | v. Digital electronic log |
| Drill Stem Tests Taken (Attach Additional S | | Yes No | | | on (Top), Depth ar | | Sample |
| Samples Sent to Geol | logical Survey | Yes No | Nam | ie | | Тор | Datum |
| Cores Taken Electric Log Run | | Yes No | | | | | |
| List All E. Logs Run: | | | | | | | |
| | | CASING | RECORD N | ew Used | | | |
| | | Report all strings set- | | | ion, etc. | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | |
| | | | | | | | |
| | | ADDITIONAL | . CEMENTING / SQI | JEEZE RECORD | <u> </u> | 1 | |
| Purpose: Perforate Protect Casing | Depth Top Bottom | Type of Cement | # Sacks Used | Type and Percent Additives | | | |
| Plug Back TD Plug Off Zone | | | | | | | |
| | ulic fracturing treatment or | n this well? aulic fracturing treatment ex | roed 350 000 gallons | Yes | | p questions 2 ar | nd 3) |
| | | submitted to the chemical of | = | Yes | = ' ' | out Page Three | of the ACO-1) |
| Shots Per Foot | | N RECORD - Bridge Plug ootage of Each Interval Per | | | cture, Shot, Cement | | d Depth |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| TUBING RECORD: | Size: | Set At: | Packer At: | Liner Run: | | | |
| TODING RECORD. | OILG. | Jet At. | i aunei Al. | | Yes No | | |
| Date of First, Resumed | Production, SWD or ENF | Producing Meth | nod: | Gas Lift C | Other (Explain) | | |
| Estimated Production Per 24 Hours | Oil B | bbls. Gas | Mcf Wat | er B | bls. C | as-Oil Ratio | Gravity |
| DISPOSITION Vented Sold | ON OF GAS: | N Open Hole | METHOD OF COMPL | | mmingled | PRODUCTIO | DN INTERVAL: |
| | bmit ACO-18.) | Other (Specify) | (Submit | | mit ACO-4) | | |

| Form | ACO1 - Well Completion |
|-----------|------------------------|
| Operator | Tailwater, Inc. |
| Well Name | North Kempnich 1-IWU |
| Doc ID | 1230276 |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | Setting Depth | Type Of Cement | | Type and Percent Additives |
|----------------------|----------------------|-----------------------|--------|------------------|-------------------|----|----------------------------------|
| Surface | 9.8750 | 7 | 17 | 23 | Portland | 5 | |
| Completio n | 5.6250 | 2.8750 | 6.45 | 759 | Portland | 99 | 50/50 POZ |
| | | | | | | | |
| | | | | | | | |

Summary of Changes

Lease Name and Number: North Kempnich 1-IWU

API/Permit #: 15-003-26225-00-00

Doc ID: 1230276

Correction Number: 1

Approved By: NAOMI JAMES

| Field Name | Previous Value | New Value |
|---------------|---|---|
| Approved Date | 10/29/2014 | 10/31/2014 |
| Field Name | | Garnett Shoestring |
| Save Link | //kcc/detail/operatorE ditDetail.cfm?docID=12 29819 | //kcc/detail/operatorE ditDetail.cfm?docID=12 30276 |
| Well Type | OIL | EOR |



Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1229819

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

CONFIDENTIAL WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | | | API No. 15 | | | | |
|--|------------------|-----------------------------------|--|--|--|--|--|
| Name: | | | Spot Description: | | | | |
| Address 1: | | | SecTwpS. R | | | | |
| Address 2: | | | Feet from North / South Line of Section | | | | |
| City: Sta | ate: Zi | p:+ | Feet from East / West Line of Section | | | | |
| Contact Person: | | | Footages Calculated from Nearest Outside Section Corner: | | | | |
| Phone: () | | | □ NE □ NW □ SE □ SW | | | | |
| CONTRACTOR: License # | | | GPS Location: Lat:, Long: | | | | |
| Name: | | | (e.g. xx.xxxxx) (e.gxxx.xxxxx) | | | | |
| Wellsite Geologist: | | | Datum: NAD27 NAD83 WGS84 | | | | |
| Purchaser: | | | County: | | | | |
| Designate Type of Completion: | | | Lease Name: Well #: | | | | |
| | Entry | Workover | Field Name: | | | | |
| | | | Producing Formation: | | | | |
| Oil WSW SWD | ∐ SIOW □ SIGW | Elevation: Ground: Kelly Bushing: | | | | | |
| ☐ Gas ☐ D&A | ☐ ENHR | Temp. Abd. | Total Vertical Depth: Plug Back Total Depth: | | | | |
| CM (Coal Bed Methane) | d3vv | remp. Abu. | Amount of Surface Pipe Set and Cemented at: Fee | | | | |
| Cathodic Other (Core, | . Expl., etc.); | | Multiple Stage Cementing Collar Used? Yes No | | | | |
| If Workover/Re-entry: Old Well Info | | | If yes, show depth set: Feet | | | | |
| Operator: | | | If Alternate II completion, cement circulated from: | | | | |
| Well Name: | | | feet depth to:w/sx cmt | | | | |
| Original Comp. Date: | | | · | | | | |
| Deepening Re-perf. | Conv. to E | NHR Conv. to SWD | Drilling Fluid Management Plan | | | | |
| ☐ Plug Back | Conv. to G | SW Conv. to Producer | (Data must be collected from the Reserve Pit) | | | | |
| O constituents at | D | | Chloride content: ppm Fluid volume: bbls | | | | |
| CommingledDual Completion | | | Dewatering method used: | | | | |
| SWD | | | Location of fluid disposal if hauled offsite: | | | | |
| ☐ ENHR | | | Location of hald disposal in fladica offsite. | | | | |
| ☐ GSW | | | Operator Name: | | | | |
| _ | | | Lease Name: License #: | | | | |
| Spud Date or Date Read | ched TD | Completion Date or | QuarterSecTwpS. R East Wes | | | | |
| Recompletion Date | | Recompletion Date | County: Permit #: | | | | |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY | | | | | |
|---------------------------------|--|--|--|--|--|
| Confidentiality Requested | | | | | |
| Date: | | | | | |
| Confidential Release Date: | | | | | |
| Wireline Log Received | | | | | |
| Geologist Report Received | | | | | |
| UIC Distribution | | | | | |
| ALT I II III Approved by: Date: | | | | | |

KOLAR Document ID: 1229819

Page Two

| Operator Name: _ | | | | Lease Name: | | | Well #: | |
|--|---------------------|-----------------------|--------------------------------|-----------------------|---------------------------------|---|---|-------------------------------|
| Sec Twp. | S. R. | E | ast West | County: | | | | |
| INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. | | | | | | | | |
| Final Radioactivity files must be subm | | | | | | iled to kcc-well-lo | gs@kcc.ks.gov | v. Digital electronic log |
| Drill Stem Tests Ta | | | Yes No | | | on (Top), Depth ar | | Sample |
| Samples Sent to 0 | Geological Surv | /ey | Yes No | Na | me | | Тор | Datum |
| Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru | _ | | Yes No Yes No Yes No | | | | | |
| | | B | CASING eport all strings set-c | | New Used | ion, etc. | | |
| Purpose of Strir | | Hole illed | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | | |
| | | | | | | | | |
| | | | ADDITIONAL | CEMENTING / SO | UEEZE RECORD | | | |
| Purpose: | | epth T Bottom | ype of Cement | # Sacks Used | Jsed Type and Percent Additives | | | |
| Perforate Protect Casi Plug Back T | | | | | | | | |
| Plug Off Zor | | | | | | | | |
| Did you perform a Does the volume Was the hydraulic | of the total base f | fluid of the hydrauli | | _ | = | No (If No, sk | ip questions 2 an ip question 3) out Page Three | , |
| Date of first Product Injection: | tion/Injection or R | esumed Production | Producing Meth | nod: | Gas Lift 0 | Other (Explain) | | |
| Estimated Production Per 24 Hours | on | Oil Bbls. | | | | | Gas-Oil Ratio | Gravity |
| DISPOS | SITION OF GAS: | | N | METHOD OF COMP | LETION: | | | DN INTERVAL: Bottom |
| | Sold Used | I on Lease | Open Hole | | | mmingled mit ACO-4) | Тор | BOROTT |
| , | , | | | B.11 B1 | | | | |
| Shots Per Foot | Perforation Top | Perforation Bottom | Bridge Plug Type | Bridge Plug Set At | Acid, | Fracture, Shot, Cer (Amount and Kind | menting Squeeze I of Material Used) | Record |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| TUBING RECORD: | : Size: | Set | Δ+- | Packer At: | | | | |
| TODING RECORD: | . 3126. | Set | n. | i donei Al. | | | | |

| Form | ACO1 - Well Completion | | |
|-----------|------------------------|--|--|
| Operator | Tailwater, Inc. | | |
| Well Name | North Kempnich 1-IWU | | |
| Doc ID | 1229819 | | |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | Setting Depth | Type Of Cement | | Type and Percent Additives |
|----------------------|----------------------|-----------------------|--------|------------------|-------------------|----|----------------------------------|
| Surface | 9.8750 | 7 | 17 | 23 | Portland | 5 | |
| Completio n | 5.6250 | 2.8750 | 6.45 | 759 | Portland | 99 | 50/50 POZ |
| | | | | | | | |
| | | | | | | | |

Hurricane Services, Inc. 104 Prairie Plaza Parkway Garnett, KS 66032 Office # 785-448-3100 Toll Free # 855-718-8027



| Ticket | Nº | 50402 |
|----------|-----|-----------|
| Location | | |
| Foreman_ | Joc | Blanchard |


Cement Service ticket

| Date | Customer# | Well Name & Number | Sec./Township/Range | | County |
|----------|---------------|--------------------|---------------------|-------|----------|
| 9.29.14 | | N. Kemonich 1-IWU | | | Auderson |
| Customer | | Mailing Address | City | State | Zip |
| Mactin (| 21 Properties | | | | |

| ob Type: | | | Truck # | Driver |
|--------------------|------------------------------------|--------------------------|---------------|----------------------------|
| Lou Cstriu 6 | Cosing TD 759 | | 26 | Joe |
| lole Size: 5 7/8 | Casing TD 759 Casing Size: 27/8 | Displacement: 4.4 | 231 | Tom |
| lole Depth: 768 | Casing Weight: | Displacement PSI: 400 | 242 | Alex/TROY |
| ridge Plug: | Tubing: | Cement Left in Casing: o | 108 | Jeff Jesse |
| acker: | PBTD: | | 111 | Tyles |
| Quantity Or Units | | of Servcies or Product | Pump charge | 675.00 |
| o mi | Mileage Pump tru | xx #231 | \$3.25/Mile | NG |
| o mi | Mileage Pump tru Pick up #2 | 4 | 1.50 | W |
| 99 SK | 50/50 Poz mix | | 11.30 | 1118 .70 |
| 198 LB Prem Gel 2% | | | .30 | 59 40 |
| 200 LB | | h | | 6000 |
| 2518 | Flo Seal | 1 | 2. 30 | 60.ºº 53. ²⁵ |
| 4600 Gal | Cornett water | | 1.3 | 59.80 |
| 1 hr | 80 Vac #108 | | 84.00 | 84.2 |
| 1 hc | 80 vac #111 | | 84.20 | 84.20 |
| | | 4 | | 200 |
| 4.22 Tons | Bulk Truck Minimum | Charge # 242 | \$1.15/Mile | 150.°° |
| / | Plugs 27/8 Top | Plua | 25.00 | 25.00 |
| | | 2, 369.65 | Subtotal | 2,132,69 |
| | 10% 1 | Discount 236.96 | Sales Tax | 1100.74 |
| | | | Estimated Tot | al 2,233,4 |

Remarks: Hook outo Casing Achieve Circulation. Pump 15 bbl Gel Flush Followed by 15 bbl water spacer. & 99 sxs 50/50 pozmix. Flush pump. Pump
Plug to bottom & Sut Float shor.

| Cament | to Suface. | |
|--------|--------------|--|
| Comeon | TO SULLOCUS. | |



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083 Fax: 913-557-9084

Paola, KS 66071

WELL LOG

Tailwater, Inc.
North Kempnich # 1-IWU
API #15-003-26,225

September 26 - September 29, 2014

| Thickness of Strata | Formation | Total |
|---------------------|---------------|--------------------------------|
| 15 | soil & clay | 15 |
| 3 | clay & gravel | 18 |
| 99 | shale | 117 |
| 35 | lime | 152 |
| 61 | shale | 213 |
| 12 | lime | 225 |
| 5 | shale | 230 |
| 30 | lime | 260 |
| 11 | shale | 271 |
| 21 | lime | 292 |
| 3 | shale | 295 |
| 24 | lime | 319 base of the Kansas City |
| 173 | shale | 492 |
| 3 | lime | 495 |
| 6 | shale | 501 |
| 7 | lime | 508 oil show |
| 10 | shale | 518 |
| 7 | oil sand | 525 green good bleeding |
| 6 | shale | 531 |
| 1 | coal | 532 |
| 2 | shale | 534 |
| 17 | oil sand | 551 green good bleeding |
| 6 | shale | 557 |
| 2 | coal | 559 |
| 4 | shale | 563 |
| 6 | lime | 569 |
| 15 | shale | 584 |
| 3 | lime | 587 |
| 19 | shale | 606 |
| 14 | lime | 620 |
| 16 . | shale | 636 |
| 3 | lime | 639 |
| 25 | shale | 664 |
| 3 | limey sand | 667 green & white, no oil |
| 4 | broken sand | 671 brown & green, ok bleeding |
| 33 | shale | 704 |
| 1 | lime & shells | 705 |
| 5 | oil sand \ | 710 brown ok bleeding |
| 2 | broken sand | 712 brown & grey ok bleeding |

| North | Kempni | ch# | 1-IWU |
|-------|--------|-----|-------|
|-------|--------|-----|-------|

Page 2

| 8 | 720 |
|----|-------------------|
| 3 | 723 black, no oil |
| 45 | 768 TD |
| 45 | 768 TD |

Drilled a 9 7/8" hole to 22.45' Drilled a 5 5/8" hole to 768'

Set 22.45' of 7" surface casing with 5 sacks of cement.

Set 758.9' of 2 7/8" 8 round upset tubing including 3 centralizers, 1 float shoe, and 1 clamp.