CORRECTION #2

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #		API No. 15 -				
Name:		Spot Description:				
Address 1:		SecTwpS. R				
Address 2:		Feet from North / South Line of Section				
City: State: Z	ip:+	Feet from East / West Line of Section				
Contact Person:		Footages Calculated from Nearest Outside Section Corner:				
Phone: ()		□NE □NW □SE □SW				
CONTRACTOR: License #		GPS Location: Lat:, Long:				
Name:		(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)				
Wellsite Geologist:		Datum: NAD27 NAD83 WGS84				
Purchaser:		County:				
Designate Type of Completion:		Lease Name: Well #:				
New Well Re-Entry	Workover	Field Name:				
		Producing Formation:				
Oil WSW SWD	☐ SIOW	Elevation: Ground: Kelly Bushing:				
☐ Gas ☐ D&A ☐ ENHR ☐ OG ☐ GSW	☐ SIGW	Total Vertical Depth: Plug Back Total Depth:				
☐ OG ☐ GSW ☐ CM (Coal Bed Methane)	Temp. Abd.	Amount of Surface Pipe Set and Cemented at: Feet				
Cathodic Other (Core, Expl., etc.):		Multiple Stage Cementing Collar Used? Yes No				
If Workover/Re-entry: Old Well Info as follows:		If yes, show depth set: Feet				
Operator:		If Alternate II completion, cement circulated from:				
Well Name:		feet depth to:w/sx cmt.				
Original Comp. Date: Original T						
Deepening Re-perf. Conv. to E	<u>. </u>	Drilling Flyid Management Plan				
	SSW Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)				
		Chloride content:ppm Fluid volume:bbls				
Commingled Permit #:						
Dual Completion Permit #:		Dewatering method used:				
SWD Permit #:		Location of fluid disposal if hauled offsite:				
		Operator Name:				
GSW Permit #:		Lease Name: License #:				
	_	Quarter Sec TwpS. R East West				
Spud Date or Date Reached TD Recompletion Date	Completion Date or Recompletion Date	County: Permit #:				
		1 Office .				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

Confidentiality Requested:

Yes No

KCC Office Use ONLY			
Confidentiality Requested			
Date:			
Confidential Release Date:			
Wireline Log Received			
Geologist Report Received			
UIC Distribution			
ALT I II Approved by: Date:			



1309141 CORRECTION #2

Operator Name:				Lease l	Name: _			Well #:	
Sec Twp	S. R	East	West	County	:				
INSTRUCTIONS: Sho open and closed, flowir and flow rates if gas to	ng and shut-in pressu surface test, along w	res, whe ith final c	ther shut-in pre chart(s). Attach	ssure reac extra shee	hed stati t if more	c level, hydrost space is need	atic pressures, b ed.	ottom hole tempe	erature, fluid recovery,
Final Radioactivity Log files must be submitted	-					gs must be em	alled to kcc-well	-logs@kcc.ks.gov	v. Digital electronic lo
Drill Stem Tests Taken (Attach Additional SI	heets)	Ye	es No				ion (Top), Depth		Sample
Samples Sent to Geolo	gical Survey	☐ Ye	es 🗌 No		Nam	9		Тор	Datum
Cores Taken Electric Log Run		☐ Ye	es No						
List All E. Logs Run:									
		Repo	CASING ort all strings set-o		Ne		ction, etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing t (In O.D.)	Weig	ht	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTIN	NG / SQL	EEZE RECORI)		
Purpose: Perforate Protect Casing	Depth Top Bottom	Туре	of Cement	# Sacks	Used		Type and	d Percent Additives	
Plug Back TD Plug Off Zone									
Did you perform a hydrauli Does the volume of the tot Was the hydraulic fracturin	al base fluid of the hydra	ulic fractu	uring treatment ex		•	Yes Yes Yes	No (If No,	skip questions 2 an skip question 3) fill out Page Three	,
Shots Per Foot			RD - Bridge Plug Each Interval Perf				acture, Shot, Ceme Amount and Kind of	ent Squeeze Record Material Used)	d Depth
TUBING RECORD:	Size:	Set At:		Packer A	:: ::	Liner Run:	Yes n	No	
Date of First, Resumed P	Production, SWD or ENH	R.	Producing Meth	od:	g 🗌	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours	Oil B	bls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITIO	Used on Lease		N Open Hole	METHOD OF		Comp. Co	ommingled bmit ACO-4)	PRODUCTIO	ON INTERVAL:

Form	ACO1 - Well Completion
Operator	Tailwater, Inc.
Well Name	North Kempnich 13-IWU
Doc ID	1309141

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.8750	7	17	23	Portland	5	POZ
Production	5.6250	2.8750	6.45	638	Portland	92	50/50 POZ

Summary of Changes

Lease Name and Number: North Kempnich 13-IWU

API/Permit #: 15-003-26237-00-00

Doc ID: 1309141

Correction Number: 2

Approved By: Karen Ritter

Field Name	Previous Value	New Value
Approved Date	04/28/2016	06/13/2016
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=13	//kcc/detail/operatorE ditDetail.cfm?docID=13
Tubing Set At	04544 638	09141
Tubing Size	2.5875	

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

ONFIDENTIAL WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #		API No. 15
Name:		Spot Description:
Address 1:		SecTwpS. R
Address 2:		Feet from North / South Line of Section
City: State: Zip:	+	Feet from East / West Line of Section
Contact Person:		Footages Calculated from Nearest Outside Section Corner:
Phone: ()		□NE □NW □SE □SW
CONTRACTOR: License #		GPS Location: Lat:, Long:
Name:		(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:		Datum: NAD27 NAD83 WGS84
Purchaser:		County:
Designate Type of Completion:		Lease Name: Well #:
	Vorkover	Field Name:
		Producing Formation:
Oil WSW SWD	SIOW	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ D&A ☐ ENHR ☐ GSW	☐ SIGW☐ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW ☐ CM (Coal Bed Methane)		Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):		Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:		If yes, show depth set: Feet
Operator:		If Alternate II completion, cement circulated from:
Well Name:		feet depth to:w/sx cmt.
Original Comp. Date: Original Total De		
Deepening Re-perf. Conv. to ENHR	_	Drilling Fluid Management Plan
	Conv. to Producer	(Data must be collected from the Reserve Pit)
		Chloride content:ppm Fluid volume: bbls
Commingled Permit #:		Dewatering method used:
		Location of fluid disposal if hauled offsite:
		Operator Name:
GSW Permit #:		Lease Name: License #:
Poud Data or Data Basahad TD Ori	anlation Date ==	Quarter Sec TwpS. R
•	npletion Date or ompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT LE III Approved by:				



Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1230497

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

CONFIDENTIAL WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15				
Name:	Spot Description:				
Address 1:	SecTwpS. R				
Address 2:	Feet from North / South Line of Section				
City:	Feet from _ East / _ West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
	Producing Formation:				
Oil WSW SWD SIOW	Elevation: Ground: Kelly Bushing:				
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW ☐ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:				
☐ OG ☐ ☐ GSW ☐ Temp. Abd. ☐ CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet				
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No				
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet				
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to:w/sx cmt.				
Original Comp. Date: Original Total Depth:					
Deepening Re-perf. Conv. to ENHR Conv. to SWD	D. 1111 - El 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
Plug Back Conv. to GSW Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)				
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls				
Dual Completion Permit #:	Dewatering method used:				
SWD Permit #:	Location of fluid disposal if hauled offsite:				
ENHR Permit #:	Operator Name:				
GSW Permit #:	· ·				
	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R				
Recompletion Date Recompletion Date	County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II III Approved by: Date:					

KOLAR Document ID: 1230497

Page Two

Operator Name: _				Lease Name:			Well #:	
Sec Twp.	S. R.	E	ast West	County:				
	flowing and shu	ut-in pressures, v	vhether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample
Samples Sent to 0	Geological Surv	/ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		B	CASING eport all strings set-c		New Used	ion, etc.		
Purpose of Strir		Hole illed	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	UEEZE RECORD			
Purpose:		epth T Bottom	ype of Cement	# Sacks Used		Type and F	Percent Additives	
Perforate Protect Casi Plug Back T								
Plug Off Zor								
Did you perform a Does the volume Was the hydraulic	of the total base f	fluid of the hydrauli		_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,
Date of first Product Injection:	tion/Injection or R	esumed Production	Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			DN INTERVAL: Bottom
	Sold Used	I on Lease	Open Hole			mmingled mit ACO-4)	Тор	BOROTT
,	,			B.11 B1				
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	: Size:	Set	Δ+-	Packer At:				
TODING RECORD:	. 3126.	Set	n.	i donei Al.				

Form	ACO1 - Well Completion
Operator	Tailwater, Inc.
Well Name	North Kempnich 13-IWU
Doc ID	1230497

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.8750	7	17	23	Portland	5	
Completio n	5.6250	2.8750	6.45	638	Portland	92	50/50 POZ

3613A Y Road Madison, KS 66860 Ph: 620-437-2661 Fax: 620-437-2881

FED ID# 48-1214033 MC ID#

165290

HURRICANE SERVICES INC

104 Prairie Plaza Parkway Garnett, KS 66032

Ph: 785-448-3100 Fax: 785-448-3102

Remit to: Hurricane Services, Inc. 250 N. Water, Suite 200 Wichita, KS 67202

Customer:

MARTIN OIL PROPERTIES % CHRISTIAN MARTIN 6421 AVONDALE DR., STE 212 OKLAHOMA CITY, OK 73116-6428 Invoice Date: Invoice #:

9/22/2014 0014936 13-IWV

Lease Name: N KEMPNICH Well #: County: **ANDERSON**

· ·	,			
Date/Description	HRS/QTY	Rate	Total	
See ticket 50397 of JB	1.000	675.000	675.00	
Cement Pozmix 50/50	92.000	11.300	1,039.60 T	
Gel 2%	184.000	0.300	55.20 T	
Gel flush	200.000	0.300	60.00 T	
Flocele	23.000	2.150	49.45 T	
City water	4,600.000	0.013	59.80	
Vac truck #108	1.000	84.000	84.00	
/ac truck #111	1.000	84.000	84.00	
Bulk truck #242	1.000	150.000	150.00	
Γop rubber plug 2 7/8"	1.000	25.000	25.00 T	
10% Discount per Kevin Miller	1.000	228.200-	228.20-	



Net Invoice Sales Tax: (7.65%) 2.053.85

94.04

Total

2,147.89

All invoices are due upon receipt. Interest at the rate of 1 1/2% per month may be charged on all invoices not paid within 30 days from date of invoice.

WE APPRECIATE YOUR BUSINESS!

Hurricane Services, Inc. 104 Prairie Plaza Parkway Garnett, KS 66032 Office # 785-448-3100 Toll Free # 855-718-8027



Ticket	Nº	50397
Location		
Foreman_	Joe	Blanchard

Cement Service ticket


Date	Customer #	Well Name & Number	Sec./	Township/Range	County
9-22-14		N. Kempnich 13- Iu	UU		Anderson
Customer		Mailing Address	City	State	Zip
Martin	oil Properti	25			

Job Type:			Truck #	Driver
Longstring	Casing TD 638		26	Joe B
Hole Size: 0 57/8	Casing Size: 2 7/8	Displacement: 3.7	231	Tom.
Hole Depth: 642	Casing Weight:	Displacement PSI: 400	242	TROY /JEF
Bridge Plug:	Tubing:	Cement Left in Casing: 0	108	Alex / Jess
Packer:	PBTD:		111	Tyler
Quantity Or Units	Description of S	Servcies or Product	Pump charge	675.99
o mi	Mileage Pump truc	K # 231	\$3.25/Mile	NC
o mi	Pick up #	26	150	NC
925K	50/50 Poz mix		11.30	1039 40
184 LB			.30	55.20
200 LB	Prem Gel Sweep		. 30	6000
23 LB	Flo Seal	2.15	49.45	
4600 Gal	Garnett water		1.3	59.50
1 hr	80 vac #111		84.22	84.2
1 hr	80 vac #108		84.00	84.00
3 . 8 Tons	Bulk Truck Minimum C	lana. # 7#2	\$1.15/Mile	150.20
	Plugs 27/8 Top Plug	1	25.00	25.00
	1. 01	2,282.05	Subtotal	2053.85
	10 % Discour	M 7 288.20	Sales Tax	94.04
			Estimated Tot	al 2,147,69

	1010
Remarks: Hook anto Casing Achieved Circulation. Pump	15 bbl Gcl Sweep
Followed by 15 bbl water spaces of 92 5KS 50/50p Pumped Plug to bottom of Set Float shae.	ozmix. Flush pump.
rumped Plug to bottom of Set Float Shae.	' '
Comont to Surface.	
Contribute to 2013000.	

(Rev. 1-2011)

Customer Signature



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083 Fax: 913-557-9084

Paola, KS 66071

WELL LOG

Tailwater, Inc.
North Kempnich # 13 IWU
API #15-003-26,237

September 18 - September 19, 2014

Thickness of Strata	<u>Formation</u>	<u>Total</u>
14	soil & clay	14
4	clay & gravel	18
48	shale	66
27	lime	93
69	shale	162
10	lime	172
5	shale	177
37	lime	214
6	shale	220
21	lime	241
3	shale	244
. 22	lime	266 base of the Kansas City
174	shale	440
4	lime	444
6	shale	450
7	lime	457 oil show
19	shale	476
3	oil sand	479 green light bleeding
. 2	shale	481
1	coal	482
3	shale	485
15	oil sand	500 green, ok bleeding
6	shale	506
2	coal	508
5	shale	513
6	lime	519
14	shale	533
3	lime	536
22	shale	558
15	lime	573
17	shale	590
3	lime	593
21	shale	614
1	limey sand	615 green, no oil
1	broken sand	616 brown & green good bleeding
2	oil sand	618 brown, good bleeding
3	broken sand	621 brown & green good bleeding
21	shale	642 TD

Drilled a 9 7/8" hole to 22.5' Drilled a 5 5/8" hole to 642'

Set 22.5' of 7" surface casing with 5 sacks of cement. Set 638' of 2 7/8" 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.