Confidentiality Requested:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1309142

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL HISTORY -	DESCRIPTION	OF WELL &	LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:
OG GSW Temp. Abd. CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
	feet depth to:w/sx cmt.
Well Name:	w/ w/ w/ w/
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Plug Back Conv. to GSW Conv. to Producer	
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. R. East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY		
Confidentiality Requested		
Date:		
Confidential Release Date:		
Wireline Log Received		
Geologist Report Received		
UIC Distribution		
ALT I II III Approved by: Date:		

CORRECTION #2

1309142

Operator Nar	me:			Lease Name:	_ Well #:
Sec	Twp	_S. R	East West	County:	

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taker (Attach Additional		Yes No	L	og Formatic	on (Top), Depth and	d Datum	Sample
Samples Sent to Geo		Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run	· · · · · · · · · · · · · · · · · · ·	☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
		CASING Report all strings set-c	RECORD Ne		on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQL	IEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Pe	ercent Additives	
Protect Casing Plug Back TD Plug Off Zone							
Does the volume of the t	-	n this well? aulic fracturing treatment ex submitted to the chemical o	-	☐ Yes [? ☐ Yes [☐ Yes [No (If No, skip	o questions 2 an o question 3) out Page Three o	
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				cture, Shot, Cement		d Depth	

 Per 24 Hours
 Image: Disposition of GAS:
 METHOD OF COMPLETION:
 PRODUCTION INTERVAL:

 Image: Disposition of GAS:
 Image: Disposition of GAS:
 Image: Disposition of Completion:
 PRODUCTION INTERVAL:

 Image: Disposition of GAS:
 Image: Disposition of Completion:
 Image: Disposition of Completion:
 PRODUCTION INTERVAL:

 Image: Disposition of Completion:
 Image: Disposition of Completion:
 Image: Disposition of Completion:
 Image: Disposition of Completion:

 Image: Other (Specify)
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:

 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:

 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:
 Image: Disposition:

Packer At:

Pumping

Mcf

Producing Method:

Flowing

Gas

Liner Run:

Gas Lift

Water

No

Gas-Oil Ratio

Gravity

Yes

Other (Explain)

Bbls.

TUBING RECORD:

Estimated Production

Size:

Oil

Date of First, Resumed Production, SWD or ENHR.

Set At:

Bbls.

Form	ACO1 - Well Completion
Operator	Tailwater, Inc.
Well Name	North Kempnich 21-IWU
Doc ID	1309142

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.8750	7	17	23	Portland	5	POZ
Production	5.6250	2.8750	6.45	647	Portland	92	50/50 POZ

Summary of Changes

Lease Name and Number: North Kempnich 21-IWU API/Permit #: 15-003-26247-00-00 Doc ID: 1309142 Correction Number: 2 Approved By: Karen Ritter

Field Name	Previous Value	New Value
Approved Date	04/20/2016	06/14/2016
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=13	//kcc/detail/operatorE ditDetail.cfm?docID=13
Tubing Set At	04531 647	09142
Tubing Size	2.8750	

CORRECTION #1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1304531

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

CONFIDENTIAL	WELL COMPLETION FORM
WELL	HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #		API No. 15
Name:		Spot Description:
Address 1:		
Address 2:		Feet from Dorth / South Line of Section
City: State:	Zip:+	Feet from East / West Line of Section
Contact Person:		Footages Calculated from Nearest Outside Section Corner:
Phone: ()		
CONTRACTOR: License #		GPS Location: Lat:, Long:
Name:		(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:		Datum: NAD27 NAD83 WGS84
Purchaser:		County:
Designate Type of Completion:		Lease Name: Well #:
New Well Re-Entry	Workover	Field Name:
		Producing Formation:
☐ Oil ☐ WSW ☐ SW	VD SIOW	Elevation: Ground: Kelly Bushing:
		Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)		Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc	c):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follo		If yes, show depth set: Feet
Operator:		If Alternate II completion, cement circulated from:
Well Name:		feet depth to:w/sx cmt.
Original Comp. Date: Orig		
	IV. to ENHR Conv. to SWD	Delline Field Measurement Dise
	v. to GSW	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
		Chloride content: ppm Fluid volume: bbls
Commingled Permit	#:	
Dual Completion Permit	#:	Dewatering method used:
SWD Permit	#:	Location of fluid disposal if hauled offsite:
ENHR Permit	#:	Operator Name:
GSW Permit	#:	Lease Name: License #:
		Quarter Sec TwpS. R [] East [] West
Spud Date or Date Reached TD Recompletion Date	Completion Date or Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

Confidentiality Requested:

Yes No

KCC Office Use ONLY		
Confidentiality Requested		
Date:		
Confidential Release Date:		
Wireline Log Received		
Geologist Report Received		
UIC Distribution		
ALT I II III Approved by: Date:		



N 1230509

Confidentiality Requested:

CONFIDENTIAL

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

August 2013 Form must be Typed Form must be Signed

All blanks must be Filled

Form ACO-1

WELL COMPLETION FORM

OPERATOR: License #		API No. 15
Name:		Spot Description:
Address 1:		
Address 2:		Feet from North / South Line of Section
City: State: Zip	:+	Feet from Deast / West Line of Section
Contact Person:		Footages Calculated from Nearest Outside Section Corner:
Phone: ()		
CONTRACTOR: License #		GPS Location: Lat:, Long:
Name:		(e.g. xx.xxxx) (e.gxxx.xxxxx)
Wellsite Geologist:		Datum: NAD27 NAD83 WGS84
Purchaser:		County:
Designate Type of Completion:		Lease Name: Well #:
New Well Re-Entry	Workover	Field Name:
		Producing Formation:
☐ Oil ☐ WSW ☐ SWD ☐ Gas ☐ D&A ☐ ENHR ☐ OG ☐ GSW	SIGW	Elevation: Ground: Kelly Bushing:
		Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)		Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):		Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:		If yes, show depth set: Feet
Operator:		If Alternate II completion, cement circulated from:
Well Name:		feet depth to:w/sx cmt.
Original Comp. Date: Original Tot	al Depth:	
Deepening Re-perf. Conv. to EN	HR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to GS	W Conv. to Producer	(Data must be collected from the Reserve Pit)
		Chloride content: ppm Fluid volume: bbls
		Dewatering method used:
		Location of fluid disposal if hauled offsite:
		Location of huld disposal in hadred offsite.
		Operator Name:
		Lease Name: License #:
Spud Date or Date Reached TD	Completion Date or	QuarterSecTwpS. R East West
Recompletion Date	Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I II III Approved by: Date:				

KOLAR Document ID: 1230509

Operator Nam	ne:			Lease Name:	_ Well #:
Sec	Twp	S. R	East West	County:	

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sheets)		Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample
			⁄es 🗌 No	1	Name	Э		Тор	Datum
Samples Sent to Geological Survey Cores Taken Electric Log Run Geologist Report / Mud Logs List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No						
		Rep	CASING ort all strings set-c		Ne	w Used rmediate, productio	on, etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
[ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose:	Depth Top Bottom	Туре	e of Cement	# Sacks Use	d		Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
 Did you perform a hydraulic fracturing treatment on this well? Does the volume of the total base fluid of the hydraulic fracturing treatment ex Was the hydraulic fracturing treatment information submitted to the chemical 				-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three		
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:		METHOD OF		COMPLETION:			PRODUCTION INTERVAL: Top Bottom	
Vented Sold Used on Lease (If vented, Submit ACO-18.)			Open Hole		-	·	mingled	юр	
		ation	Bridge Plug Bridge Plug Type Set At						
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Tailwater, Inc.
Well Name	North Kempnich 21-IWU
Doc ID	1230509

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.8750	7	17	23	Portland	5	
Completio n	5.6250	2.8750	6.45	647	Portland	92	50/50 POZ

3613A Y Road Madison, KS 66860 Ph: 620-437-2661 Fax: 620-437-2881




HURRICANE SERVICESINC

104 Prairie Plaza Parkway Garnett, KS 66032 Ph: 785-448-3100 Fax: 785-448-3102

FED ID# 48-1214033 MC ID# 165290

Remit to: Hurricane Services, Inc. 250 N. Water, Suite 200 Wichita, KS 67202

Customer:	Invoice Date:		9/22/2014	
MARTIN OIL PROPERTIES	Invoice Date.	0014937 N KEMPNICH 21-IWV		
% CHRISTIAN MARTIN	Lease Name:			
6421 AVONDALE DR., STE 212	Well #:			
OKLAHOMA CITY, OK 73116-6428	County:	ANDERSON		
Date/Description	HRS/QTY	Rate	Total	
See ticket 50398 of JB	1.000	675.000	675.00	
Cement Pozmix 50/50	92.000	11.300	1,039.60 T	
Gel 2%	184.000	0.300	55.20 T	
Gel flush	200.000	0.300	60.00 T	
Flocele	23.000	2.150	49.45 T	
City water	4,600.000	0.013	59.80	
Vac truck #108	1.000	84.000	84.00	
Vac truck #111	1.000	84.000	84.00	
Bulk truck #242	1.000	150.000	150.00	
Top rubber plug 2 7/8"	1.000	25.000	25.00 T	
10% Discount per Kevin Miller	1.000	228.200-	228.20-	



	/	
Net Invoice	V	2,053.85
Sales Tax: (7.65%)		94.04
Total		2,147.89

All invoices are due upon receipt. Interest at the rate of 1 1/2% per month may be charged on all invoices not paid within 30 days from date of invoice.

WE APPRECIATE YOUR BUSINESS!

Hurricane Services, Inc. 104 Prairie Plaza Parkway Garnett, KS 66032 Office # 785-448-3100 Toll Free # 855-718-8027



Nº	50	20	2
14.	50	00	0

Location_ Foreman

Ticket

n_____

ian Joe Blanchard

 Cement Service ticket


 Date
 Customer #
 Well Name & Number
 Sec./Township/Range
 County

 9.22.14
 N. Kempwich & I-Tuul
 ANDERSON

 Customer
 Mailing Address
 City
 State
 Zip

 Martin Oil properties
 Oil properties
 Version
 Version

	-	the subscription of the su		Driver
howGstring	Casing Size: 27/8		26	Joe
Hole Size: 5778	Casing Size: 27/8	Displacement: 3.75	231	Tom
Hole Depth: 651	Casing Weight:	Displacement PSI: 400	242	JEFF/ TROY
Bridge Plug:	Tubing:	Cement Left in Casing:	108	Alex/Jesse
Packer:	PBTD:		111	TyleR
Quantity Or Units	Description of	f Servcies or Product	Pump charge	675.00
o mi	Mileage Pump truc	K #231	\$3.25/Mile	NC
o Mi	Mileage Pump truc Pick up #26		1.50	NC
92 SK	50/50 Pozmix		11.20	1039 .00
184 LB	Prem Gel 2%		.30	55.20
200 LB	Prem Gel Swe	×0		6000
23LB	Flo Sed	+	· 30 2. ^{Ls}	49.45
4600 Gel	Garnett wat	R	1.3	59.80
1 hr	16	5-1 5a	84.00	84.0
1 hr	80 vac # 111		84.00	84.2
3.8 Tons	Bulk Truck MiniMuM	Charge # 242	\$1.15/Mile	/50.90
1		0	25.20	25.00
•	18 a 18 100	Plug 2,282,05 500NT 228,20	Subtotal	
	10% D1:	SCOUNT 238,20	Sales Tax	2,053.55
			Estimated Tot	al 2, 147, 89
Followed by Followed by Flush pump.	15 bbl water 3	pacer of 92 sks thom of set Float	of 50/5	e pozmix
	Cement	to Surface		



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

> Phone: 913-557-9083 Fax: 913-557-9084

WELL LOG Tailwater, Inc. North Kempnich #21-IWU API #15-003-26,247 September 19 - September 22, 2014

Paola, KS 66071

Thickness of Strata	Formation	Total
14	soil & clay	14
4	clay & gravel	18
51	shale	69
26	lime	95
72	shale	167
10	lime	177
6	shale	183
34	lime	217
9	shale	226
21	lime	247
3	shale	250
25	lime	275 base of the Kansas City
174	shale	449
4	lime	453
5	shale	458
7	lime	465 oil show
8	shale	473
7	oil sand	480 green, light oil show
7	shale	487
1	coal	488
2	shale	490
19	oil sand	509 green, ok bleeding
4	shale	513
2	coal	515
7	shale	522
6	lime	528
6	shale	534
2	lime	536
7	shale	543
5	lime	548
17	shale	565
10	lime	575
46	shale	621
1	limey sand	622 green & white, no oil
1.5	broken sand	623.5 brown & green 50% bleeding
0.5	oil sand	624 brown 60% bleeding
3	broken sand	627 brown & green 50% bleeding
2	broken sand	629 brown & grey a few thin bleeding seams 90% shale
22	shale	651 TD

North Kempnich #21-IWU

Page 2

Drilled a 9 7/8" hole to 22.5' Drilled a 5 5/8" hole to 651'

Set 22.5' of 7" surface casing with 5 sacks of cement.

Set 646.3' of 2 7/8" 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.