CORRECTION #2

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Confidentiality Requested:

Yes No

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

## **WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R 🔲 East 🗌 West
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)  Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
☐ Oil ☐ WSW ☐ SWD ☐ SIOW	Producing Formation:
Gas D&A ENHR SIGW	Elevation: Ground: Kelly Bushing:
☐ OG ☐ GSW ☐ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content:ppm Fluid volume:bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West
Recompletion Date Recompletion Date	Countv: Permit #:

### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II Approved by: Date:



Operator Name: \_ Lease Name: \_\_\_ Well #: \_ County: \_ INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF). No **Drill Stem Tests Taken** Yes Loa Formation (Top), Depth and Datum Sample (Attach Additional Sheets) Name Top Datum No Samples Sent to Geological Survey Yes No J Yes Cores Taken No Electric Log Run \_\_\_ Yes List All E. Logs Run: CASING RECORD New Used Report all strings set-conductor, surface, intermediate, production, etc. Size Hole Size Casing Weight Setting Type of # Sacks Type and Percent Purpose of String Drilled Set (In O.D.) Lbs. / Ft. Depth Cement Used Additives ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Depth Type of Cement # Sacks Used Type and Percent Additives Top Bottom Perforate **Protect Casing** Plug Back TD Plug Off Zone Did you perform a hydraulic fracturing treatment on this well? Yes No (If No, skip questions 2 and 3) Yes Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? No (If No, skip question 3) Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? (If No, fill out Page Three of the ACO-1) Yes PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record Shots Per Foot Specify Footage of Each Interval Perforated Depth (Amount and Kind of Material Used) TUBING RECORD: Size: Set At: Packer At: Liner Run: Yes No Date of First, Resumed Production, SWD or ENHR. Producing Method: Gas Lift Flowing Pumping Other (Explain) **Estimated Production** Bbls. Oil Bbls Gas Mcf Water Gas-Oil Ratio Gravity Per 24 Hours METHOD OF COMPLETION: **DISPOSITION OF GAS:** PRODUCTION INTERVAL: Open Hole Perf. Dually Comp. Commingled Sold Used on Lease (Submit ACO-5) (Submit ACO-4) (If vented, Submit ACO-18.) Other (Specify)

Form	ACO1 - Well Completion					
Operator	Tailwater, Inc.					
Well Name	North Kempnich 31-IWM					
Doc ID	1309147					

# Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.8750	7	17	23	Portland	5	POZ
Production	5.6250	2.8750	6.45	696	Portland	108	50/50 POZ

# **Summary of Changes**

Lease Name and Number: North Kempnich 31-IWM

API/Permit #: 15-003-26257-00-00

Doc ID: 1309147

Correction Number: 2

Approved By: Karen Ritter

Field Name	Previous Value	New Value
Approved Date	04/21/2016	06/14/2016
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=13	//kcc/detail/operatorE ditDetail.cfm?docID=13
Tubing Set At	04548 696	09147
Tubing Size	2.8750	

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

## CONFIDENTIAI **WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R East West
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
☐ Oil ☐ WSW ☐ SWD ☐ SIOW	Producing Formation:
Gas D&A ENHR SIGW	Elevation: Ground: Kelly Bushing:
☐ OG ☐ GSW ☐ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content:ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

## **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:



Confidentiality Requested:

Yes No

## Kansas Corporation Commission Oil & Gas Conservation Division

1230506

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

# CONFIDENTIAL WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R 🔲 East 🗌 West
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)  Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
☐ Oil ☐ WSW ☐ SWD ☐ SIOW	Producing Formation:
Gas D&A ENHR SIGW	Elevation: Ground: Kelly Bushing:
☐ OG ☐ GSW ☐ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content:ppm Fluid volume:bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West
Recompletion Date Recompletion Date	Countv: Permit #:

### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT L MANAGEMENT Date:

KOLAR Document ID: 1230506

## Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [	East	West	County:					
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool erature, fluid recovery,  Digital electronic log
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name	)		Тор	Datum
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€  Y€	es No						
			Repo		RECORD [	Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[	Depth	Typo	of Cement	# Sacks Use		EEZE RECORD	Typo a	ad Paraant Additivas	
Perforate Protect Ca Plug Back	Top	Bottom	туре	or cement	# Sacks Use	,u	Type and Percent Additives			
Plug Off Z										
Did you perform     Does the volum     Was the hydraul	e of the total base	fluid of the hyd	draulic fra	cturing treatmen		•	Yes ns? Yes	No (If No	, skip questions 2 an , skip question 3) , fill out Page Three o	,
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)		
Estimated Produc	otion	Oil Bb	le.	Flowing Gas	Pumping  Mcf	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPO	OSITION OF GAS	S:		N	METHOD OF CO	MPLE.	TION:		PRODUCTIO	N INTERVAL:
Vented	Sold Use	d on Lease		Open Hole		Dually		nmingled	Тор	Bottom
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (Subi	mit ACO-4)		
Shots Per Foot	Perforation Top	Perforation Bottom	on	Bridge Plug Bridge Plug Acid, F Type Set At					Cementing Squeeze Kind of Material Used)	Record
TUBING RECOR	D: Size:		Set At:		Packer At:					

Form	ACO1 - Well Completion					
Operator	Tailwater, Inc.					
Well Name	North Kempnich 31-IWM					
Doc ID	1230506					

# Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.8750	7	17	23	Portland	5	
Completio n	5.6250	2.8750	6.45	696	Portland	108	50/50 POZ

3613A Y Road Madison, KS 66860 Ph: 620-437-2661 Fax: 620-437-2881

FED ID# 48-1214033 MC ID# 165290



104 Prairie Plaza Parkway Garnett, KS 66032 Ph: 785-448-3100 Fax: 785-448-3102

Remit to: Hurricane Services, Inc. 250 N. Water, Suite 200 Wichita, KS 67202

Customer:

MARTIN OIL PROPERTIES % CHRISTIAN MARTIN 6421 AVONDALE DR., STE 212 OKLAHOMA CITY, OK 73116-6428 Invoice Date: 9/26/2014
Invoice #: 0014940
Lease Name: N KEMPNICH
Well #: 31-IWM
County: ANDERSON

Date/Description	HRS/QTY	Rate	Total	
See ticket 50401 of JB	1.000	675.000	675.00	
Cement Pozmix 50/50	108.000	11.300	1,220.40 T	
Gel 2%	216.000	0.300	64.80 T	
Gel flush	200.000	0.300	60.00 T	
Flocele	27.000	2.150	58.05 T	
City water	4,600.000	0.013	59.80	
Vac truck #108	1.000	84.000	84.00	
Vac truck #111	1.000	84.000	84.00	
Top rubber plug 2 7/8"	1.000	25.000	25.00 T	
Bulk truck #242	1.000	150.000	150.00	
10% Discount per Kevin Miller	1.000	248.100-	248.10-	

Net Invoice 2,232.95
Sales Tax: (7.65%) 109.26

Total 2,342.21

All invoices are due upon receipt. Interest at the rate of 1 1/2% per month may be charged on all invoices not paid within 30 days from date of invoice.

WE APPRECIATE YOUR BUSINESS!

Hurricane Services, Inc. 104 Prairie Plaza Parkway Garnett, KS 66032 Office # 785-448-3100 Toll Free # 855-718-8027




Ticket	Nº	50401
Location_		
Foreman_	Joe ?	Blanchard

## Cement Service ticket

Date	Customer #	Well Name & Number		./Township/Range	County
9-26-14		N. Kempnich 31-Iw	m		Anderson
Customer		Mailing Address	City	State	Zip
Martin	Oil properties				

ob Type:				Truck#	Driver
howastiva		Casina TD 696		26	Joe
Houasting	7/8	Casing Size. 278 Casing Weight:	Displacement: 4.0	230	TOM.
lole Depth: 7	06	Casing Weight:	Displacement PSI: 400	242	AMOS/TROY
Bridge Plug:		Tubing:	Cement Left in Casing: O	111	Dunuar / Jz
acker:		PBTD:		108	Jeff 172
Quantity Or Un	its	Description of S	Servcies or Product	Pump charge	675.00
	mi	Mileage Pump truc	K #230	\$3.25/Mile	NG
	mi	Pick up #	#26	1.50	NC
- /	08 5K	50/50 Poz mi	×	11. 30	1220.40
	6 LB			.30	64.80
	00 LB		0	.30	60.00
	77 LB	Flo Seal		2.15	58 .95
4600	Gal	Carnett unter		1.3	59.00
	1 hr	80 VOC #108		84.00	84.00
	1 pc	80 Vac #111		84.2	84.9
4.5	Tons	Bulk Truck Minimum	Charge # 242	\$1.15/Mile	150.00
	1	Plugs 2 7/8 Top	Plua	25. °°	25.00
- 24	81.00		•	Subtotal	2,232.9
- 24	18.10	10%	Discount	Sales Tax	109.26
	'			Estimated Tot	al 2,342,21

Remarks: HOOK ONTO Casing. Achieved Circulation. Pump 15 bbl gel Sweep
Followed by 15 bbl water spacer & 108 sxs 50/50 poz Mix.
Followed by 15 bbl water spacer of 108 sxs 50/50 poz Mix. Flush pump. Pump Aug to bottom of set float share.
Cement to Surface



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

> Phone: 913-557-9083 Fax: 913-557-9084

Paola, KS 66071

## **WELL LOG**

Tailwater, Inc. North Kempnich # 31-IWM API #15-003-26,257

September 25 - September 26, 2014

14 4 52 27 69 10	soil & clay clay & gravel shale lime shale lime	14 18 70 97 166
52 27 69 10	shale lime shale lime	70 97
27 69 10	lime shale lime	97
69 10	shale lime	
10	lime	166
		176
7	shale	183
32	lime	215
9	shale	224
21	lime	245
3	shale	248
22	lime	270 base of the Kansas City
176	shale	446
3	lime	449
6	shale	455
7	lime	462
17	shale	479
24	oil sand	503 green light bleeding
5	shale	508
2	coal	510
3	shale	513
8	lime	521 oil show
14	shale	535
4	lime	539
21	shale	560
5	lime	565
25	shale	590
4	lime	594
9	shale	603
4	lime	607
12	shale	619
1	limey sand	620 green & white, no oil
5	broken sand	625 brown & green, good bleeding
33	shale	658
1	lime & shells	659
1	limey sand	660

4	oil sand	664 brown, good bleedin
7	broken sand	671 brown & grey, ok bleeding
3.5	shale	706 TD

Drilled a 9 7/8" hole to 22.3' Drilled a 5 5/8" hole to 706'

Set 22.3' of 7" surface casing with 5 sacks of cement.

Set 696' of 2 7/8" 8 round upset tubing including 3 centralizers, 1 float shoe, and 1 clamp.