

REQUEST FOR CHANGE OF OPERATOR
TRANSFER OF INJECTION AUTHORIZATION
OR TRANSFER OF SURFACE POND PERMIT

KANSAS CORPORATION COMMISSION
CONSERVATION DIVISION
130 S MARKET, ROOM 2078
WICHITA, KANSAS 67202

Check Applicable Boxes:

[X] Oil Lease: No. of Wells 1 **

[] Gas Lease: No. of Wells **

** SIDE TWO MUST BE COMPLETED **

[] Saltwater Disposal Well - Docket No.
Spot Location: feet from N/S Line
 feet from E/W Line

[] Enhanced Recovery Proj. Docket No.
Entire project: Yes/No
Number of injection wells **

Field Name Kraft-Prusa

Surface Pond Permit #
(API No. If Drill Pit)

Identify: Emergency Pit ☐

Burn Pit ☐

Storage Pit ☐

Drill Pit ☐

Past Operator's License No. 6425

Past Operator's Name and Address:

Amber Oil Company
5900 Mosteller Drive #1027
Oklahoma City, Okla. 73112
Title Vice President

New Operator's License No. 31805

New Operator's Name and Address

Escher Corporation
2932 N.W. 122nd St., Unit G
Oklahoma City, OK 73120-1934

Title President

Contact Person: David A. Chambers

Phone: 405-842-8634

Date 1/22/96

Signature David A. Chambers

Contact Person Dale Smith

Phone 405-751-2893

Oil/Gas Purchaser NCRA (Clear Creek)

Date 2/2/96

Signature Dale Smith

ACKNOWLEDGEMENT OF TRANSFER: The above request for transfer of injection authorization, surface pond permit # has been noted, approved and duly recorded in the records of the Kansas Corporation Commission. This acknowledgement of transfer pertains to Kansas Corporation Commission records only and does not convey any ownership interest in the above injection well(s) or pond permit.

 is acknowledged as the new operator and may continue to inject fluids as authorized by Docket # . Recommended action

Date
Authorized Signature

 is acknowledged as the new operator of the above named lease containing the surface pond permitted by #

Date
Authorized Signature

***LOCATION:** S/2SE/4 34-16S-12W

WELL STATUS
(PROD/TA'D
ABANDONED)

[illegible]

A SEPARATE SHEET MAY BE ATTACHED IF NECESSARY

*When transferring a unit which consists of more than one lease please file a separate side two for