

Correction

WATER WELL RECORD

Form WWC-5

Division of Water Resources App. No.

1 LOCATION OF WATER WELL: County: Ottawa, Fraction: SE 1/4, SE 1/4, SW 1/4, SW 1/4, Section Number: 21, Township No.: T 10 S, Range Number: R 3

Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: HWY 81, Minneapolis, KS 67467. Global Positioning System (GPS) information: Latitude: 39.161, Longitude: -97.663, Elevation: 1306.77

2 WATER WELL OWNER: USACE, RR#, Street Address, Box #: HWY 81, City, State, ZIP Code: Minneapolis, KS 67467. Collection Method: Digital Map/Photo, Topographic Map, Land Survey

3 LOCATE WELL WITH AN "X" IN SECTION BOX: NW, NE, SW, SE grid with 'X' in SW quadrant.

4 DEPTH OF COMPLETED WELL: 23' 27.2'. Depth(s) Groundwater Encountered: N/A. WELL'S STATIC WATER LEVEL: 19' 64" ft. below land surface measured on 08/25/15. Pump test data: Well water was... EST. YIELD: Well water was... Bore Hole Diameter: 2.75 in. to 23' 27.2' ft., and... WELL WATER TO BE USED AS: Monitoring well. Was a chemical/bacteriological sample submitted to Department? Yes

5 TYPE OF CASING USED: Steel, PVC, Other. CASING JOINTS: Glued, Clamped, Welded, Threaded. Casing diameter: 2 in. to 10' 17" ft., Diameter: in. to ft., Diameter: in. to ft. Casing height above land surface: 0 in., Weight: lbs./ft., Wall thickness or gauge No. Sch 40

TYPE OF SCREEN OR PERFORATION MATERIAL: Steel, Stainless Steel, PVC, Other. SCREEN OR PERFORATION OPENINGS ARE: Continuous slot, Mill slot, Gauze wrapped, Torch cut, Drilled holes, None (open hole). SCREEN-PERFORATED INTERVALS: From 10' 17" ft. to 28' 27" ft., From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 8' 16" ft. to 28' 27.2' ft., From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: Neat cement, Cement grout, Bentonite, Other - High Solids Bent Grout. Grout Intervals: From 1 ft. to 12' 16" ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: Septic tank, Lateral lines, Pit privy, Livestock pens, Insecticide storage, Other (specify below)

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Rows include Top Soil, Clay/Silt, Sandy Clay, Clayey Sand, 8" FM, w/2'x2'x1' Concrete Pad.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 08/06/2015... Kansas Water Well Contractor's License No. 903... This Water Well Record was completed on (mo/day/year) 9/1/15... under the business name of ROBERTS ENV. DRILLING, INC. by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.