

* Correction *

WATER WELL RECORD (WWC5.2)

Constructed

KOLAR DOC ID 1863996

MAR 25 2026

LOCATION OF WATER WELL

County	Finney	Section	33	Township	22	Range	32	<input type="checkbox"/> E <input checked="" type="checkbox"/> W	Fraction	NE 1/4 NE 1/4 NE 1/4
Latitude	38.104394	Longitude	-100.829271	Datum	WGS84	Elevation	2943			

BUREAU OF WATER

WATER WELL LOCATION at owner's address

From Intersection of E Linville Rd & Jennie Barker Rd
1 Mile north ~~east~~ side 60'
west

WELL WATER USE

Domestic Household

Additional info if required:
of Boreholes _____ # of Dewatering Wells _____

WATER WELL OWNER

Name Tom Stevenson

Business _____

Address 4526 S. Banning Drive
Gilbert AZ 85297

COMPLETION

Depth of completed well: 760 ft.

Depth(s) groundwater encountered: Dry Well
(1) _____ ft.; (2) _____ ft.; (3) _____ ft.;

PERMIT & ID NUMBERS (AS REQUIRED)

DWR Application No.: _____

KDHE / EPA Project Code: _____

Site Name: _____

KDHE UIC Class V Form Completed: Yes No

County/Local Permit Required? Yes No

Permit Obtained? Yes No Permit ID: _____

Oil/Gas Lease Name & Well #: _____

Static water level in well: 302 ft.

Date measured: 10/03/2025

Measured from: Top of Casing or Ground Surface

Measured: Above or Below Land Surface

CONSTRUCTION

Casing: Height above land surface: 18 in.

Is casing height less than 12 inches? Yes No

Blank Casing type: Thermal Plastic

1st interval: 0 ft. to 660 ft.; Diameter 5 in.

Casing Joint: Splines Weight: _____ lbs/ft

Wall thickness or gauge no.: SDR 17

2nd interval: _____ ft. to _____ ft.; Diameter _____ in.

Casing Joint: _____ Weight: _____ lbs/ft

Wall thickness or gauge no.: _____

3rd interval: _____ ft. to _____ ft.; Diameter _____ in.

Casing Joint: _____ Weight: _____ lbs/ft

Wall thickness or gauge no.: _____

Estimated yield: 20 gpm

Pump Test Date: Water level was:
_____ ft. after _____ hours pumping _____ gpm
_____ ft. after _____ hours pumping _____ gpm

Screen / Perforation material: PVC

Specify if other: _____

Screen / Perforation openings: Saw cut

1st interval 660 ft. to 760 ft. Slot Size .32 millim

2nd interval _____ ft. to _____ ft. Slot Size _____

3rd interval _____ ft. to _____ ft. Slot Size _____

Pump Information:

Pump Installed? Yes No Date: _____

Pump Type: _____ Horsepower: _____ Volts: _____

Drop Pipe Diameter: _____ in. Drop Pipe Length: _____ ft.

Water well disinfected? Yes No

Date disinfected (mm/dd/yy): 10/03/2025

CONSTRUCTION

Borehole interval: from 0 to 760 ft. from _____ to _____ ft. from _____ to _____ ft.	Borehole diameter: 10 in. _____ in. _____ in.
--	---

Grout:

1st Interval: 0 ft. to 20 ft. Grout material: Bentonite

2nd Interval: 160 ft. to 200 ft. Grout material: Bentonite

3rd Interval: _____ ft. to _____ ft. Grout material: _____

Gravel pack: Not Used

1st Interval: 20 ft. to 160 ft. Gravel Size: _____

2nd Interval: 200 ft. to 760 ft. Gravel Size: _____

3rd Interval: _____ ft. to _____ ft. Gravel Size: _____

DESIGNATED PERSON Trevor Nash **WELL COMPLETION DATE** 10/03/2025

CONTRACTOR BUSINESS NAME Nash Water Well Service, LLC

RECEIVED

MAR 25 2026

BUREAU OF WATER

Form	WWC5.2 - Water Well Record
Doc ID	1863996
Well Owner	Tom Stevenson
Contractor	Nash Water Well Service, LLC

Lithology

From	To	Lithology Intervals
0	4	topsoil
4	25	clay,sandy,brown,Fine Medium
25	60	sand,fine to medium,clayey,brownish, clay streaks
60	95	sand,fine to coarse,clayey,tannish
95	112	caliche,Tan white Clay & Fine Medium sand
112	130	sand,fine to coarse,gravelly,small medium gravel
130	155	sand,fine to coarse,clayey,tannish, brown clay streaks & layers
155	214	sand,fine to coarse,gravelly,small to medium gravel - started loosing fluid
214	240	other,white,hard rock white caliche clay
240	276	clay,white,white yellow with white rock streaks & loose
276	300	clay,sandy,gray, fine sand streaks
300	340	clay,sandy,blue, Gray
340	400	clay,blue
400	420	shale,unknown,clayey,blueish, blue

RECEIVED

MAR 25 2026

BUREAU OF WATER

Form	WWC5.2 - Water Well Record
Doc ID	1863996
Well Owner	Tom Stevenson
Contractor	Nash Water Well Service, LLC

Lithology

From	To	Lithology Intervals
420	640	shale,unknown,blue,with rock streaks & layers
640	670	other,unknown,clayey,blue,Blue Clay with Blue Shale
670	680	sandstone,unknown,gray
680	700	sandstone,unknown,gray, 90%
700	720	sandstone,unknown,gray,90%
720	740	sandstone,unknown,gray, 80%
740	760	sandstone,unknown,gray, 20%
760	780	other,unknown,gray,Gray Blue Red Clay & Thin Gray Sandstone streaks