

Corrected

KOLAR Document ID: 1638294

WATER WELL RECORD (WWC-5)

Constructed

KOLAR DOC ID 1638294

WELL ID MW-01

Original Record ☐ Correction ☐ Change in Well Use ☐

LOCATION OF WATER WELL

Latitude	37.075182	Longitude	-94.701679	Section	17	Township	34	Range	25	☒ E ☐ W	Fraction	SE ¼ SW ¼ SW ¼
Datum	WGS84	Elevation	834	County	Cherokee							

WATER WELL OWNER

Name	
Business	K.D.H.E.
Address	1000 SW Jackson Street, Suite 1 Topeka Kans 66612-131
Well location	7155 SE Highway 66 Riverton, KS
☐ at owner's address	

WELL WATER USE

Environmental Remediation / Monitoring Monitoring

COMPLETION

Depth of completed well: 20-22 ft.

Depth(s) groundwater encountered:

(1) _____ ft.; (2) _____ ft.;

(3) _____ ft.; (4) ☐ dry well 5.83Static water level in well: 1 ft.☒ measured below land surface
on (mm/dd/yy): 03/04/2022☐ measured above land surface
on (mm/dd/yy): _____

Estimated yield: _____ gpm

Water level was: _____ ft. after _____ hours
pumping _____ gpmPump installed? ☐ Yes ☒ NoWater well disinfected? ☐ Yes ☐ No

Date disinfected (mm/dd/yy): _____

Aquifer, if known: _____

NEAREST SOURCE OF POTENTIAL CONTAMINATION

Source: _____

Distance from well: _____ Direction from well: _____

Source description: _____

Source: _____

Distance from well: _____ Direction from well: _____

Source description: _____

☐ No potential source of contamination within 100 feet.

PERMIT & ID NUMBERS (AS REQUIRED)

DWR Application No.: _____

KDHE / EPA Project Code: U3-011-12566 15266Site Name: Van's Garage & Service StationKDHE UIC Class V Form Completed: ☐ Yes ☐ NoCounty Permit: ☐ Yes ☐ No Permit ID: _____

Lease Name & Well #: _____

of boreholes: _____ # of dewatering wells: _____

CONSTRUCTION

Borehole interval: from <u>0</u> to <u>22</u> ft.	Borehole diameter: <u>8.5</u> in.
Casing height above land surface: <u>0</u> in.	
If casing height is less than 12 in. has a variance been approved?* ☒ Yes ☐ No	
*variance not required for monitoring or environmental remediation wells	
Casing type: <u>ThermalPlastic</u>	
Blank casing interval: <u>0</u> ft. to <u>5</u> ft.	
Blank casing diameter: <u>2</u> in. <u>3</u>	
Casing joints: <u>Threaded</u>	
Weight: _____ lbs/ft.	
Wall thickness or gauge no.: <u>40</u>	
Blank casing interval: _____ ft. to _____ ft.	
Blank casing diameter: _____ in.	
Casing joints: _____	
Weight: _____ lbs/ft.	
Wall thickness or gauge no.: _____	
Grout interval: <u>.50</u> ft. to <u>25.4</u> ft.	
Grout material: <u>Bentonite</u>	
Grout interval: _____ ft. to _____ ft.	
Grout material: _____	

LITHOLOGIC LOG

FROM	TO	LITHOLOGY INTERVALS
Attached	Attached	Attached

COMMENTS

Flush Mount Well

CONTRACTOR'S OR LANDOWNERS CERTIFICATION

This water well was constructed ☒ reconstructed ☐ pursuant to the stated water well contractor's license and was completed on 03/03/2022. I certify that this record is true to the best of my knowledge and belief. This water well record was completed on 04/07/2022 under the business name of Dakota Technologies Company, LLC, Kansas Water Well Contractor's License No. 606 under the authority of the designated person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal: Aaron Sense.

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1638294
Well Owner	K.D.H.E.
Contractor	Dakota Technologies Company, LLC

Lithology

From	To	Lithology Intervals
0	3	clay,silty,grayish,brown,Damp, Med. Stiff, Med. Plastic, No Odor
3	5	clay,dark,gray,stiff,Damp, Plastic, Fe Mottling, No Odor
5	6	clay,silty,gray,stiff,Light to Dark Gray, Damp, Plastic to Med. Plastic, Fe Mottling, No Odor
6	8	clay,silty,grayish,red,moist,stiff,Plastic
8	10	clay,silty,gray,stiff,Plastic
10	12	clay,grayish,black,moist,stiff,Plastic, Fe Mottling, No Odor
12	14	clay,silty,grayish,red,moist,stiff,Fe Mottling, No Odor
14	15	clay,silty,brownish,red,Very stiff, 1cm Rounded Pebble
15	16	clay,silty,brown,Med. Stiff,
16	18	clay,silty,brown,.5cm Angular Pebble
18	20	gravel,coarse,silty,brownish,red,saturated,loose,Free Water, Non Plastic, No Odor
20	22	clay,silty,brown,saturated,loose,Non Plastic, No Odor, 1" Round Pebble

