CORRECTION

KOLAR Document ID: 1808244

WATER WELL RECORD (WWC-5)

Constructed

KOLAR DOC ID 1808244 WELL ID

✓ Original Record ☐ Correction ☐ Change in Well Use

LOCATION OF WATER WELL

37.76621 -100.95818 19 26 32 SE SW SE

Latitude	X 37.732773	Longitude	X -100.869079	Section	X 6	Township	X 27	Range	X 32 ☐E ✓W	Fraction	X NW ¼ X SW ¼ Y NW ¼
Datum	WGS84	Elevation	2902	County	Haskell						

WATER WELL OWNER

Name	Steve Krug
Business	
Address	695 E Craft Rd Garden City KS 67846
Well location ✓ at owner's address	

WELL WATER USE

Domestic Livestock/Pasture

COMPLETION

Depth of completed well: 520 ft.

Depth(s) groundwater encountered:
(1) 304 ft.; (2) _____ ft.;
(3) _____ ft.; (4) ☐ dry well

Static water level in well: 304 ft.
✓ measured below land surface on (mm/dd/yy): 12/20/2024
☐ measured above land surface on (mm/dd/yy): _____

Estimated yield: 30 gpm
Water level was: _____ ft. after _____ hours pumping _____ gpm
Pump installed? ☐ Yes ✓ No

Water well disinfected? ✓ Yes ☐ No
Date disinfected (mm/dd/yy): 12/20/2024

Aquifer, if known:

NEAREST SOURCE OF POTENTIAL CONTAMINATION

Source: _____
Distance from well: _____ Direction from well: _____
Source description: _____

Source: _____
Distance from well: _____ Direction from well: _____
Source description: _____

✓ No potential source of contamination within 100 feet.

PERMIT & ID NUMBERS (AS REQUIRED)

DWR Application No.: _____
KDHE / EPA Project Code: _____
Site Name: _____
KDHE UIC Class V Form Completed: ☐ Yes ☐ No
County Permit: ☐ Yes ✓ No Permit ID: _____
Lease Name & Well #: _____
# of boreholes: _____ # of dewatering wells: _____

CONSTRUCTION

Borehole interval: from 0 to 520 ft.; from _____ to _____ ft.
Borehole diameter: 10 in.; _____ in.

Casing height above land surface: 16 in.
If casing height is less than 12 in. has a variance been approved?* ☐ Yes ✓ No
*variance not required for monitoring or environmental remediation wells
Casing type: ThermalPlastic
Blank casing interval: 0 ft. to 460 ft.
Blank casing diameter: 5 in.
Casing joints: Splines
Weight: _____ lbs/ft.
Wall thickness or gauge no.: SDR17
Blank casing interval: _____ ft. to _____ ft.
Blank casing diameter: _____ in.
Casing joints: _____
Weight: _____ lbs/ft.
Wall thickness or gauge no.: _____

Grout interval: 0 ft. to 5 ft.
Grout material: Other
Grout interval: 5 ft. to 100 ft.
Grout material: Bentonite

Screen / perforation material: PVC
Screen / perforation openings: Saw cut
Screen / perforation intervals:
From 460 ft. to 520 ft.
Slot size .32 unit millimet
From _____ ft. to _____ ft.
Slot size _____ unit _____
Gravel pack intervals:
Gravel pack not used: ☐ Gravel size _____ in
From 100 ft. to 520 ft.
Gravel pack not used: ☐ Gravel size _____ in
From _____ ft. to _____ ft.

LITHOLOGIC LOG

FROM	TO	LITHOLOGY INTERVALS
Attachc	Attachc	Attached

RECEIVED
MAY 04 2026
BUREAU OF WATER

COMMENTS

0-5 Gravel Pack for Pitless Unit

CONTRACTOR'S OR LANDOWNERS CERTIFICATION

This water well was constructed ✓ reconstructed ☐ pursuant to the stated water well contractor's license and was completed on 12/20/2024. I certify that this record is true to the best of my knowledge and belief. This water well record was completed on 05/30/2025 under the business name of Nash Water Well Service, LLC, Kansas Water Well Contractor's License No. 846 under the authority of the designated person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal: Trevor Nash.

Send one copy to WATER WELL OWNER and retain one for your records. Fee of $5.00 for each constructed well.

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1808244
Well Owner	Steve Krug
Contractor	Nash Water Well Service, LLC

RECEIVED
MAY 04 2023
BUREAU OF WATER

Lithology

From	To	Lithology Intervals
0	3	topsoil
3	40	sand,fine to medium
40	60	sand,fine to medium,with tan brown clay
60	80	sand,fine to coarse,with small gravel
80	110	sand,fine to coarse,small to large gravel & streaks of small medium cobble
110	140	sand,fine to coarse,with tan clay
140	160	clay,tan brown with fine medium sand
160	180	sand,fine to coarse
180	210	sand,fine to coarse,with brown clay
210	300	sand,fine to medium,with tan clay
300	320	sand,fine to coarse,with small to large gravel & small medium cobble
320	340	sand,fine to coarse,with small to large gravel
340	360	sand,fine to coarse,with small gravel
360	390	sand,fine to coarse
390	480	sand,fine to coarse,with tan brown clay streaks
480	500	sand,fine to medium

RECEIVED
MAY 04 2026
BUREAU OF WATER

Form	WWC5.2 - Water Well Record
Doc ID	1808244
Well Owner	Steve Krug
Contractor	Nash Water Well Service, LLC

Lithology

From	To	Lithology Intervals
500	520	sand,fine to medium,with tan clay
520	535	clay,Tan with fine sand
535	545	clay,Tan Gray Yellow Red with fine sand