

County: Haskell Fraction: SW SW SE Sec. 28 T. 28 S R. 33 W

CORRECTION(S) to WATER WELL COMPLETION RECORD Form WWC-5 (to rectify lacking or incorrect information)

Owner: <u>Roberta York Revocable Trust</u>	<u>Irrigation</u>
If location corrected, was listed as:	Location changed to:
Section-Township-Range: _____	_____
Fraction (1/4 calls): <u>SE SE SW</u>	<u>SW SW SE</u>
Other changes: Initial statements: <u>Casing height after plugging incorrectly reported as 10 in above ground surface. Lat./long. not reported.</u>	
Changed to: <u>Casing height is 46 in below land surface.</u>	
<u>(37.576927, -100.952949) WGS84.</u>	
Comments: _____	
Verification method: <u>Confirmed information with Leon Birney Construction, Google Earth, and LeoWeb.</u>	
Initials: <u>BA</u> Date: <u>10/13/25</u>	
Submitted by: <input type="checkbox"/> Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3724	
<input checked="" type="checkbox"/> Kansas Dept. of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367	

(rev 01/26/2018)

1 LOCATION OF WATER WELL: Fraction SE 1/4 SE 1/4 SW 1/4 Section Number 29 Township Number 28T 33S Range Number E W
 County: Haskell

Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here 1/2 mile west of Co. Road II + 120th 100' north
Global Positioning Systems (GPS) information:
 Latitude: _____ (in decimal degrees)
 Longitude: _____ (in decimal degrees)
 Elevation: _____
 Horizontal Datum: WGS84, NAD83, NAD27
 Collection Method: _____

2 WATER WELL OWNER: Roberta York Revocable Trust
 RR#, St. Address, Box #: 1161 Rd. JJ
 City, State ZIP Code: Sublette Ks. 67877
 GPS unit (Make/Model: _____)
 Digital Map/Photo, Topographic Map, Land Survey
 Est. Accuracy: <3 m, 3-5 m, 5-15 m, >15 m

3 MARK WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N			
NW		NE	
SW	X	SE	
S			

W E

4 DEPTH OF WELL 538 ft. Water right number 15463-00 1 of 2 wells in 3
 WELL'S STATIC WATER LEVEL 410 ft.
 WELL WAS USED AS:
 Domestic Public Water Supply Dewatering
 Irrigation Oil Field Water Supply Monitoring
 Feedlot Domestic (Lawn & Garden) Injection Well
 Industrial Air Conditioning Other _____
 Was a chemical/bacteriological sample submitted to Department? Yes No

5 TYPE OF BLANK CASING USED:
 Steel RMP (SR) Wrought Fiberglass Other (Specify below)
 PVC ABS Asbestos-Cement Concrete Tile
 Blank casing diameter 16" in. Was casing pulled? Yes No If yes, how much _____
 Casing height above or below land surface 10" in.

6 GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other _____
 Grout Plug Intervals: From _____ ft. to _____ ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft.
 What is the nearest source of possible contamination:
 Septic tank Seepage pit Fuel storage Other (specify below)
 Sewer lines Pit privy Fertilizer storage
 Watertight sewer lines Sewage lagoon Insecticide storage
 Lateral lines Feedyard Abandoned water well Direction from well? _____
 Cess pool Livestock pens Oil well/Gas well How many feet? _____

FROM	TO	PLUGGING MATERIALS	FROM	TO	PLUGGING MATERIALS
538	414	Sand			
414	414	Bleach			
414	411	Bentonite			
417	414	Clay			
6.5'	417	Sand			
3.5'	6.5'	Bentonite			
0	3.5'	Clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was completed on (mo/day/year) 01-28-2025 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. _____ This Water Well Record was completed on (mo/day/year) 01-29-2025 under the business name of Leon Birney Construction by (signature) Leon Birney

**NPS POLLUTION CONTROL FUNDS
ABANDONED WATER WELL COST-SHARE PROGRAM
(WELL PLUGGING WORKSHEET)**

WORKSHEET: Use water quality bulletin to complete this worksheet, available through County Extension Service

NAME: _____

COUNTY: HASKELL

DATE: 01-28-2025

TYPE OF WELL: Drilled Hand Dug 4-30-1968

Diameter (Inside): 15.34 inches Diameter (Outside): 16" inches Depth to Water: 381 Total Depth: 538

TOP SOIL: 3.5 feet

TOP SOIL NEEDED:

$$\underline{4.2} \text{ cu. feet/foot} \times \underline{3.5} \text{ feet} = \underline{14.7} \text{ cubic feet}$$

$$\underline{14.7} \text{ cubic ft.} / 1 \text{ cu. yd}/27 \text{ cu. ft.} = \underline{.5} \text{ cu. yds.}$$

BENTONITE PLUG: 3 feet

BENTONITE NEEDED:

$$\text{PLUG: } \underline{4.2} \text{ cu.ft/ft} \times \underline{3} \text{ ft.} = \underline{9} \text{ cu.ft.}$$

GROUT SEAL RESTORATION:

$$\underline{9} \text{ cu. ft.} \times 1 \text{ bag}/0.7 \text{ cu.ft.} = \underline{6} \text{ bags}$$

SUBSOIL: 417'
(# Value in Feet)

SUBSOIL NEEDED:

$$\underline{4.7} \text{ cu.ft/ft.} \times \frac{\underline{417} \text{ ft.}}{\text{(Number of feet)}} = \underline{1959.9} \text{ cu. feet} \text{ (Number of cubic feet)}$$

$$\underline{1959.9} \text{ cu. ft.} / 1 \text{ cu. yd}/27 \text{ cu. ft.} = \underline{72.59} \text{ cu. yds.}$$

3' Bentonite Plug

SAND (to water level):

111.5 feet

SAND NEEDED:

$$\underline{1.40} \text{ cu.ft/ft.} \times \underline{111.5} \text{ ft.} = \underline{156.1} \text{ cu. ft.}$$

$$\underline{156.1} \text{ cu. ft.} / 1 \text{ cu. yd}/27 \text{ cu. ft.} = \underline{5.78} \text{ cu. yds.}$$

CHLORINE NEEDED:

$$\underline{12.77} \text{ oz./ft.} \times \underline{111.5} \text{ ft.} = \underline{1423.8} \text{ oz.}$$

$$\underline{1423.8} \text{ oz.} \times 0 \text{ } \underline{121} = \underline{11.76} \text{ 0}$$

SITE PREPARATION: REMOVE PUMP AND COLUMN PIPE AND DEBRIS. EXCAVATE AROUND DRILLED WELL CASING AND CUT CASING 3 FEET BELOW GROUND LEVEL. STOCKPILE FILL MATERIAL ON SITE. LEAVE IN TRUCK IF POSSIBLE. HANDDUG WELLS NEED TRACTOR WITH FRONT END LOAD OR LARGE PRY BARS TO CAVE IN ROCK LINING.

BUREAU OF WATER

~~REMOVED BY THE HASKELL COUNTY CONSERVATION DISTRICT~~