

WATER WELL RECORD Form WWC-5

☒ Original Record ☐ Correction ☐ Change in Well UseDivision of Water
Resources App. No.

Well ID

MW-47B1

1 LOCATION OF WATER WELL: County: <u>Johnson</u>		Fraction <u>SE 1/4 SE 1/4 NW 1/4 1/4</u>	Section Number <u>36</u>	Township Number <u>T 13 S</u>	Range Number <u>R 23</u> ☒ E ☐ W																																																												
2 WELL OWNER: Last Name: <u>The Boeing Company</u> Business: <u>The Boeing Company</u> Address: <u>2727 E MacArthur</u> City: <u>Wichita</u> State: <u>KS</u> ZIP: <u>67216</u>		Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here: ☐ <u>On E Glendale St. Approximately 250 ft West from the intersection of S Ocheltree St and E Glendale St.</u>																																																															
3 LOCATE WELL WITH "X" IN SECTION BOX: N <table border="1" style="width:100%; text-align: center; border-collapse: collapse;"><tr><td> </td><td> </td><td> </td></tr><tr><td>-- NW --</td><td>X</td><td>-- NE --</td></tr><tr><td>-- SW --</td><td> </td><td>-- SE --</td></tr></table> S -----1 mile-----					-- NW --	X	-- NE --	-- SW --		-- SE --	4 DEPTH OF COMPLETED WELL: <u>13.5</u> ft. Depth(s) Groundwater Encountered: 1) <u>7.40</u> ft. 2) <u>7.40</u> ft. 3) <u>11/17/2025</u> ft. or 4) ☐ Dry Well WELL'S STATIC WATER LEVEL: <u>7.40</u> ft. ☒ below land surface, measured on (mo-day-yr) <u>11/17/2025</u> ☐ above land surface, measured on (mo-day-yr) <u> </u> Pump test data: Well water was <u> </u> ft. after <u> </u> hours pumping <u> </u> gpm Well water was <u> </u> ft. after <u> </u> hours pumping <u> </u> gpm Estimated Yield: <u> </u> gpm Bore Hole Diameter: <u>6.1</u> in. to <u>13.5</u> ft. and <u> </u> in. to <u> </u> ft.		5 Latitude: <u>38.87829167</u> (decimal degrees) Longitude: <u>-94.80799167</u> (decimal degrees) Horizontal Datum: ☐ WGS 84 ☒ NAD 83 ☐ NAD 27 Source for Latitude/Longitude: <u> </u> ☐ GPS (unit make/model: <u> </u>) (WAAS enabled? ☐ Yes ☐ No) ☒ Land Survey ☐ Topographic Map ☐ Online Mapper: <u> </u>																																																				
-- NW --	X	-- NE --																																																															
-- SW --		-- SE --																																																															
7 WELL WATER TO BE USED AS: 1. Domestic: ☐ Household ☐ Lawn & Garden ☐ Livestock 2. ☐ Irrigation 3. ☐ Feedlot 4. ☐ Industrial 5. ☐ Public Water Supply: well ID <u> </u> 6. ☐ Dewatering: how many wells? <u> </u> 7. ☐ Aquifer Recharge: well ID <u> </u> 8. ☒ Monitoring: well ID <u>MW-47B1</u> 9. Environmental Remediation: well ID <u> </u> ☐ Air Sparge ☐ Soil Vapor Extraction ☐ Recovery ☐ Injection 10. ☐ Oil Field Water Supply: lease <u> </u> 11. Test Hole: well ID <u> </u> ☐ Cased ☐ Uncased ☐ Geotechnical 12. Geothermal: how many bores? <u> </u> a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water 13. ☐ Other (specify): <u> </u>		6 Elevation: <u>1039.37</u> ft. ☒ Ground Level ☐ TOC Source: ☒ Land Survey ☐ GPS ☐ Topographic Map ☐ Other <u> </u>																																																															
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☒ No If yes, date sample was submitted: <u> </u> Water well disinfected? ☐ Yes ☒ No																																																																	
8 TYPE OF CASING USED: ☐ Steel ☒ PVC ☐ Other <u> </u> CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☒ Threaded Casing diameter <u>2</u> in. to <u>5.5</u> ft., Diameter <u> </u> in. to <u> </u> ft., Diameter <u> </u> in. to <u> </u> ft. Casing height above land surface <u>4</u> in. Weight <u> </u> lbs./ft. Wall thickness or gauge No. <u>Sch 40</u> TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ Fiberglass ☒ PVC ☐ Other (Specify) <u> </u> ☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous Slot ☒ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify) <u> </u> ☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole) SCREEN-PERFORATED INTERVALS: From <u>5.5</u> ft. to <u>13.5</u> ft., From <u> </u> ft. to <u> </u> ft., From <u> </u> ft. to <u> </u> ft. GRAVEL PACK INTERVALS: From <u>5</u> ft. to <u>14</u> ft., From <u> </u> ft. to <u> </u> ft., From <u> </u> ft. to <u> </u> ft.																																																																	
9 GROUT MATERIAL: ☐ Neat cement ☒ Cement grout ☐ Bentonite ☐ Other <u> </u> Grout Intervals: From <u>0</u> ft. to <u>3</u> ft., From <u>3</u> ft. to <u>5</u> ft., From <u>14</u> ft. to <u>17</u> ft. Nearest source of possible contamination: ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well ☒ Other (Specify) <u>Former Chemical Commodities, Inc. Site</u> Direction from well? <u>E</u> Distance from well? <u>~830</u> ft.																																																																	
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>10 FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>LITHO. LOG (cont.) or PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>5.5</td> <td>Hydrovac for Utility Clearance</td> <td>15.25</td> <td>15.5</td> <td>Fine grained Sandstone</td> </tr> <tr> <td>5.5</td> <td>6.5</td> <td>Silty Clay</td> <td>15.5</td> <td>16.5</td> <td>Shale</td> </tr> <tr> <td>6.5</td> <td>7.25</td> <td>Moderately weathered sandy Shale</td> <td>16.5</td> <td>17</td> <td>Limestone</td> </tr> <tr> <td>7.25</td> <td>9.5</td> <td>Moderately weathered Sandstone</td> <td></td> <td></td> <td></td> </tr> <tr> <td>9.5</td> <td>10</td> <td>Sandy Limestone</td> <td></td> <td></td> <td></td> </tr> <tr> <td>10</td> <td>11.5</td> <td>Moderately weathered Sandstone</td> <td></td> <td></td> <td></td> </tr> <tr> <td>11.5</td> <td>12</td> <td>Moderately weathered Limestone</td> <td></td> <td></td> <td></td> </tr> <tr> <td>12</td> <td>13.6</td> <td>Moderately weathered Sandstone</td> <td></td> <td></td> <td></td> </tr> <tr> <td>13.6</td> <td>15.25</td> <td>Shale</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>						10 FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS	0	5.5	Hydrovac for Utility Clearance	15.25	15.5	Fine grained Sandstone	5.5	6.5	Silty Clay	15.5	16.5	Shale	6.5	7.25	Moderately weathered sandy Shale	16.5	17	Limestone	7.25	9.5	Moderately weathered Sandstone				9.5	10	Sandy Limestone				10	11.5	Moderately weathered Sandstone				11.5	12	Moderately weathered Limestone				12	13.6	Moderately weathered Sandstone				13.6	15.25	Shale			
10 FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS																																																												
0	5.5	Hydrovac for Utility Clearance	15.25	15.5	Fine grained Sandstone																																																												
5.5	6.5	Silty Clay	15.5	16.5	Shale																																																												
6.5	7.25	Moderately weathered sandy Shale	16.5	17	Limestone																																																												
7.25	9.5	Moderately weathered Sandstone																																																															
9.5	10	Sandy Limestone																																																															
10	11.5	Moderately weathered Sandstone																																																															
11.5	12	Moderately weathered Limestone																																																															
12	13.6	Moderately weathered Sandstone																																																															
13.6	15.25	Shale																																																															
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo-day-year) <u>11/17/2025</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>1031</u> This Water Well Record was completed on (mo-day-year) <u>12/19/2025</u> under the business name of <u>Environmental Works, Inc.</u> Signature <u>Daniel Yoakum</u> Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015																																																																	

RECEIVED

DEC 29 2025

BUREAU OF WATER

- RESIDENCE
- Chemical Oxidation Trench Location
- OFF-SITE CHEMICAL OXIDATION DELIVERY SYSTEM LOCATION
- RAILROAD TRACKS

1. ALL LOCATIONS AND DIMENSIONS ARE APPROXIMATE.

2. * - UNABLE TO LOCATE WELL IN 2026

CHEMICAL COMMODITIES, INC.
OLATHE, KANSAS

WELL LOCATIONS

JANUARY 2026

FIGURE