CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:	Location changed to:
Section-Township-Range: 15- Io5-10E	15-105-10E
Fraction (1/4 1/4 1/4):	SE SW NW
Other changes: Initial statements:	
Changed to:	
Comments:	
verification method: Written & legal descri	ptions position on plat map
and Wamego 1:24,000 topo. ma	
	initials: ORL date: 5/17/2005
	, ,

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

		WATE	R WELL RECORD F	form WWC-5	KSA 82a-1	212			
1 LOCATION OF WATER WE County:	ELL Fract		NN SW 1/4 NW		Number 15	Township No	umber S	Range Number R 16 _{E/} X x	
Distance and direction from ne			$\frac{1}{2}$ east, $\frac{1}{4}$ sou	th ^{Street} address	of well if lo	ocated within city	?		
2 WATER WELL OWNER	gene Sylve	ster	277						
RR#, St. Address, Box # R	nego Ks. 6	6547				Board of A	griculture, D	vision of Water Resources	
ICity, State, ZIP Code :						Application	Number:	35905	
3 DEPTH OF COMPLETED	WELL . 70	ft. Be	ore Hole Diameter 32	in. to		ft., and		in. to ft.	
Well Water to be used as:		olic water s		8 Air condition			jection well		
1 Domestic 3 Feedlot	6 Oil	field water	supply	9 Dewatering		12 O	ther (Specify	below)	
2 Irrigation_ 4 Industrial	7 Law	n and gard	ten only	10 Observation	well	10		82	
Well's static water level 14	ft.	below land	surface measured on .		mor	ıth		y year 📐	
Pump Test Data	: Well wa	ater was	34		[nours pumping	800		
4 TYPE OF BLANK CASING			5 Wrought iron	8 Concrete	tile	Casing J	oints: Glued	Clamped . X	
	RMP (SR)		6 Ashestos-Cement		(specify below)		Welded		
	ABS		7 Fiberglass				· · ·		
Plank casing dia	in to	31	ft Dia	in to		ft. Dia		in to ft	
Blank casing dia	ace 12		in weight	38	lhe /f	t Wall thickness	or gauge N	.75	
TYPE OF SCREEN OR PERF			m., woight	7 PVC	105./1	T 10 Δet	estos-cemer	t	
	Stainless steel	LI IIAL.	5 Fiberglass	8 RMP (SB)			<u>.</u>	
	Galvanized ste	ol.	6 Concrete tile	9 ABS	O(1)		ne used (ope		
Screen or Perforation Opening		e.		d wrapped		8 Saw cut		11 None (open hole)	
1 Continuous slot	3 Mill slot		6 Wire w	• •		9 Drilled holes		11 None (open note)	
2 Louvered shutter		chod	7 Torch				٨		
1 4 4	4 Key pun					, , ,	•		
Corociri crioranon Bia:::::	From 31		70			II., Dia	4 40	in to	
Screen-Perforated Intervals:		,							
Constant	From. 10		ft. to70	Il.,					
Gravel Pack Intervals:		• • • • • • • •	ft. to						
S OBOUT MATERIAL	From		ft. to		From		ft. to		
5 GROUT MATERIAL:	1 Neat cement		2. Cement_grout	3 Bentonite					
Grouted Intervals: From	O ft. to) 	tt., From					ft. to	
What is the nearest source of	•	nination:			10 Fuel st	•		andoned water well	
1 Septic tank	4 Cess pool		7 Sewage lago	on		er storage	15 Oil well/Gas well		
2 Sewer lines	5 Seepage pit	l .	8 Feed yard		12 Insecticid		16 Ot	ner (specify below)	
3 Lateral lines	6 Pit privy		9 Livestock per			ght sewer lines			
Direction from well									
Was a chemical/bacteriologica									
was submitted									
If Yes: Pump Manufacturer's r									
Depth of Pump Intake			π.	Pumps Capacity	rated at .				
Type of pump:	1 Submersible	2	Turbine	3 Jet	4 Centrii	ugal 5 F	reciprocating	6 Other	
6 CONTRACTOR'S OR LAN	IDOWNER'S CE	HIFICALI	ON: This water well wa	Constructe	a, (2) recor	82	piuggea una	er my jurisdiction and was	
completed on			. month		. day	323		year	
and this record is true to the This Water Well Record was	best of my know	ledge and	belief. Kansas Water W	ell Contractor's [.icense No.		82		
name of Hoobler Dr						lay J J		year under the business	
		ТО	LITHOLOG	oy (signature)	FROM	TO) f	THOLOGIC LOG	
LOCATE WELL'S LOCATI	O14		brown silt	ic Log	FROM	10	LI	HOLOGIC LOG	
BOX:		2	fine brown s	-and					
N	2								
, , , , , , , , , , , , , , , , , , , 	4	13	tight brown s						
	13	16							
	16	23	small gray gr						
<u>x</u> w <u>x</u> i i E		28	mdlg. gray						
SW SE	28	29	small gray gr						
	29	38	mdlg. gray						
<u> </u>	38	40	medium gray a						
1 Mile	40	70	mdlg. gray						
ELEVATION:	70		hard green sh						
Depth(s) Groundwater Encour								et if needed)	
INSTRUCTIONS: Use typewrit	ter or hall point r	en nlease	press firmly and PRINT	clearly Please f	ill in blanks	underline or circ	le the correc	answers. Send top three	
copies to Kansas Department of	or Health and En	vironment, l	Jivision of Environment, \	water Well Contra	actors, Tope	жа, KS 66620. S	ena one to W	A I EH WELL OWNER and	