WATE	R WELL	RECORD	Form WWC			ter Resources; App. No.		
		WATER WELL:	Fraction		Section Number		Range Number	
Count	y: P07 7	AWATOME	NW/4 NW1/4 S	W 1/4 1/4	11	T /0 S	R /O (E)W	
Distance and direction from nearest town or city located within city? I MILE FAST AN			ty street address of w	ell if	Global Positioning Systems (decimal degrees, min. of 4 digits)			
located within city? / / / / / / / / / / / / / / / / / / /			1200000		Latitude:			
2 WATER WELL OWNER: RICHARD			WETXELMAN	,	Longitude:			
RR#.	St. Addres	s, Box # : 3375 D W	THMELLED	I .	Datum:			
	State, ZIP	C- 1-	KS 66547		Data Collection	Method:		
3 LOC	ATE WEL	L'S 4 DEPTH OF COM	PLETED WELL					
	ATE WEL	'S 4 DEPTH OF COMPLETED WELL 7.3 ft.						
	H AN "X"							
SEC	TION BOX		WELL'S STATIC WATER LEVEL					
	N	Pump test data	Pump test data: Well water wasft. after hours pumping gpm					
	Est. Yield. 5.0.1 gpm: Well water wasft. after hours pumping							
NW	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 12 Other (Specific below)							
W								
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs								
	Sample was submitted Water well disinfected? Yes No							
S								
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped								
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded								
E.	PVC	4 ABS 7 Fiberglas	s	<u>.</u>		Threaded		
PVC 4 ABS 7 Fiberglass Threaded. Blank casing diameter 5 in. to 27 ft., Diameter 5 in. to 6.3 ft., Diameter in. to ft.								
Casing neight above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel 3 Stainless Steel 5 Fiberglass PVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot Mill slow 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.								
From								
GRAVEL PACK INTERVALS: From								
From. ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Bentonite 4 Other								
Grout In		From 3 ft. to . 2						
What is the nearest source of possible contamination:								
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify								
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)							,	
		sewer lines 6 Seepage pit			Ç	Oil well/gas well	NEW CONSL!	
Direction from well? How many feet? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS								
FROM	TO		C LOG	FROM	OT	PLUGGING IN I	EKVALS	
0	12	SILT GRAY			+			
72	27 33	SAND FINE			+			
33 37	37	SANO, MAGEUM TRA SAND . CASA	in UKA	-				
37	39	CLAY CHAV						
39	47	SAND, MADEUM PR	ATE COLE					
47	6/	SAND, CRY		-				
41	73	W CLAVEL	·					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) . 7./24/16 and this record is true to the best of my knowledge and belief.								
under my jurisdiction and was completed on (mo/day/year) .7./24/ and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No This Water Well Record was completed on (mg/day/year)								
under the business name of SSOCHIE ON								
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone								
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at								
http://www.kdhe.state.ks.us/geo/waterwells.								

KSA 822-1212