WATER WELL RECORD Form WWC-5 Division of Water Resources; App. No.	
1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Nu Sounty: Pottawatomie SW 1/4 NW 1/4 NE 1/4 9 T 10 S R 10	mber
County: Pottawatomie SW ½ NW ½ NE ½ 9 T 10 S R 10 Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4	E
located within city? 314 Lincoln, Wamego KS Latitude: N 39.20064 ° Longitude: W 96.30486 ° Elevation: RIM: 080.40, TOC: 080.20	
2 WATER WELL OWNER. RDITE (Far Company Inc.) Elevation. Rivi. 989.49; TOC: 989.29	
City, State, ZIP Code : Topeka, KS, 66612 Data Collection Method: legal survey	
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 38.5 ft.	
LOCATON MW11	
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 WELL'S STATIC WATER LEVEL 30.71 ft. below land surface measured on mo/day/yr 6/3	ft.
SECTION BOX: WELL'S STATIC WATER LEVEL 30.71 ft. below land surface measured on mo/day/yr 6/30)/09
Pump test data: Well water was ft. after hours pumping	gpm
Est. Yield gpm: Well water was ft. after hours pumping WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well	gpm
NW NE WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well	
W 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify by 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well	elow)
2 irrigation 4 industrial 7 Domestic (lawii & garden) (to)Monitoring wen	
SW SE Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/da	/
Sample was submitted Water Well Disinfected? Yes No	y/yrs V
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clampe	'.A.
1 Steel 3 PMP (SP) 6 Ashestos Cement 9 Other (specify helow) Wolded	a
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded (2) PVC 4 ABS 7 Fiberglass Threaded X	
Rlank casing diameter 2 in to 23.5 ft Dia in to ft Dia in to	<u>.</u> .
2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 23.5 ft., Dia in. to ft., Dia in. to Casing height below land surface 0.20 ft., Weight lbs./ft. Wall thickness or gauge No.	II.
TYPE OF SCREEN OR PERFORATION MATERIAL:	·
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)	
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot (3) Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)	
1 Continuous slot (3) Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From 23.5 ft. to 38.5 ft. From ft. to	ft.
From ft. to ft. From ft. to	ft.
GRAVEL PACK INTERVALS: From 70 ft to 385 ft From ft to	e e
From ft. to ft. From ft. to	ft.
From ft. to ft. From ft. to 6 GROUT MATERIAL: 1 Neat cement Cement grout 3 Bentonite 4 Other Concrete: 0-2 Grout Intervals From 2 ft. to 18 ft. From 18 ft. to 20 ft. From ft. to	
Grout Intervals From 2 ft. to 18 ft. From 18 ft. to 20 ft. From ft. to	ft.
what is the hearest source of possible contamination.	
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage (16 Øther (s) 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)	ecity
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well Unknow	vn
Direction from well? How many feet?	Y 11
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS	
0 1 Concrete	
1 5 Brown clayey silt with very fine sand, low	
plasticity, moist	
5 20 Brown silty clay, low plasticity, moist 20 25 Brown fine to medium sandy clay, moist	
20 25 Brown fine to medium sandy clay, moist 25 30 Brown fine to medium sandy clay, very moist	
30 42 Brown medium to coarse sand, poorly sorted,	
clay matrix, wet	
Flushmount waiver from BOW	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. THE	1
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6/10/09 and this record is true to the best of my knowledge and belief.	
Kansas Water Well Contractor's License No. 757 This Water Well Record was completed on (mo/day/year) 7/1/09	Jenei.
under the business name of Larsen & Associates, Inc. by (signature)	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Nealth and Environment, Bureau of Water.	
Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to Well WELL OWNER and retain your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.	one for