WATE	R WELL	RECORD	Forn	ı WWC	C-5 n	ivision of	Water Res	ources; App. No.		
1 LOCA	TION OF	WATER WELL:	Fraction	NE .	NIW .	Section	Number	Township Number	Range Number	
County: Pottawatomie NE 1/2 NE 1/2 NW 1/2 9 T 10 S R 10 E Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits										
Longitude: W 96.30569 °										
2 WATER WELL OWNER: KDHE (Pal Company Inc) Elevation: RIM: 991.18; TOC: 990.57									57	
RR#, 5	St. Address,	Box # : 1000 S	W Jackson			Datum:		ve mean sea level		
City, State, ZIP Code : Topeka, KS, 66612 Data Collection Method: legal survey										
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 40 ft. LOCATON ft.										
						MW6				
WITH	I AN "X" I	N Depth(s) Groun	ndwater Enc	ountered	1		ft. 2	ft. 3	ft.	
SECT	ION BOX:	WELL'S STA	TIC WATE	R LEVEL	28.92	ft. below	land surf	ace measured on mo/o	day/yr 6/30/09	
	N	Pum	p test data:	Well wat	ter was		ft. after	hours pump	ing gpm	
	X	Est. Yield	gpm:	Well wat	ter was		ft. after	hours pump	ing gpm	
-NN	√— NE —	WELL WATE	R TO BE U	SED AS:	5 Public	vater supr	oly 8 A	ir conditioning 11 I	niection well	
	1 Domestic 2 Feed lot 6 Oil field water supply 0 Daystaring 12 Other (Specify below)									
W E Domestic 3 Feed for 3 Off field water supply 9 Dewatering 12 Offiel (Specify below)										
-sw	- sw - sE -									
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs										
S Sample was submitted Water Well Disinfected? Yes No X										
5 TWDE		IC HEED.	W		0 C			INIC IODITC. Classic		
5 TYPE	OF CASI	NG USED: 5	wrought ir	on	8 Conc	rete tile	CAS	ING JOINTS: Glued	Clamped	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded										
(2) PV	C	4 ABS 7	Fiberglass					Threa	ded X	
2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 25 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.61 ft., Weight lbs./ft. Wall thickness or gauge No.										
Casing height below land surface 0.61 ft., Weight lbs./ft. Wall thickness or gauge No.										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot.										
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 25 ft. to 40 ft. From ft. to ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 21 ft. to 40 ft. From ft. to ft.										
SCREEN-PERFORATED INTERVALS: From 25 ft to 40 ft From ft to ft										
			From		ft. to		ft. Fr	rom ft t	o ft	
GR	AVEL PAC	K INTERVALS:	From	21	ft to	40	ft Fr	rom ft t	o ft	
			From		ft to		ft Fr	om ft. t	n ft	
(CDOI				·			(1)01		· · · · · · · · · · · · · · · · · · ·	
6 GROUT MATERIAL: 1 Neat cement Cement grout 3 Bentonite 4 Other Concrete: 0-2 Grout Intervals From 2 ft. to 19 ft. From 19 ft. to 21 ft. From ft. to ft.										
Grout Intervals From 2 ft. to 19 ft. From 19 ft. to 21 ft. From ft. to ft.										
What is the nearest source of possible contamination:										
	tic tank		nes 7 Pit pr			tock pens		ecticide Storage	(16) Other (specify	
	er lines	5 Cess poo			11 Fuel			andoned water well	below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard Direction from well? 12 Fertilizer storage 15 Oil well/ gas well How many feet? Unknown										
	from well?				How ma	ny reet?				
FROM	TO		LOGIC LO	<u> </u>	FRO			PLUGGING INT		
0	1	Concrete			35	42		silty clay, moderate	plasticity, very	
1	10	Brown, very fine s	andy clay,	moist, lov	<i>N</i>		moist			
10	1.5	plasticity	alanı lanı ta							
10	15	Dark brown silty of plasticity, stiff, mo		moderat	<u>e</u>		+			
15	20	Brown silty clay, l		v moiet						
20	30	Brown silty clay, I			4		- 			
		sand, low plasticit		n grainet		-+				
30		Gray clay, modera		v. moist			Flush	mount waiver from I	BOW	
		- any amy, moure	prestruit	,						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged										
under my jurisdiction and was completed on (mo/day/year) 6/10/09 and this record is true to the best of my knowledge and belief.										
Kansas Wa	iter Well Con	tractor's License No.	757	This `	Water Well	Record was	s complete		7/1/09	
		of Larsen & Asse				ature)				
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water. Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send the to WATER WELL OWNER and retain one for										
Geology Sec	tion, 1000 SW	Jackson St., Suite 420,	Topeka, Kansa	66612-136	7 Telephon	785-296-5	522. Sand	ne to WATER WELL OW	NER and retain one for	
your records	. Fee 01 33.00	for each constructed we	ii. visit us at h	up.//www.k	uneks.gov/w	atel Well.		1/1		