WATEI	R WELL	RECORD	Form WV	VC-5			Resources App. N			
1 LOC	ATION OF	F WATER WELL:	Fraction 1/4 NW 1/4 SW		Section Nur		T 10 S	Range Number R / DE W		
Street	/Rural Add	lress of Well Location; i	f unknown, distance &	direction	Global Posi	tioning	System (GPS) i	nformation:		
from nearest town or intersection: If at owner's address, check here .					Latitude:39.1/9/90 (in decimal degrees) Longitude:963039/ (in decimal degrees)					
							Elevation:			
2 WATER WELL OWNER: ANNAH CLARK					Datum: Datum: NAD 83, NAD 27 Collection Method:					
RR#, Street Address, Box #: 4/25/ Hwy 77					PGPS unit (Make/Model: 6APM FW 2/RRO)					
City, State, ZIP Code : Wanego, KS 66547					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 5-15 m, ☐ >15 m					
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL ft.										
	HAN "X" I	N 4 DEPTH OF	COMPLETED WELI Juvater Encountered	(1) ZV	ft. (2	π. 2) 	 ft.	(3)ft.		
SECI	N WELL'S STATIC WATER LEVEL 7.0									
Pump test data: Well water was								npinggpm		
EST. YIELD. 50gpm. Well water was								ft.		
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								Injection well		
Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well										
Was a chemical/bacteriological sample submitted to Department? Yes No										
	S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected? Yes \[\bigcap \text{No} \]										
5 TYPE OF CASING USED: Steel PVC Other										
Casing diameter in to 46 ft. Diameter in to ft., Diameter in to in. to in. to in. to in. to in. to it.										
Casing height above land surface										
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)										
Brass Galvanized Steel None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)										
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)										
SCREEN-PERFORATED INTERVALS: From. 26. ft. to										
GRAVEL PACK INTERVALS: From							 ft	to ft.		
From										
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From										
What is the nearest source of possible contamination:										
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon				☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Fuel storage ☐ Abandoned water well						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard				Fertilizer storage Oil well/gas well						
Direction from well WEST					from well		OG (cont.) or PL	UGGING INTERVALS		
FROM	TO 5	Soil	JIC LOG	FROM	10 LII	11O. D	CO (COIII.) <u>OI</u> FL	OGGING INTERVALO		
3		AND, FINE								
20		AND MESTUM	40.40			***************************************				
30		AND COURSE W/	MEDILUM							
10	76									
-				+						
		100								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged										
under my jurisdiction and was completed on (mo/day/year) . 3/18/2011 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No 7/60 This Water Well Record was completed on (mo/day/year) . 3/30										
under the business name of										
INSTRU	CTIONS: U	se typewriter or ball point per	n. PLEASE PRESS FIRML	Y and <i>PRINT</i> cl	early. Please fill	in blank	s and check the corr	ect answers. Send three copies). Topeka, Kansas 66612-1367		
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at										
http://www.kdheks.gov/waterwell/index.html.										