	ん・ゝ R WEI	L RECORD	Form W	WC-5	Division of Wat	er Resources App. No	,	
1 LOCATION OF WATER WELL:		Fraction		Section Number		Range Number		
County: Pottawatomie		14 NW 14 NW	/ ¼ NE ¼	9	T 10 S	R 10		
Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .					Latitude: .39.20125. (in decimal degrees) Longitude: -96.304312 (in decimal degrees)			
Lincoln St. & Ash St. between 4th & 5th St., Wamego, Ks.					Longitude: 199.997914			
					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: KDHE / BER					Collection Method:			
RR#, Street Address, Box #: 1000 SW Jackson St Suite 410					GPS unit (Make/Model:)			
City, State, ZIP Code : Topeka, Ks. 66612-1367					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 44								
SECTION BOX: Depth(s) Groundwater Encountered (1).34.6 ft. (2)							3)ft.	
	N WELL'S STATIC WATER LEVEL 34.02 ft. below land surface measured on mo/day/yr. 7 131 / 2013							
	Pump test data: Well water wasft. after							
	W NW NE EST. YIELD							
W	W E Bore Hole Diameter 9.29in. to							
	Denote Denote Delication of Denote Delication							
51	SW - SE - Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No								
S If yes, mo/day/yr sample was submitted								
Water well disinfected? ☐ Yes ☑ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .2 in. to .34 ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surface. 0								
Steel Stainless Steel ✓ PVC Steel Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From 31 ft. to .44 ft., From ft. to								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From .0								
What is the nearest source of possible contamination: Septic tank								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
	Watertig	ht sewer lines 🔲 Seepage p	it 🗌 Feedyard	Fertilizer st	orage 🔲 Oil well/g	as well		
Direction from well								
FROM	TO	LITHOLOG		FROM	TO LITHO. L	OG (cont.) or PLU	GGING INTERVALS	
0	8	silty clay (cl), dark brow	n, moist,	 -				
8	34	soft to sl stiff clay (ch), dark brown, d	ny to moiet			····		
	154	stiff to hard	I Y LO ITIOISL	 			<u> </u>	
34	36	clay (ch), dark gray bro	wn. moist					
34	stiff to sl soft							
36	44	well graded sand, brown, wet						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .7/16/2013 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 504 This Water Well Record was completed on (mo/day/year)								
		Use typewriter or ball point pen					inswers. Send one comy to	
	Kansas De	partment of Health and Environs	nent, Bureau of Water, Geo	logy Section, 10	00 SW Jackson St., Suit	e 420, Topeka, Kansas	66612-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdbeks.gov/waterwell/index.html								