PC	mli	-65								
		LL RECORD	Form W	WC-5	Div	vision of Water	Resources App. N	Vo		
			Fraction	Sectio	n Number	Township No.	Range 1			
County: Pottawatomie			14 NW 14 NW 14 NE 14			9	T 10 S		ZE DW	
Street/Rural Address of Well Location; if unknown, distance &						Global Positioning System (GPS) information: Latitude: .39.201724(in decimal degrees)				
from nearest town or intersection: If at owner's address, check here						Longitude: -96.303668 (in decimal degrees)				
Lincoln St. & Ash St. between 4th & 5th St., Wamego, Ks.						Elevation:				
2 WATER WELL OWNER: KDHE / BER					Datum	<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27				
2 WATER WELL OWNER: KDHE / BER RR#, Street Address, Box #: 1000 SW Jackson St., Suite 410						Collection Method:   GPS unit (Make/Model:)				
		ZIP Code : Topeka.	7 10		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
						ccuracy: <	3 m, 🔲 3-5 m, 🗀	] 5-15 m, [	]>15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 40 ft.										
SECTION BOX: Depth(s) Groundwater Encountered (1).32								., ft.		
N WELL'S STATIC WATER LEVEL. 32./4ft. below land surface measured on mo/day							day/yrl./	3112013		
Pump test data: Well water wasft. after hours pumping										
W - NW - NE - EST. YIELD									gpm	
"	WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well									
sv	Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well									
	Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No  If yes, mo/day/yr sample was submitted									
	1 mile		fected? Yes			•••••				
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter 2 in. to .30 ft. Diameter										
Casing height above land surface . 0										
☐ Steel ☐ Stainless Steel										
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)										
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)										
SCREEN-PERFORATED INTERVALS: From 30 ft. to 40 ft., From ft. to ft.										
From										
GRAVEL PACK INTERVALS: From 27										
6 GROUT MATERIAL: Neat cement  Cement grout Bentonite Other										
Grout Intervals: From . ft. to										
	the near Septic ta	est source of possible conta		المحاسمين ال	г	7		<i>/</i>	1.1	
	Sewer li		☐ Livestock ☐ Fuel stora							
	☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well									
		m well								
FROM 0	TO 11	LITHOLOG silty clay (cl), dark brow		FROM 38	TO 40		G (cont.) or PLU		NTERVALS	
<u> </u>	' '	soft	ii, iiioist,	30	+0	well graueu	sand (sw), bro	WII, WEL		
11	16	clay (ch), dark brown, d	ry to moist							
		stiff to soft								
16	25		y clay (cl), brown, moist soft							
25	24	to stiff	stiff ay (ch), light olive brown, moist							
25	31	stiff	wn, moist	<del> </del>						
31	38	silty sand (sm), light oliv	ve brown.							
saturated										
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged										
under my jurisdiction and was completed on (mo/day/year) .7/16/2013 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No. 604 This Water Well Record was completed on (mo/day/year) .9/24/13										
under the business name of Environmental Priority Service, Inc. by (signature)										
INSTRUC	TIONS:	Use typewriter or ball point pen	PLEASE PRESS FIRML	and PRINT	learly. Pleas	se fill in blanks	and check the correct	answers. S	end one copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at										
1										