MW-14								
WATER WELL RECORD Form WWC-5					Division of Wa	ter Resources App. N	lo. L	
1 LOCATION OF WATER WELL:			Fraction		Section Number	Township No.		
County: Pottawotomie			1/4 SE 1/4 NE	14 NW 1/4	9	T 10 S		
Street/Rural Address of Well Location; if unknown, distance & direct					Global Positionii	ng System (GPS) in	nformation:	
1	from nearest town or intersection: If at owner's address, check here .					Latitude: .39.201173 (in decimal degrees) Longitude: -96.304919 (in decimal degrees)		
Lincoln St. & Ash St. between 4th & 5th St. Wamego, Ks.					Elevation:		(in decimal degrees)	
						84, 🔲 NAD 83, 🗀] NAD 27	
2 WATER WELL OWNER: KDHE / BER					Collection Method	:		
	•	TTD (1)	W Jackson St., Suite 410			☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
City, State, ZIP Code : Topeka,			, Ks. 66612-1367			Est. Accuracy:		
3 LOCATE WELL 48								
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1) 39.5 ft. (2) ft. (3) ft.								
WELL'S STATIC WATER LEVEL. 35.79ft. below land su						: measured on mo/d	lav/vr 7/31/2013	
Pump test data: Well water wasft. after hours pumping gpm								
EST. YIELDgpm. Well water wasft. after hours pumpinggpm								
w								
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
sy	SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well							
	Was a chemical/bacteriological sample submitted to Department? Yes V No							
	S If yes, mo/day/yr sample was submitted							
Water well disinfected? ☐ Yes ☑ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .2 in. to .38 ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surface. 0 in., Weight								
☐ Steel ☐ Stainless Steel								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From 0 ft. to 38 ft., From ft. to ft., From ft. to ft.								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
	Sewer li			☐ Fuel storaç ☐ Fertilizer s		ed water well		
□ Watertight sewer lines □ Seepage pit □ Feedyard □ Fertilizer storage □ Oil well/gas well □ Direction from well □ Distance from well								
FROM	TO	LITHOLOG		FROM			JGGING INTERVALS	
0	8	silty clay (cl), dark brow	n, soft,					
		moist						
8	35	clay (ch) ,dark brown,		 				
25	39.5	stiff, moist clay (ch), olive gray bro	1400	 				
35	39.3	moist, stiff	WII,	 				
39.5	48	well graded sand, brow	n. wet	1				
-								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) .7/15/2013 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No604 This Water Well Record was completed on (mo/day/year)								
under the business name of Environmental Priority Service, Inc. by (signature)								
INSTRU	CTIONS:	Use typewriter or ball point pen	PLEASE PRESS FIRML	Yand <u>PRINT</u> c	early. Please fill in blan	ks and check the correct	answers. Send one copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html								