P	CMW	-45								
		LL RECORD	Form W	WC-5	D	ivision of Wate	r Resources App. N	lo.		
		The state of the s	Fraction				Township No.		Number	
	County: Pottawotomie		14 SE 14 NE	1/4 NW 1/	4	9	T 10 S	R 10	ZE UW	
	Street/Rural Address of Well Location; if unknown, distance &			direction	Glob	al Positioning	System (GPS) is	nformation	:	
fr	from nearest town or intersection: If at owner's address, check he			here .	Latit	Latitude: .39.201491 (in decimal degrees) Longitude: -96.304922 (in decimal degrees)				
۱ ۱	Lincoln St. & Ash St. between 4th & 5th St. Wamego, Ks.					gitude: :96.30	4922	(in de	cimal degrees)	
2 WATER WELL OWNER: KDHE / BER						Datum: WGS 84, NAD 83, NAD 27 Collection Method:				
1	RR#, Street Address, Box #: 1000 SW Jackson St., Suite 410						æ/Model:			
	City, State, ZIP Code : Topeka, Ks. 66612-1367						oto, Topographi			
							3 m, 🔲 3-5 m, 🗀			
	3 LOCATE WELL									
1	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 44 ft.									
31	SECTION BOX: Depth(s) Groundwater Encountered (1).35								131 12017	
-	WELL'S STATIC WATER LEVEL									
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									
w										
" -	WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well									
	Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
	Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well									
-	Was a chemical/bacteriological sample submitted to Department? Yes No									
	S If yes, mo/day/yr sample was submitted									
water went distintected? 1 es Qu 140										
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter .2										
Casing height above land surface. 0 in., Weight										
Steel Stainless Steel PVC Other (Specify)										
Brass Galvanized Steel None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)										
Louvered shutter Key punched Sire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From										
From										
GRAVEL PACK INTERVALS: From. 31 ft. to .34 ft., From ft. to ft.										
From										
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From 0 ft. to 31 ft., From ft. to ft., From ft. to ft.										
What is the nearest source of possible contamination:										
	Septic t			Livestock		Insecticide		er (specify	below)	
	Sewer !	ines	Sewage lagoon	Fuel stora		☐ Abandoned ☐ Oil well/ga				
D		om well						***************************************	••••••	
FRO		LITHOLOG		FROM	ТО		OG (cont.) or PLU	IGGING	INTERVALS	
0	7.5	silty clay (cl), dark brow		35	44		sand (sw), bro			
		moist								
7.5	24	clay (ch) ,dark brown,								
		stiff, moist								
24	28	silty sand (sm), It olive I	orown,							
		moist								
28	30	silty clay (d), light olive brown,								
		moist,stiff								
30	35	clayey silt (ml), light oliv	ve brown							
moist, soft										
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\bigsize \) constructed, \(\propto \) reconstructed, or \(\propto \) plugged under my jurisdiction and was completed on (mo/day/year) .7/15/2013 and this record is true to the best of my knowledge and belief.										
under my jurisdiction and was completed on (mo/day/year) .77.19/29.3 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No604 This Water Well Record was completed on (mo/day/year) .0										
under the business name of Environmental Priority Service, Inc. by (signature)										
		Use typewriter or ball point pen								
	Kansas I	Department of Health and Environs	nent, Bureau of Water, Geol	ogy Section,	1000 SW	Jackson St., Suite	420, Topeka, Kansa	s 66612-136	57.	
Tele	phone 785-29	96-5524. Send one copy to WATE		-		include fee of \$	5.00 for each construc	ted well. V	isit us at ·	
http://www.kdheks.gov/waterwell/index.html										