WATER WELL R		WWC-5		ision of Water		Well ID MW-4			
Original Record 1 LOCATION OF W		ge in Well Use Fraction		urces App. No. tion Number	Township Numb				
County: Pottawato		NE 1/4 SW 1/4 SW 1/4	1						
2 WELL OWNER: L		First:	Street or Ru						
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:									
	Jackson St.		Amon X	pprox 300 east + 100 N. of interection					
Address: Suite 420 City: Topeka	State: KS			f Hwy 99 + 14th St, Wango, Ks.					
City: Topeka 3 LOCATE WELL									
WITH "X" IN	4 DEPTH OF CO	MPLETED WELL:	20,0 ft.	5 Latitud	e:39.2113	(decimal degrees)			
SECTION BOX:		Encountered: 1)9.2							
N		3) ft., or 4) ☐ ATER LEVEL:							
		e, measured on (mo-day-y							
NW NE		e, measured on (mo-day-y			(WAAS enabled?				
	1	water was ft			d Survey Topogr	aphic Map			
W		rs pumping		☐ Onl	ine Mapper:				
SW SE	1	water was ft							
	Estimated Yield:		gpiii	6 Elevation: 1006.06ft. ☐ Ground Level ■ TOC					
S	Bore Hole Diameter:	8.75 in to 20.0	. ft. and			GPS Topographic Map			
1 mile		in. to	ft.		Other				
7 WELL WATER TO				_					
1. Domestic:		ater Supply: well ID				ease			
☐ Household ☐ Lawn & Garden		ng: how many wells?			ole: well IDed \square Uncased \square				
☐ Lawn & Garden	<u> </u>				rmal: how many bore				
2. Irrigation		tal Remediation: well ID			ed Loop Horizon				
3. ☐ Feedlot	☐ Air Spar					scharge Inj. of Water			
4. Industrial	☐ Recover	✓ Injection		13. 🔲 Othe	er (specify):				
Was a chemical/bacter	riological sample sub	mitted to KDHE?	es No	If yes, date s	sample was submitte	ed:			
Water well disinfected?	☐ Yes ■ No								
8 TYPE OF CASING	USED: ☐ Steel P	VC 🗌 Other	CASIN	NG JOINTS:	☐ Glued ☐ Clampe	d Welded Threaded			
Casing diameter 2 Casing height above land	in. to!Q.Q fl	., Diameter	in. to	ft., Diamet	ter in. to	40 ft.			
TYPE OF SCREEN OF			lbs./ft,	wan thickn	ess or gauge No				
I .	nless Steel Fib			☐ Other	(Specify)				
			sed (open hole		(ороспу)				
SCREEN OR PERFOR									
☐ Continuous Slot									
	☐ Key Punched ☐	Wire Wrapped	v Cut	Ione (Open Hol	le)				
SCREEN-PERFORAT									
		om8.0 ft. to 20.0							
9 GROUT MATERIA Grout Intervals: From	1 Real cement 1	d From 0	itonite 1	otner	ft to	ft			
Nearest source of possible	le contamination:	10., 110111		10., 110111	11. 10				
☐ Septic Tank	☐ Lateral Li	nes		Livestock Pens	Insecti	cide Storage			
☐ Sewer Lines	Cess Pool	☐ Sewage Lag		Fuel Storage	_	oned Water Well			
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
☐ Other (Specify) Direction from well? Distance from well? ft.									
10 FROM TO	LITHOLO	OGIC LOG	FROM			r PLUGGING INTERVALS			
	Clay, brown, gravely				- Commy o				
		amp, petroleum odor			,				
	Clay, green brown, v								
	Clay, red brown, wet								
					4				
		-	Notes: PY	oject con	de				
					44-075	-01140			
Notes: project code 44-075-01140									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 2-21-2922 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 604 This Water Well Record was completed on (mo-day-year) 3/15/23									
Kansas Water Well Con	ntractor's License No	604 This Wa	ter Well Red	cord was com	oleted on (mo-day-v	ear) .3/12.7.22			
under the business nam	e of Environmental.	Priority Service, Inc	Si	gnature	()*/Tt				
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.									
			Vater Well Owi KSA 82a-12		e for your records. Telep	hone 785-296-5524. Revised 7/10/2015			
Visit us at http://www.kdhek	s.gov/waterwell/index.html		NOM 02a-12	14		NEVISCU //10/2013			

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Dusty Myrup GSI 2900 NW Button Road, Suite A-7 Topeka, Kansas, 66616 March 7, 2022

RE: Monitor Well Elevation Survey 4455 N. Highway 99, Wamego, Kansas

Proj. 22-00P Ebert Construction KDHE ID U4-075-01140

Bench Mark: Chisled Square on Southwest corner of concrete storm inlet near a transformer pole West of the building.

Elev: 100	07.39	North 3167.2	4 W	Vest 2414.62	(from SE Cor. Sec. 4-10-10E)
✓MW-1	rim	1007. 8 6	North	3207.27	NE1/4,SW1/4,SW1/4,NE1/4
	top pipe	1007.30	West	2179.65	Lat= 39.21161 Long = 96.30415
∕MW-2	rim	1007.46	North	3170.68	NW1/4,SW1/4,SW1/4,NE1/4
	top pipe	1006.98	West	2380.29	Lat= 39.21149 Long = 96.30485
√MW-3	rim	1008.43	North	3298.44	NE1/4,SW1/4,SW1/4,NE1/4
	top pipe	1007.86	West	2243.87	Lat= 39.21185 Long = 96.30439
✓MW-4	rim	1006.62	North	3127.90	NE1/4,SW1/4,SW1/4,NE1/4
	top pipe	1006.06	West	2181.49	Lat= 39.21139 Long = 96.30415
√MW-5	rim	1006.54	North	3043.89	NE1/4,SW1/4,SW1/4,NE1/4
	top pipe	1006.03	West	2269.04	Lat= 39.21115 Long = 96.30443
√MW-6	rim	1005.60	North	2929.19	SE1/4,SW1/4,SW1/4,NE1/4
	top pipe	1004.90	West	2182.64	Lat= 39.21093 Long = 96.30413
✓MW-7	rim	1000.86	North	2885.54	SW1/4,SW1/4,SW1/4,NE1/4
	top pipe	1000.55	West	2399.27	Lat= 39.21070 Long = 96.30488
✓MW-9	rim	1003.14	North	2786.28	SE1/4,SW1/4,SW1/4,NE1/4
	top pipe	1002.76	West	2237.28	Lat= 39.21045 Long = 96.30429

Lat & Long derived from Wamego 7.5' quad map. WGS84

Elevation established from NGS BM T 370, NAVD 88

If you have at the stions, please feel free to call me. Thank you for the opportunity to be

Dennis L Handle R.S



